



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 9 Issue: VII Month of publication: July 2021

DOI: https://doi.org/10.22214/ijraset.2021.36417

www.ijraset.com

Call: © 08813907089 E-mail ID: ijraset@gmail.com



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429

Volume 9 Issue VII July 2021- Available at www.ijraset.com

### Face Authentication using AI for Smart Verification of Passengers

Priyanka Mahadev Kute<sup>1</sup>, Prof. Vandana Navale<sup>2</sup>

1. <sup>2</sup>Computer Science & Engg. Dept, Dhole Patil College Engineering Wagholi, Pune

Abstract: Modernization of rail lines has always been an issue centered around the improvement of the major framework of a country. Since the rail routes address perhaps the best methods of transport offered to individuals, it is essential to keep a mind the security gives that are emerging in today's world. As per the need there should be an up gradation in frameworks we use. One such up gradation is that the part of Artificial Intelligence and e-tagging that is accomplished with the help of face acknowledgment innovation. This innovation has been widely utilized as a biometric technique and subsequently can be utilized for traveler check.

Keywords: recognition of face, verification of ticket, nearest neighbors, regression, classifier.

#### I. INTRODUCTION

The fundamental goal of the venture is to plan a framework for contactless confirmation of traveler and keep away from dark showcasing in the ticket booking framework so the travelers can easily done the verification.

Tagging framework for rail routes was acquainted with show and approves substantial workers to suit one's solace, reason or needs while voyaging. In today's situation where the world is confronting the Corona infection pandemic clients wish to have a "frictionless travel", and a "frictionless experience", though the current tagging frameworks can deter individuals from using public vehicle as there is no such office available. To beat the this issues, we propose a ticket check framework utilizing facial acknowledgment that totally kills utilizing paper tickets and will likewise be utilize full for stopping illicit business in tickets booking.

#### II. MOTIVATION

In today's world where everybody is confronting Covid-19 pandemic individuals need a frictionless help to try not to get influenced from the infection. The proposed framework helps us in giving the traveler a contact free assistance.

Dark promoting and utilizing bogus personality record to book tickets is expanding step by step. On the off chance that there is any criminal behavior done by the traveler we can follow him effectively utilizing the facial picture. Additionally individuals going without ticket won't be permitted to load up and consequently it will decrease the debasement and give great travel insight to the travelers.

#### III. LITERATURE SURVEY

Different advancements have effectively been presented before, some of them have been portrayed in. As indicated by a portion of the attainable advancements which can be utilized for railroad tagging are QR codes, NFC and BLE, every one of them having their own upsides and downsides.

Speedy Response (QR) Codes permit the capacity of data in a 2D standardized tag design, putting away data both on a level plane and in an upward direction, subsequently conveying a few hundred times more data than normal scanner tags. These codes can be perused by devoted peruses, or utilizing advanced cells as long as they have a camera and self-adjust highlight. Additionally, QR Codes enjoy the benefit of being effortlessly made and can be printed utilizing a normal printer, hence making the interaction of actual dissemination not expensive. Near Field Communication (NFC) is a brief distance remote innovation, which comes implanted in some advanced cells, which permits clients to trade data with a savvy card or other NFC gadgets.

A brilliant card comprises of a detached NFC chip which can be perused by a gadget called a peruse which is a functioning NFC gadget. Bluetooth is a remote innovation, which trades information over brief distances utilizing radio transmissions. The latest Bluetooth standard is called Bluetooth Smart, or Bluetooth Low Energy (BLE); it enjoys a few upper hands over the conventional norm, for example, lower power utilization and improved reach, and it is being embraced by the as of late delivered advanced mobile phones. These advances remain imperfect, some of them being use of paper, significant expense, high client communication, less secure and so on Another innovation which was proposed in was the use of RFID, this innovation utilizes radio signs to trade information between a cell phone furnished with memory and a host PC.



#### International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429

Volume 9 Issue VII July 2021- Available at www.ijraset.com

RFID framework comprises of two fundamental segments: a tag and a pursuer. The tag is similar to the standardized identification name and it comes in various shapes and sizes. It contains a radio wire associated with a little computer chip. The pursuer capacities like a standardized tag scanner. Notwithstanding, standardized identification scanner utilizes laser radiates though the RFID pursuer utilizes electromagnetic waves. The disadvantage of this innovation is that it's anything but financially savvy as a gigantic introductory venture is needed to introduce RFID pursuers in the Railway Stations. Accordingly, in this paper facial acknowledgment innovation is acquainted with take out every one of the issues looked because of the recently carried out advances.

#### IV. THE PROPOSED SYSTEM

The proposed technique is to utilize facial acknowledgment. Facial acknowledgment framework is a kind of biometric distinguishing proof which is utilized to recognize an individual from the advanced picture of his/her face.

A total cycle is separated into three stages where the initial step is to discover or make an information base of countenances with numerous pictures for every person. The subsequent stage is to distinguish the countenances in the data set and use them to prepare the face recognizer and the last advance is to test the face.

In the proposed framework the new clients need to enlist themselves to the site. While doing the enrollment pictures of the individual will be caught and prepared. When the enrollment is finished, the client can login whenever and book a ticket. While booking a ticket the client needs to fill the fundamental subtleties like source, objective, and date, etc.

At the point when the client goes to the railroad station and strolls through the passage, the camera will distinguish the substance of the client and check if the client has booked a ticket. Assuming the client has booked a ticket, the door opens and the client can go through it and on the off chance that the client hasn't purchased a ticket, the passage will stay shut. In this manner this framework keeps individuals without a ticket from voyaging and it additionally kills the utilization of an actual ticket.

- 1) Registration: Another client needs to enroll by entering the necessary subtleties and the camera catch the picture of the client which will be utilized for the confirmation.
- 2) Login: The enrolled clients can login to the entry to book the tickets by entering the username and secret phrase, assuming both of the fields are mistaken, a blunder is tossed.
- 3) Database Generation: An information base is made and every one of the subtleties of the clients including their pictures is put away in it. The pictures of the clients will be prepared utilizing a particular calculation.
- 4) *Ticket Booking*: The client once signed in can see the dashboard, where he can refresh his information just as will actually want to book his/her ticket with different travelers.
- 5) *Ticket Verification:* This stage happens when the client strolls into the door in the rail route station. The camera introduced over the entryway distinguishes the client's face and it checks with the information base to confirm if the client has booked a ticket. Assuming the confirmation is valid, the client is allowed to enter the entryway in any case the door will stay shut in this manner keeping the clients without a ticket from continuing with their excursion.

#### A. Station Module

Each Station will have their own login module, where they can confirm the particular travelers the individuals who have their loading up tickets from that station as it were. This will again assist with boosting the smooth working of the station and will facilitate the work of TC.


#### B. Admin Module

Administrator will have the entrance of the entire framework. Fundamentally it will go about as the concentrated body that will screen the interaction, change the information and choose the activities. For the time being we have added not many functionalities to the administrator module, they are:

Station List: In which that admin can be able to list all the station as per their requirement.

#### Benefits

- 1) Less Corruption
- 2) Time Saving
- 3) Less Resources Consumption
- 4) Faster and better interaction
- 5) Secure





ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429

Volume 9 Issue VII July 2021- Available at www.ijraset.com

- C. Utilizations of the Proposed System
- 1) Ticket Automation
- 2) Attendance System

#### V. SYSTEM ARCHITECTURE




Fig.1 System Architecture

#### A. Technology Stack

#### OpenCV

It is a library of python ties which is utilized to take care of PC vision issues. The cv2 module of OpenCV is utilized for perusing and composing pictures from the video transfer.

#### B. K Nearest Neighbors (KNN)

It is a calculation utilized for ordering objects dependent on the nearest preparing models in an element space. An article is ordered by a larger part vote of its neighbors, with the item being appointed to the class generally normal among its k closest neighbors. Normally KNN Neighbors follow the following steps as follows.

#### 1) We need to calculate the Euclidean Distance

In which that we need to calculate the distance between the two different dataset by using straight line. Here we need to mention the 2D or 3D scale as per requirement.

#### ED= sq(sum i to Nth (first row\_i- second\_row\_i)^2)

Where,

**first row\_i-** It is used to represent the first row from dataset.

**second\_row\_i**- It is used to represent the second row from dataset.

- 2) In second step we need to find out the Nearest Neighbors.
- 3) In third step we need to make the prediction by using the train dataset.

Now let's see the result as follows.

Steps	Logistic Regression	Classification Tree	Forest	KNN
Output	2	3	1	3
Time	3	2	1	3
Prediction	2	2	3	2

#### International Journal for Research in Applied Science & Engineering Technology (IJRASET)




ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429 Volume 9 Issue VII July 2021- Available at www.ijraset.com

Now let's see how KNN algorithm works by using graphics as follows.

In diagram we spread orange color circular and black color rounded rectangle as shown and we need to find out the orange color circle by using KNN.



First find the blue star by using RC or GS and apply the KNN. Now let's say KNN=3 and now we make the circular with center of S as shown in following diagram.



- C. Pseudo Code
- 1) First we need to load data.
- 2) After that we need to initialize the K that is number of neighbors.
- 3) For each data we need to follow same steps.
- a) Calculate the distance from rows.
- b) Add the calculated distance.
- 4) Sort the distance from smallest to largest.
- 5) Get first value of K from sorted collection.
- 6) If it is regression then return the K labels that is mean
- 7) If it is classification then return the K label as mode.

#### D. Haar Cascade Classifier

It is utilized for object location; it recognizes the face in a picture dependent on different highlights. It has a course work which is prepared from a great deal of positive and negative pictures, in light of the preparation items can be recognized from different pictures.



#### International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429 Volume 9 Issue VII July 2021- Available at www.ijraset.com

#### VI. CONCLUSION

The framework is required to be completely robotized, solid, straightforward and advantageous. The entire framework can be for all intents and purposes executed for extravagance prepares and transports, air terminal limited transports, metro stations, air terminals particularly at urban areas in India. This assists with lessening turmoil and guarantees a smoother travel for travelers locally available. For suburbanites, voyaging is brought together, improved, savvy and agreeable. Rail route specialists just need to approve suburbanites' movement, no wastage of paper, security of workers is guaranteed, no cold hard cash exchange should be done and less staff and assets are required. It is a useful and fundamental upgradation to the Railways which takes care of various issues in the current framework. Such headways are vital considering the consistently expanding number of travelers to make voyaging a more agreeable encounter.

#### REFERENCES

- [1] Vishakha Mehta, Sarika Khandelwal, Ashish Kumar Kumawat, "A Survey on Face Recognition" 2018 2nd
- [2] Lingxiao Wang, Yali Li, Shengjin Wang, "Feature Learning for One-Shot Recognition" 2018 25th IEEE International Conference on Image Processing (ICIP)
- [3] Prasun Chowdhury, Poulami Bala, Diptadeep Addy, Sumit Giri, Aritra Ray Chaudhuri, "RFID and Android based smart ticketing and destination announcement system" 2016 International Conference on Advances in Computing, Communications and Informatics (ICACCI).
- [4] Rui Couto, João Leal, Pedro Mauricio Costa, Teresa Galvão, "Exploring Ticketing Approaches Using Mobile Technologies: QR Codes, NFC and BLE" 2015 IEEE 18th International Conference on Intelligent Transportation Systems.
- [5] Florian Schroff, Dmitry Kalenichenko, James Philbin, "FaceNet: A unified embedding for face recognition and clustering' 2015 IEEE Conference on Computer Vision and Pattern Recognition (CVPR).
- [6] Neeti Jain, Nagesh Sharma, Nishant Kamboj, Ankur Kakani, "Analysis of Different Methods for Face Recognition" 2014 Journal of Innovative Computer Science & Engineering Volume 1 Issue 2.









45.98



IMPACT FACTOR: 7.129



IMPACT FACTOR: 7.429



## INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call: 08813907089 🕓 (24\*7 Support on Whatsapp)