iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 9 **Issue:** VII **Month of publication:** July 2021

DOI: https://doi.org/10.22214/ijraset.2021.36726

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429
Volume 9 Issue VII July 2021- Available at www.ijraset.com

Detection of Diseases in Plants and Recommending Products to cure it

Ananya Shatrughan Tiwari[1], Abhay Shukla[2], Abhishek Jadoun[3], Abhishek Swaroop[4], Vernika Singh[5]
[1, 2, 3, 4]*Computer Science Engineering Student, RKGIT Ghaziabad, India*
[5]*Assistant Professor, CSE Department, RKGIT Ghaziabad, India*

Abstract: ***The plants, agrarian division and the nation's economy play a crucial portion in climate alter. The support of plants is in this manner profoundly imperative. Like individuals, various illnesses of microbes, organism and infections have an affect on plants. Convenient distinguishing proof and remedy of these illnesses is significant to dodge misfortune of whole plants. A significant learning show named the plant infection finder was given in this ponder. The demonstrate can distinguish numerous plant conditions utilizing the picture of its clears out. Demonstrate location of plant malady is made with the nueral framework. The primary step is to extend the test measure of the information collection. Afterward meeting Neural organize (CNN) with numerous layers of concentration and pooling is utilized. The information set for Plant Village is used for show preparation. After the demonstration has been prepared, the comes about are tried accurately. This show has been utilized by us for a few examinations. For testing purposes, 15 percent of information from PlantVillage information includes photographs of sound or debilitated plants. 98.3% of the test accuracy was achieved within the proposed show. This work centers on the significant learning show for infection location in plant clears out. Be that as it may, within the future demonstrate rambles or any other framework may be consolidated to recognize ailments of the plant and inform them to people so that they can be cured accordingly.***

Keywords: Plant Disease, Convolution Neural Network (CNN) , Deep Learning , Agriculture and PlantVillage.

I. INTRODUCTION

Within the financial and climate alter, plants play a critical part. Since climate alters have moreover become an around the world point within the Common Mystery Gathering of the Joined together Countries in 2019, a few nations like India are on a mission to plant more trees and plants, causing ozone hurt and resulting global warming owing to the mechanical employments. In long term, the anticipated pace for climate alter is 10-100 times higher than the DE ice warming rate [1]. These plants moreover contribute essentially to the nourishment segment. A key concern is additionally the balance of world nourishment production[2]. In expansion, plants have a vital work in wellbeing care[3] . Along side the plants, it is additionally a worldwide issue to require care of them. for human survival. Like human wellbeing, various ailments may have an affect on the wellbeing of plants. In financial terms, hundreds of trillions of dollars are anticipated to result in annually nourishment, fiber and decorative generation framework caused by plant bothers and diseases[4]. Parasites or fungal-like orgasms trigger such sicknesses. In any case, viral and bacterial organams[5] are dependable for extra extreme sicknesses of nourishment and nourish crops. Certain infections are vulnerable to transmission, which suggests they can exchange from one plant to another and so ought to be perceived and taken care of expeditiously. Maladies in plants at exceptionally early stages are especially troublesome to distinguish. A few of the visit indications incorporate leaf rust, stem rust, fine mold, etc. Scratching. The physical characteristics of plant clears out offer assistance recognize these ailments. Either plant is imperfect may be recognized by pros not by looking at clears out or natural products. It isn't exceptionally viable, in these age of innovations and mechanization, to have an computerized framework that consequently distinguishes ailments in plants would be much more viable. Numerous inquire about is been carried out to realize this objective, most of which utilize standard strategies of machine learning[6]. The point of this work is to construct programmed frameworks for location by means of profound learning techniques of ailments in plants. Significant learning may be a machine learning subset. The advantage of significant instruction over apparatus is that you just do not need to stress over space skill since, not at all like standard machine learning strategies, building isn't fundamental in this respect [7]. Our strategy employments pictures of clears out of plants for plant malady location. Plastic infection finder is an computerized plant illness conclusion gadget based on computer vision, utilizing machine learning to precisely recognize sicknesses and solid plants as well as illnesses. The picture Convolution Neural Arrange (CNN) may be utilized to realize this significant learning arrange. CNN is utilized for extricating picture usefulness i.e. flat, vertical, RGB, etc. For the extraction of visual features, CNN has the most excellent significant Neural organize [8]. By giving colossal sums of sound and malady plants and prepared show, the arrange based on CNN may be instructed for plant illness discovery.

©IJRASET: All Rights are Reserved

II. RELATED WORK

Currently, the study in a complex environment for plant disease detection focuses mainly on three aspects: segmentation of the picture, extraction and diagnosis of illness.

A. Image Segmentation

Within the complex environment, the key challenge is how pictures are portioned when clears out of maladies are localised and recognized, as the most objective of the picture division is to recognize indications from the background. It is being considered in profundity by various analysts. In 2017, the Delta E colour contrast strategy was used by Ali et al. to recognize the influenced locale. A few studies combine intrigued run (ROI) and other procedures to fragment pictures. The convolutionary autoencoder was, concurring to Kao et al., utilized as a scenery channel to distinguish an image's ROI[15]. The moment strategy fair centers on locales that are fragmented. A inquire about was distributed in 2013 by Pujari and colleagues (Pujari et al.). They found that photos were isolated into a few areas, each having a particular importance, which the pictures were taken from them [16]. Akram and collaborators have made an picture handling worldview with synchronous preparing in genuine time. The picture is partitioned into three colour spaces, and can perform differentiate expansion, vector acknowledgment and zone location [17]. Other analysts have moreover used significant learning strategies to section and recognize pictures. In arrange to improve location of plant illness, Marko et al. proposed a depth-based target distinguishing proof innovation and connected a two-stage algorithm.[18]. In any case, there's a reality that cannot be disregarded. Due to the complexity of color data within the complex environment, the visioning approach based on color, ROI, and limit is ineffectively polished.

B. Feature Extraction

Extraction of plant illness highlights postures an assortment of issues when the ailment is recognized. Surfaces, shape, color, and movement-related highlights, all of which are vital for the extraction of ailment characteristics[21, 22]. Raza and colleagues[23] proposed a procedure to expel spots based on the characteristics of color and surface. Hu et al. proposed the hypothesis of prove and multifunction combination of Dempster–Shafer (D-S) for extricating highlights and included fluctuation to improve rules on D-S confirmation theory[24]. In expansion, Turkoglu displayed moved forward forms of the Neighborhood Double Design (LBP) approach, utilizing the initial neighborhood LBP esteem to convert the picture into a dark scale and handle the picture channels R and G whereas taking into thought both in general and region[25]. Li et al. examined an IoT-Function Extraction for the Keen City on the premise of the profound moving learning model[26]. There's a program for music which can extricate sound components in arrange for visuals to be able to adjust to music[27]. For example, in order to extract significant and distinctive characteristics from the electroencephalogram (EEG), Meziani et al. proposed two novel specific estimators which were resistant to non-Gaussian, non-linear and non-stationary signals[28].

C. Disease Identification

As for the precise personality, so numerous approaches for precise discoveries have been made and investigated. The distinguishing proof show was based on course names and a fine-grained picture classification framework was created [31]. Zhang et al. detailed an picture distinguishing proof framework on the premise of a half breed clustering for plant illnesses [32]. Content-based imaging (CBIR) framework was created by Patil et al. in 2017 to extricate surface and cruel values for calculating color highlights, and the classification course of the back vector machine (SVM) was utilized [33]. The most objective was to create classification frameworks and picture examination in arrange to extricate and distinguish highlights. Through the aforementioned ponder. As of late, other ways of recognizing the ailment more dependably and precisely have been built up. A unused approach based on photography determination and brief written clarifications permitted non-experts to analyze plant ailments which will be utilized remotely from the PC, in a smartphone, or in computerized individual assistants[34]. Pertot et al. displayed an innovation that employments portable phones to photo wiped out plants in real-time, as well as leaf division and location of illness patches with progressed k-means clustering[35]. An infinitesimal imaging framework has been distributed by Yang et al. on the premise of the tree bewildering lattice choice and a synergistic evaluation of surface and frame attributes[36]. In addition, the neural arrange of convolution is utilized within the recognizable proof of maladies. Chad et al. have formulated a procedure for identifying plant infection in field-based photos of maize plants. 1632 corn bit pictures were learned and delivered by Ni et al. by means of a profound, convolutionary neural arrange, corn detector [38]. Through the research findings, some progress has been made in three fields: segmentation of leaf, leaf lesion extraction, and identification of leaf diseases. Many problems remain nevertheless to be resolved in such a complex environment to apply the detection of plant diseases.

©IJRASET: All Rights are Reserved

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429
Volume 9 Issue VII July 2021- Available at www.ijraset.com

III. SYSTEM METHODOLOGY

Profound Learning is an progressed strategy of machine learning that settled the trouble of conventional machine learning include building. Space information is now not vital and significant learning is completely regarded. The spine of more profound learning is the Neural Counterfeit Arrange (ANN). Numerical models recreating the common standards of brain work utilizing neurons and neural connections are counterfeit neural systems. Tensorflow is one of the foremost widely-used libraries for the advancement of neural systems. It incorporates all fake neural organize libraries. Tensorflow may be utilized for taking care of content and picture categorization forms.

A. Convolution Neural Network

Convolution Neural Networks (CNNs) are used for the detection of diseases in plant leaves. CNN is a more sophisticated standard ANN version which gives superior outcomes in the picture. Because pictures include recurrent patterns of a certain object or picture.Two important elements of CNN are concentration and pooling. Pooling is used to reduce the picture size and converting is used to discover pattern edges in an illustration. A lot of CNN architectures may be utilised to tackle the same problem: - (a)VGG16 (b)VGG19 - (b)VGG19 (c) ResNet50(d)ResNet101(e)ResNet150 (e)ResNet152 (f) EfficientNet (g) Inception V3.
But here, with distinctive layers, we have built our possess demonstrate. In expansion, Google Colab and Tensorflow's Keras API are utilized for preparing these models. Keras may be a free Python open-source system to construct and assess significant however easy-to-use models of learning. It covers two effective numerical computing systems Theano and TensorFlow, permitting you to construct and prepare neural arrange models with some lines of code.

B. Dataset Discussion

Downloaded and introduced the dataset from Kaggle on Google Drive. The dataset has been utilized for plant infection discovery. The dataset incorporates 13 classes for show preparing (14180 photos) and 40 pictures for demonstrate testing. The discoveries of the paper are based on a dataset from PlantVillage, which comprises of 13 classes of 2 plants.

Tables I (a) provide descriptions of these classes and datasets (b).

Class	Plant Name	Healthy or Diseased	Disease Name	Image No.
C1	Potato	Diseased	Early Blight	123
C2	Potato	Healthy		125
C3	Potato	Diseased	Late Blight	1021
C4	Tomato	Diseased	Bacterial Spot	1026
C5	Tomato	Diseased	Early Blight	2236
C6	Tomato	Healthy	Late Blight	3423
C7	Tomato	Diseased	Leaf Mold	4968
C8	Tomato	Diseased	Septoria Leaf Spot	7212
C9	Tomato	Diseased	Spider Mites Two Spotted Spider Mite	8855
C10 C11	Tomato Tomato	Diseased Diseased	Target Spot Tomato Mosaic Virus	10200
C12	Tomato	Healthy		12255

By using this table, you can see how many pictures in each class. Each class has around 1000 pictures.Two distinct plants exist in this dataset. Healthy and diseased pictures of all plants are accessible. Most of the pictures are of tomato plant.

©IJRASET: All Rights are Reserved




Figure No. 1 - Tomato leaf

1) The data is divided into the training components one, and the test components.
2) The dataset will have a random 80/20 split.
3) The training data is 95% of the whole, compared to 5% of the total. The test data set is 95%.
4) The training dataset includes 14,178 pictures, whereas the test data set includes 100 images.
5) To increase its accuracy, the model was trained with 14178 photographs and 100 images were undetected by the model.




Figure No. 2 - Disease Spots on plant leaves

©IJRASET: All Rights are Reserved

IV. MODEL DESCRIPTION

A. In order to achieve greater accuracy, the dataset is pre-processed in the form of an increase to extend the data set size.
B. The images then have a smaller size of 256x256 pixels.
C. Afterwards, a neural network-based convolution model with several layers of pooling and convolution and a dense prediction layer is developed.
D. Three MaxPooling layers are used with a 2x2 filter and three 3x3 filter convolution layers.This approach also offers standardisation of batch.
E. Standardization batch is a technique for the scaling of data at a given level, but differs not only on the input level, but also on hidden layers.
F. After this, numerous filters such as 32 filters and 64 filters are visualised after each layer.

Paramater	Value
Epochs	15
Batch Size	32
Learning Rate	0.001
Activation in Middle Layers	Relu
Activation in Final Layer	Softmax

disease in plants by images of plants leaves.

V. SYSTEM DESCRIPTION

In this approach, it is too limited to detect diseases in different plant types and this is done by CNN(Convolution Neural Network). It requires several layers to build a CNN model, which completely takes each layer of the system to decide separately and to identify image changes. Various layer convolution, Maxpool, Softmax, dense layers, are categorised in this system and have certain parameters with completely linked layers




Figure No. 3 - System's Various Stages

©IJRASET: All Rights are Reserved

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429
Volume 9 Issue VII July 2021- Available at www.ijraset.com

VI. SYSTEM IMPLEMENTATION

A. *Disease Detection*

Differing illnesses are recognised in diverse plants[4], utilising the notion of machine learning and profound learning. Any picture of the plant is thus classified that each change is easily measured.

B. *Steps to build Plant Dieases CNN Model*

1) *Convolution:* Is the initial layer in which the input picture extracts features and learns the link between functions that use the Kernel or input image filters.
2) *ReLU Layer:* ReLU is the non-linear operation's Rectified Linear Unit. The result is = max(x) (0,x). We utilise it because the non-linearity of the CNN is introduced.
3) *Pooling Layer:* It is used by the maintenance of the pertinent data to advance prepare the number of parameters. There are types of Pooling:

a) Max Pooling (Choose this).
b) Average and Sum pooling.

4) *Flattening:* We are straightening our entirety network into a vertical vector. So, it is transmitted to a layer of input.
5) *Fully Connected Layer:* We nourish the straightening vector into the layer of input. To build a demonstrate, we coordinates these properties. At last, we have an actuation include for classifying yields, such as softmax or sigmoid.

C. *After CNN Part*

1) *Gathering Data (Images):* Collect as numerous information sets as conceivable utilizing disease-affected and solid pictures. A tremendous sum of information ought to be required.
2) *Building CNN:* CNN builds with different conspicuous open source libraries for ML and DL advancement.
3) *Choose any cloud based IDE:* It's great to memorize cloud modules, as our tablets require gigantic computer control and the computer won't support them. You'll be able prepare on your possess PC on the off chance that you have got a great GPU setup portable workstation. We select Google Colab which permits you to choose from anything you need.

D. *Algorithm*

1) Step 1. Mount the Google Drive dataset first
2) Step 2. Purport os, glob, matplotlib.pyplot, NumPy, and Keras API Library
3) Step 3. We mentioned in Step 4 to import layers from Keras Phase
4) Step 4. To consequence layers from Keras Phase 4. Importation of Keras.layers Dense,Dropout,Pooling2D, AveragePooling2D, BatchNormalisations,Batches from Keras,ImportConv2D,MaxPooling2D
5) Step 5. Uploading Prepare and test information in person factors
6) Step 6. 13 Classes are there in the system,14180 Train Images and 34 Test Images

```
[ ] train_samples =get_files(train_dir)
    num_classes=len(glob.glob(train_dir+"/*"))
    test_samples=get_files(test_dir) # For testing i took only few samples from unseen data. we can evaluate using validation data which is part of train data.
    print(num_classes,"Classes")
    print(train_samples,"Train images")
    print(test_samples,"Test images")

    13 Classes
    14180 Train images
    34 Test images
```

7) Step 7 Preprocessing Data with Parameters

Image values between(0-1) termed Standardization Rescaling and whatever preprocessing is done in parallel with the train .The variable "train datagen and test datagen" contains all of these parameters."

8) Step 8. Generation of increased train and test directory data

In this stage we set the input picture height and colour. Enhanced train and test directory data are created

©IJRASET: All Rights are Reserved

9) Step 9. Getting 12 Diseases Name/Classes from the Code

```
# The name of the 12 diseases.
train_generator.class_indices
```

```
{'Potato___Early_blight': 0,
 'Potato___Late_blight': 1,
 'Potato___healthy': 2,
 'Tomato_Bacterial_spot': 3,
 'Tomato_Early_blight': 4,
 'Tomato_Late_blight': 5,
 'Tomato_Leaf_Mold': 6,
 'Tomato_Septoria_leaf_spot': 7,
 'Tomato_Spider_mites_Two_spotted_spider_mite': 8,
 'Tomato__Target_Spot': 9,
 'Tomato__Tomato_mosaic_virus': 10,
 'Tomato_healthy': 11}
```

These are the 12 diseases available in the dataset

10) Step 10. Building CNN Model

```
# CNN building.
model = Sequential()
model.add(Conv2D(32, (5, 5),input_shape=input_shape,activation='relu'))
model.add(MaxPooling2D(pool_size=(3, 3)))
model.add(Conv2D(32, (3, 3),activation='relu'))
model.add(MaxPooling2D(pool_size=(2, 2)))
model.add(Conv2D(64, (3, 3),activation='relu'))
model.add(MaxPooling2D(pool_size=(2, 2)))
model.add(Flatten())
model.add(Dense(512,activation='relu'))
model.add(Dropout(0.25))
model.add(Dense(128,activation='relu'))
model.add(Dense(num_classes,activation='softmax'))
model.summary()
```

Above Code we may essentially create our claim, CNN Show, in any case, in this venture, we have built our claim show by utilizing Pre Done Show such as VGG16 and VGG19. We connected a layer of Conv2D to evacuate 32 highlights and 64 highlights from the input picture. Cast-offs! (Amended straight actuation to fire up neurons). The 4D cluster smoothing layer is 1D. Dropout is unwinding for certain neurons. Here, for Likelihood Yields, we utilized softmax activation.

This is the Output of the Every Layer-

```
_________________________________________________________________
Layer (type)                 Output Shape              Param #
=================================================================
conv2d_1 (Conv2D)            (None, 252, 252, 32)      2432
_________________________________________________________________
max_pooling2d_1 (MaxPooling2 (None, 84, 84, 32)        0
_________________________________________________________________
conv2d_2 (Conv2D)            (None, 82, 82, 32)        9248
_________________________________________________________________
max_pooling2d_2 (MaxPooling2 (None, 41, 41, 32)        0
_________________________________________________________________
conv2d_3 (Conv2D)            (None, 39, 39, 64)        18496
_________________________________________________________________
max_pooling2d_3 (MaxPooling2 (None, 19, 19, 64)        0
_________________________________________________________________
flatten_1 (Flatten)          (None, 23104)             0
_________________________________________________________________
dense_1 (Dense)              (None, 512)               11829760
_________________________________________________________________
dropout_1 (Dropout)          (None, 512)               0
_________________________________________________________________
dense_2 (Dense)              (None, 128)               65664
_________________________________________________________________
dense_3 (Dense)              (None, 12)                1548
=================================================================
Total params: 11,927,148
Trainable params: 11,927,148
Non-trainable params: 0
_________________________________________________________________
```

CNN Diminishes parameters and obtains highlights and spares imperative data yield after all layers. There are add up to parameters, and the yield clearly appears the trainable parameters and untrained parameters.

©IJRASET: All Rights are Reserved

11) Step 11. Visualization of images after Every Layer

We took a picture from our dataset to confirm the changes after each layer. Any ailments plant picture of the potato or tomato is this test picture.




Figure No. 4 - Visualization of Images

12) Step 12. Training the CNN Model with Different Parameters

Distinctive parameters such as Adam Optimizer are used for preparing the CNN demonstrate with a learning rate =0.001. Function of Misfortune For our Multi Classification issue, Categorical Cross entropy is utilized. "Precision" is measurements. The CNN demonstrate is prepared through fit generator.

```
Epoch 10/15
467/467 [==============================] - 494s 1s/step - loss: 0.2078 - acc: 0.9285 - val_loss: 0.1335 - val_acc: 0.9530
Epoch 11/15
467/467 [==============================] - 491s 1s/step - loss: 0.1859 - acc: 0.9341 - val_loss: 0.1962 - val_acc: 0.9347
Epoch 12/15
467/467 [==============================] - 488s 1s/step - loss: 0.1827 - acc: 0.9392 - val_loss: 0.0764 - val_acc: 0.9744
Epoch 13/15
467/467 [==============================] - 490s 1s/step - loss: 0.1729 - acc: 0.9427 - val_loss: 0.2126 - val_acc: 0.9304
Epoch 14/15
467/467 [==============================] - 489s 1s/step - loss: 0.1672 - acc: 0.9413 - val_loss: 0.0782 - val_acc: 0.9735
Epoch 15/15
467/467 [==============================] - 495s 1s/step - loss: 0.1671 - acc: 0.9434 - val_loss: 0.1029 - val_acc: 0.9662
```

©IJRASET: All Rights are Reserved

13) Step 13. Save the Model Weights to prevent Retraining and then Load the model from saved weights.

14) Step 14. Predictions

We must pre-process our picture to figure a model. First we resize the picture(150,150), at that point change over the picture to the cluster to include channels=image (150,150,3) RGB Tenserflow truly works with the picture parts to indicate the picture tests (1,150,150,3)




Figure No. 5 - Images used by Tensorflow

15) Step 15 Now Convert This Model into 'tflite'

To associate with our show app, tflite is for portable phone forms and needs to be changed over to the TensorFlow lite form. This permits us to communicate with our show.

VII. RESULTS

In below figure 6,The two results are there, first result show the potato early blight disease and another one is tomato late blight disease .Similarly we can find out the different types of diseases in different types of plants either potato or tomato or someone else.




Figure No. 6 - Diseased plant leaves

VIII. FUTURE WORK

Future work involves progressing demonstrate exactness, how to modify the estimates to guarantee that this will be done speedier and more precisely than some time recently using distinctive sorts of structures recorded over. and to grow plant infection location to recognize blooms and to maintain a strategic distance from the manures and chemicals from being utilized day by day by the farmer's natural cultivating region.

©IJRASET: All Rights are Reserved


REFERENCES

[1] Y. Ampatzidis, L. De Bellis, and A. Luvisi, “iPathology: robotic applications and management of plants and plant diseases,” Sustainability, vol. 9, no. 6, p. 1010, 2017.
[2] A. Breukers, D. L. Kettenis, M. Mourits, W. V. D. Werf, and A. O. Lansink, “Individual-based models in the analysis of disease transmission in plant production chains: an application to potato brown rot,” Academy of Sciences, vol. 90, no. 1–3, pp. 112–131, 2006.
[3] S. Ghosal, D. Blystone, A. K. Singh, B. Ganapathysubramanian, A. Singh, and S. Sarkar, “An explainable deep machine vision framework for plant stress phenotyping,” Proceedings of the National Academy of Sciences, vol. 115, no. 18, pp. 4613–4618, 2018.
[4] E.-C. Oerke, “Crop losses to pests,” The Journal of Agricultural Science, vol. 144, no. 1, pp. 31–43, 2006.
[5] X. E. Pantazi, D. Moshou, and A. A. Tamouridou, “Automated leaf disease detection in different crop species through image features analysis and One Class Classifiers,” Computers and Electronics in Agriculture, vol. 156, pp. 96–104, 2019.
[6] J. G. A. Barbedo, “Factors influencing the use of deep learning for plant disease recognition,” Biosystems Engineering, vol. 172, pp. 84–91, 2018.
[7] G. Geetharamani and J. Arun Pandian, “Identification of plant leaf diseases using a nine-layer deep convolutional neural network,” Computers & Electrical Engineering, vol. 76, pp. 323–338, 2019.
[8] P. F. Konstantinos, “Deep learning models for plant disease detection and diagnosis,” Computers & Electrical Engineering, vol. 145, pp. 311–318, 2018.
[9] V. Singh and A. K. Misra, “Detection of plant leaf diseases using image segmentation and soft computing techniques,” Information Processing in Agriculture, vol. 4, no. 1, pp. 41–49, 2017.
[10] S. P. Mohanty, D. P. Hughes, and S. Marcel, “Using deep learning for image-based plant disease detection,” Frontiers in Plant Science, vol. 7, p. 1419, 2016.
[11] Y. Guo, X. Hu, Y. Zou et al., “Maximizing E-tailers’ sales volume through the shipping-fee discount and product recommendation system,” Discrete Dynamics in Nature and Society, vol. 2020, pp. 1–14, 2020.
[12] R. Amanda, B. Kelsee, M. C. Peter, A. Babuali, L. James, and D. P. Hughes, “Deep learning for image-based cassava disease detection,” Frontiers in Plant Science, vol. 8, p. 1852, 2017.
[13] H. Ali, M. I. Lali, M. Z. Nawaz, M. Sharif, and B. A. Saleem, “Symptom based automated detection of citrus diseases using color histogram and textural descriptors,” Computers and Electronics in Agriculture, vol. 138, pp. 92–104, 2017.
[14] H. M. Alexander, K. E. Mauck, A. E. Whitfield, K. A. Garrett, and C. M. Malmstrom, “Plant-virus interactions and the agro-ecological interface,” European Journal of Plant Pathology, vol. 138, no. 3, pp. 529–547, 2014.
[15] I.-H. Kao, Y.-W. Hsu, Y.-Z. Yang, Y.-L. Chen, Y.-H. Lai, and J.-W. Perng, “Determination of Lycopersicon maturity using convolutional autoencoders,” Scientia Horticulturae, vol. 256, p. 108538, 2019.
[16] D. Pujari, R. Yakkundimath, and A. S. Byadgi, “Grading and classification of anthracnose fungal disease of fruits based on statistical texture features,” International Journal of Advanced Science and Technology, vol. 52, pp. 121–132, 2013.
[17] T. Akram, S. R. Naqvi, S. A. Haider, and M. Kamran, “Towards real-time crops surveillance for disease classification: exploiting parallelism in computer vision,” Computers & Electrical Engineering, vol. 59, pp. 15–26, 2017.
[18] A. Marko, K. Mirjana, S. Srdjan, A. Andras, and S. Darko, “Solving current limitations of deep learning based approaches for plant disease detection,” Symmetry-Baseline, vol. 11, no. 7, p. 939, 2019.
[19] J. Li, W. Tang, J. Wang, X. Wang, and X. Zhang, “Multilevel thresholding selection based on variational mode decomposition for image segmentation,” Signal Processing, vol. 147, pp. 80–91, 2018.
[20] M. A. Elaziz, D. Oliva, A. A. Ewees, and S. Xiong, “Multi-level thresholding-based grey scale image segmentation using multi-objective multi-verse optimizer,” Expert Systems with Applications, vol. 125, pp. 112–129, 2019.
[21] A. Cruz, Y. Ampatzidis, R. Pierro et al., “Detection of grapevine yellows symptoms in Vitis vinifera L. with artificial intelligence,” Computers and Electronics in Agriculture, vol. 157, pp. 63–76, 2019.
[22] Z. Iqbal, M. A. Khan, M. Sharif, J. H. Shah, M. H. ur Rehman, and K. Javed, “An automated detection and classification of citrus plant diseases using image processing techniques: a review,” Computers and Electronics in Agriculture, vol. 153, pp. 12–32, 2018.
[23] M. Raza, M. Sharif, M. Yasmin, M. A. Khan, T. Saba, and S. L. Fernandes, “Appearance based pedestrians' gender recognition by employing stacked auto encoders in deep learning,” Future Generation Computer Systems, vol. 88, pp. 28–39, 2018.
[24] M. Hu, X. Bu, X. Sun, Z. Yu, and Y. Zheng, “Rape plant disease recognition method of multi-feature fusion based on D-S evidence theory,” Mathematical and Computational Applications, vol. 22, no. 1, p. 18, 2017.
[25] M. Turkoglu and D. Hanbay, “Leaf-based plant species recognition based on improved local binary pattern and extreme learning machine,” Physica A: Statistical Mechanics and Its Applications, vol. 527, p. 121297, 2019.
[26] D. Li, L. Deng, M. Lee, and H. Wang, “IoT data feature extraction and intrusion detection system for smart cities based on deep migration learning,” International Journal of Information Management, vol. 49, pp. 533–545, 2019.
[27] Dhiraj, R. Biswas, and N. Ghattamaraju, “An effective analysis of deep learning based approaches for audio based feature extraction and its visualization,” Multimedia Tools and Applications, vol. 78, no. 17, pp. 23949–23972, 2019.
[28] A. Meziani, K. Djouani, T. Medkour, and A. Chibani, “A Lasso quantile periodogram based feature extraction for EEG-based motor imagery,” Journal of Neuroscience Methods, vol. 328, p. 108434, 2019.
[29] Y. Xu, H. Ding, Y. Xue, and J. Guan, “High-dimensional feature extraction of sea clutter and target signal for intelligent maritime monitoring network,” Comput. Commun., vol. 147, pp. 76–84, 2019.
[30] C. Xu, Y. Chai, H. Li, Z. Shi, L. Zhang, and Z. Liang, “A feature extraction method for the wear of milling tools based on the Hilbert marginal spectrum,” Machining Science and Technology, vol. 23, pp. 847–868, 2019.
[31] Y. Zhang, X.-S. Wei, J. Wu et al., “Weakly supervised fine-grained categorization with part-based image representation,” IEEE Transactions on Image Processing, vol. 25, no. 4, pp. 1713–1725, 2016.
[32] S. Zhang, Z. You, and X. Wu, “Plant disease leaf image segmentation based on superpixel clustering and EM algorithm,” Neural Computing and Applications, vol. 31, no. S2, pp. 1225–1232, 2019.

©IJRASET: All Rights are Reserved

[33] J. K. Patil and R. Kumar, "Analysis of content based image retrieval for plant leaf diseases using color, shape and texture features," Engineering in Agriculture, Environment and Food, vol. 10, pp. 69–78, 2016.
[34] K. P. Ferentinos, "Deep learning models for plant disease detection and diagnosis," Computers and Electronics in Agriculture, vol. 145, pp. 311–318, 2018.
[35] I. Pertot, T. Kuflik, I. Gordon, S. Freeman, and Y. Elad, "Identificator: a web-based tool for visual plant disease identification, a proof of concept with a case study on strawberry," Computers and Electronics in Agriculture, vol. 84, pp. 144–154, 2012.
[36] N. Yang, Y. Qian, H. S. EL-Mesery, R. Zhang, A. Wang, and J. Tang, "Rapid detection of rice disease using microscopy image identification based on the synergistic judgment of texture and shape features and decision tree-confusion matrix method," Journal of the Science of Food and Agriculture, vol. 99, no. 14, pp. 6589–6600, 2019.
[37] D. Chad, W. H. Tyr, S. Chen et al., "Automated identification of northern leaf blight-infected maize plants from field imagery using deep learning," Phytopathology, vol. 107, pp. 1426–1432, 2017.
[38] C. Ni, D. Wang, R. Vinson, M. Holmes, and Y. Tao, "Automatic inspection machine for maize kernels based on deep convolutional neural networks," Biosystems Engineering, vol. 178, pp. 131–144, 2019.
[39] Y. Lu, S. Yi, N. Zeng, Y. Liu, and Y. Zhang, "Identification of rice diseases using deep convolutional neural networks," Neurocomputing, vol. 267, pp. 378–384, 2017.
[40] Z. Zhang, H. Liu, Z. Meng, and J. Chen, "Deep learning-based automatic recognition network of agricultural machinery images," Computers and Electronics in Agriculture, vol. 166, p. 104978, 2019.
[41] X. Zhang, Y. Qiao, F. Meng, C. Fan, and M. Zhang, "Identification of maize leaf diseases using improved deep convolutional neural networks," IEEE Access, vol. 6, pp. 30370–30377, 2018.
[42] R. A. Krishnaswamy, P. Raja, and R. Aniirudh, "Tomato crop disease classification using pre-trained deep learning algorithm," Procedia Computer Science, vol. 133, pp. 1040–1047, 2018.
[43] S. Coulibaly, B. Kamsu-Foguem, D. Kamissoko, and D. Traore, "Deep neural networks with transfer learning in millet crop images," Computers in Industry, vol. 108, pp. 115–120, 2019.

©IJRASET: All Rights are Reserved



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)