



# **iJRASET**

International Journal For Research in  
Applied Science and Engineering Technology



---

# **INTERNATIONAL JOURNAL FOR RESEARCH**

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume: 9      Issue: VII      Month of publication: July 2021**

**DOI: <https://doi.org/10.22214/ijraset.2021.36796>**

**[www.ijraset.com](http://www.ijraset.com)**

**Call:  08813907089**

**E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)**

# Pothole Detection Using Yolo V3: A Deep Learning Approach

Deepa A L<sup>1</sup>, Deepika A R<sup>2</sup>, Ridhi M Jain<sup>3</sup>, Shreya V<sup>4</sup>, Yemimah Angel MD<sup>4</sup>, Dr. Roopa G M<sup>5</sup>

<sup>1, 2, 3, 4, 5</sup>Computer Science and Engineering Department, BIET, VTU University

**Abstract:** Potholes on roads constitute a serious problem for citizens acting as pedestrians furthermore as vehicular drivers. Government bodies which carries with it engineers and workers are responsible to detect damages on roads. Manually assessing every single a part of the road is very time- consuming, requires lots of manpower and hence it cannot be done efficiently. the tactic to repair this issue by automating the detection. The study focuses on collecting and analyzing the dataset of potholes to coach a convolutional neural network. the thing detection system tiny YOLOv3 is employed for detecting the potholes. the look of a system is identified which may be used for developing a mobile application for detection and presenting a visualized view of the potholes.

**Keywords:** YOLO V3, Machine Learning, Cloud computing, Deep Learning, Pothole, Neural Networks.

## I. INTRODUCTION

The process of gathering data depends on the sort of project, for this project, real- time data is employed. In our project, we've used Image dataset. The dataset contains two folders: Test\_images and Training\_images. The Training\_images folder consists of 218 images of pothole. Similarly, the Test\_images carries with it 48 images of pothole. There are 2 categories within the dataset namely positive and negative. Positive denotes the very fact that the road contains one in every of multiple potholes whereas negative will denote that the image does not contain any potholes.

But training a model in YOLO doesn't require partition of images within the dataset and hence a 70- 30 ratio of images from the positive and negative images were taken from the files into the ultimate dataset.

The scraping of images from the online is completed because the images were in several file formats. a standard file format is employed to convert all the scraped images into same extension. Since, the dataset had scraped images from web it consisted of multiple repetitive images in an exceedingly row, images within the final dataset are taken from an interval of 17 images. This ensures that the ultimate dataset is free from redundancy.

Tiny YOLOv3, a CNN which is capable to function on a mobile device is trained to be used because the object detection model. Furthermore, a design was introduced for the Pothole Detection System which uses a mobile application to detect potholes and represent on maps using markers with APIs from Google and other third party resources. Using the appliance with the plotted information, the responsible civic body can repair the pothole with the gained insights.

## II. LITERATURE SURVEY

Deep learning may be traced back to 1943, when Walter Pitts and Warren McCulloch created a computer model supported the neural networks of the human brain. They used a mixture of algorithms and arithmetic. They called "threshold logic" to mimic the thought process. Since that point, Deep Learning has evolved steadily, with only two significant breaks in its development. Both were tied to the infamous computer science winters. Artificial neural networks (ANNs) or connectionist systems are computing systems inspired by the biological neural networks that constitute animal brains. Such systems learn (progressively improve their ability) to try to to tasks by considering examples, generally without task-specific programming.

As an example, in image recognition, they may learn to spot images that contain cats by analyzing example images that are manually labeled as "cat" or "not cat" and using the analytic results to spot cats in other images. They need found most use in applications difficult to specific with a standard computer algorithm using rule-based programming.

An ANN relies on a set of connected units called artificial neurons, (analogous to biological neurons during a biological brain). Each connection (synapse) between neurons can transmit a symptom to a different neuron. The receiving (postsynaptic) neuron can process the signal(s) so signal downstream neurons connected thereto.

Neurons may have state, generally represented by real numbers, typically between 0 and 1. Neurons and synapses might also have a weight that varies as learning proceeds, which might increase or decrease the strength of the signal that it sends downstream.

A deep neural network (DNN) is a man-made neural network (ANN) with multiple layers between the input and output layers. There are differing kinds of neural networks but they always carries with it the identical components: neurons, synapses, weights, biases and functions. These components functioning the same as the human brains and might be trained like every other ML algorithm.

For example, a DNN that's trained to acknowledge dog breeds will re-examine the given image and calculate the probability that the dog within the image could be a certain breed. The user can review the results and choose which probabilities the network should display (above a specific threshold, etc.) and return the proposed label.

Each mathematical manipulation per se is taken into account a layer, and sophisticated DNN have many layers, hence the name "deep" networks. DNNs are typically feedforward networks within which data flows from the input layer to the output layer without looping back. At first, the DNN creates a map of virtual neurons and assigns random numerical values, or "weights", to connections between them.

The weights and inputs are multiplied and return an output between 0 and 1. If the network failed to accurately recognize a selected pattern, an algorithm would adjust the weights. That way the algorithm can make sure parameters more influential, until it determines the right mathematical manipulation to completely process the info.

CNNs are regularized versions of multilayer perceptron's. Multilayer perceptron's usually mean fully connected networks, that is, each neuron in one layer is connected to any or all neurons within the next layer. The "full connectivity" of those networks make them susceptible to overfitting data.

Typical ways of regularization, or preventing overfitting, include: penalizing parameters during training (such as weight decay) or trimming connectivity (skipped connections, dropout, etc.) CNNs take a distinct approach towards regularization: they cash in of the hierarchical pattern in data and assemble patterns of skyrocketing complexity using smaller and simpler patterns embossed in their filters.

### III. METHODOLOGY




Fig: System Methodology

### IV. ALGORITHM DEFINED

#### A. Yolo Object Detection Algorithm

YOLO (You Only Look Once) real-time object detection algorithm, which is one among the foremost effective object detection algorithms that also encompasses many of the foremost innovative ideas kicking off of the pc vision research community. Object detection may be a critical capability of autonomous vehicle technology. YOLO may be a clever convolutional neural network (CNN) for doing object detection in real-time.

With YOLO, one CNN simultaneously predicts multiple bounding boxes and sophistication probabilities for those boxes. YOLO trains on full images and directly optimizes detection performance.

- 1) YOLO is extremely fast.
- 2) YOLO sees the complete image during training and test time so it implicitly encodes contextual information about classes furthermore as their appearance.
- 3) YOLO learns generalizable representations of objects so when trained on natural images and tested on artwork, the algorithm outperforms other top detection methods.

The diagram illustrates the VGG-16 architecture, showing the flow of data through various layers. The input is a 448x448x3 image. The architecture consists of the following layers and operations:

- Conv. Layer:** 7x7x64x2 (kernel size 7x7, stride 2)
- Maxpool Layer:** 2x2x2 (kernel size 2x2, stride 2)
- Conv. Layer:** 3x3x128 (kernel size 3x3, stride 1)
- Maxpool Layer:** 2x2x2 (kernel size 2x2, stride 2)
- Conv. Layers:** 1x1x128, 3x3x256, 1x1x256, 3x3x512 (kernel sizes 1x1, 3x3, 1x1, 3x3, stride 1)
- Maxpool Layer:** 2x2x2 (kernel size 2x2, stride 2)
- Conv. Layers:** 1x1x256, 3x3x512, 1x1x512, 3x3x1024 (kernel sizes 1x1, 3x3, 1x1, 3x3, stride 1)
- Maxpool Layer:** 2x2x2 (kernel size 2x2, stride 2)
- Conv. Layers:** 1x1x512, 3x3x1024, 3x3x1024, 3x3x1024+2 (kernel sizes 1x1, 3x3, 3x3, 3x3, stride 1)
- Conn. Layer:** 4096 (fully connected)
- Conn. Layer:** 30 (fully connected)

The diagram shows the dimensions of the feature maps at each stage, with the final output being a 30-dimensional vector.

- 1) The inputs could be a batch of images of shape (m, 416, 416, 3).
- 2) YOLO v3 passes this image to a convolutional neural network (CNN).
- 3) The last two dimensions of the above output are flattened to urge an output volume of (19, 19, 425):
- 4) The output may be a list of bounding boxes together with the recognized classes. Each bounding box is represented by 6 numbers (pc, bx, by, bh, bw, c). If we expand c into an 80-dimensional vector, each bounding box is represented by 85 numbers.
- 5) Finally, we do the IoU (Intersection over Union) and Non-Max Suppression to avoid selecting overlapping boxes.

There are 2 categories within the dataset namely positive and negative. Positive denotes the very fact that the road contains one amongst multiple potholes whereas negative will denote that the image doesn't contain any reasonably potholes in it. But training a model in YOLO doesn't require partition of images within the dataset and hence a 70-30 ratio of images from the positive and negative images were taken from the files into the ultimate dataset.



#### D. Steps Involved In Detecting The Potholes Within The Image

##### 1) Annotate Image




FIG: Labelling Potholes with Microsoft VoTT

So as for the detector to be told detecting the objects in images, like potholes in pictures, it has to be fed with labelled training data. For decent results, 281 images are labelled. To label images, Visual Object Tagging Tool (VoTT) software is employed. Create a brand new project and name it Annotations. Then import the manually created dataset. Choose the Training Images because the Source and Target Connection. Under Export Settings choose Comma Separated Values (CSV) as Provider and hit Save Export Settings and begin labelling the potholes by drawing bounding boxes around potholes. Then export the project.

- 2) *Train the YOLOv3 Model:* Navigate to yolo/yolo\_structure/1\_Image\_Annotation and run the conversion script to convert the annotations to YOLO format. Download the pre-trained dark-net weights and convert them to YOLO format.
- 3) *Testing the Detector:* To test the object detector, navigate to yolo/yolo\_structure/3\_Inference and run: python Detector.py

## V. RESULTS

Various deep convolutional networks with different architectures and enhancements within the accuracy and speed as a result are proposed for image classification. The classification models are evaluated in terms of the quantity of floating-point operations, depth, number of parameters, sparsity influence the computational speed and memory requirement. DarkNet-19 and DarkNet-53 are fully convolutional networks, proposed with YOLOv2 and YOLOv3 respectively and have achieved reasonable classification accuracy and speed. we've got evaluated these backbone networks for his or her accuracy in detecting the potholes. We trained and tested our algorithms on the entire data set to begin with. Later we randomly separated the information set into training data and test data so we had samples from each class. The model was able to classify quite 80% of the photographs. The testing accuracy of the system is about 80%. reckoning on the classification, the message and details are going to be sent over to supply sound or alarm to the one that hands over that department. Thus, effectively detecting the potholes.



FIG: Pothole Detection 1




FIG: Pothole Detection 2



FIG: Pothole Detection 3

## VI. CONCLUSION

In this project, our work performed to coach an object detection model capable of detecting potholes. the gathering of images for dataset to coach the model consisting images of pothole. Tiny YOLOv3, a CNN which is capable to function on a mobile device is trained to be used because the object detection model. Furthermore, a design was introduced for the Pothole Detection System which uses a mobile application to detect potholes and represent on maps using markers with APIs from Google and other third-party resources. Using the applying with the plotted information, the responsible civic body can repair the pothole.

Thus, from this internship we've learnt about Machine Learning, Deep Learning and AI. we've also learnt some basics of Python programming like Semantics, Keywords, Lists, Tuples, etc. We were taught about the concepts of Machine Learning like machine learning methods, algorithms like Logistic Regression, Multi rectilinear regression, Polynomial Regression, Decision Tree and Random Forest Regressor etc. We were also taught about the essential concepts of Deep Learning like Artificial Neural Network, Deep Neural Network and Convolutional Neural Network.

## REFERENCES

- [1] Buza, E., Omanovic, S. & Huseinovic, A., 2013. Pothole Detection with Image Processing and Spectral Clustering. Antalya, Turkey, 2nd International Conference on Information Technology and Computer Networks.
- [2] CSIR, 2010. Potholes: Technical guide to their causes, identification and repair. [Online] Available at: [http://www.csir.co.za/pothole\\_guides/docs/Pothole\\_CSIR\\_tech\\_guide.pdf](http://www.csir.co.za/pothole_guides/docs/Pothole_CSIR_tech_guide.pdf) [Accessed 15 April 2015].
- [3] Karuppuswamy, J., Selvaraj V., Ganesh, M. & Hall, E., 2000. Detection and Avoidance of Simulated Potholes in Autonomous Vehicle Navigation in an Unstructured Environment. Intelligent Robots and Computer Vision XIX: Algorithms, Techniques, and Active Vision. Proc. SPIE 4197, pp. 70-80.
- [4] Pankaj Upadhyay, India Today, "BMC launches new app for potholes", 2019 <https://www.indiatoday.in/india/story/bmcpotholes-appmumbai-1601320-2019-09-20>
- [5] Nienaber S., Booysen M., Kroon R. Detecting potholes using simple image processing techniques and real-world footage. 34th Southern African Transport Conference (SATC 2015), CSIR International Convention Centre, Pretoria, South Africa, 6-9 July 2015





10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)