iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 9 **Issue:** VIII **Month of publication:** August 2021

DOI: https://doi.org/10.22214/ijraset.2021.37870

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429
Volume 9 Issue VIII Aug 2021- Available at www.ijraset.com

RP-181: Formulation of Standard Quadratic Congruence of Even Composite Modulus modulo an Even Prime Raised to the Power n

Prof. B M Roy
Head, Department of Mathematics, Jagat Arts, Commerce & I H P Science College, Goregaon, Dist- Gondia, M. S., India. Pin: 441801, (Affiliated to R T M Nagpur University)

Abstract: ***The paper presented here, is a standard quadratic congruence of composite modulus, studied rigorously and found the formulation incomplete. It was partially formulated by the earlier mathematicians. The present authors realised that the earlier formulation need a completion and a reformulation of the solutions is done along with two more results. The author considered the problem for reformulation, studied and reformulated the solutions completely. A partial formulation is found in a books of Number Theory by Zuckerman at el. There the formulation is only for an odd positive integer but nothing is said about even positive integer. The authors have provided a complete formulation of the said quadratic congruence and presented here.***
Keywords: Composite Modulus, Quadratic Congruence, Reformulation.

I. INTRODUCTION

In the book of Number Theory [1], it is found that the congruence under consideration had not been fully discussed and formulated. This is the said congruence: $x^2 \equiv a \ (mod\ 2^n)$;

$n \geq 3$. It is formulated by earlier mathematicians but not fully discussed. Hence, the said congruence is considered for a complete formulation.

II. REVIEW OF BACKGROUND LITERATURE

The congruence of even composite modulus under consideration is found formulated for odd integer only.
No discussion is found for even positive integer. The author wished to formulate the problem completely.
The congruence $x^2 \equiv a \ (mod\ 2^n);\ n \geq 3, a \equiv 1 \ (mod\ 8) is\ found\ formulated.$
Such congruence have exactly four solutions.
If $x \equiv x_0$ is a solution, then the other three solutions are: $x \equiv 2^n - x_0;\ 2^{n-1} \pm x_0$ [1].
But how to find x_0, is not mentioned and this creates the difficulties in finding the solutions.
Here the author's formulation needs no previously known x_0.
The author's formulation on the similar types of congruence are: [3], [4], [5], [6], [7], [8], [9], [10], [11].

A. Problem-Statement

The problem of study is stated here in the form of theorems**:**

1) *Theorem-1:* The solutions of the congruence: $x^2 \equiv 2^{n-1} \ (mod\ 2^n); m, n\ positive\ integer$ has exactly solutions: $x \equiv 2^{\frac{n-1}{2}}k + 2^{\frac{n-1}{2}} \ (mod\ 2^n); k = 0, 1, 2, 3, \ldots\ldots, 2^{\frac{n+1}{2}}$.
2) *Theorem-2:* The solutions of the congruence: $x^2 \equiv 2^{n-3} \ (mod\ 2^n); m, n\ positive\ integer$ has exactly solutions: $x \equiv 2^{\frac{n-1}{2}}k + 2^{\frac{n-3}{2}} \ (mod\ 2^n); k = 0, 1, 2, 3, \ldots\ldots, 2^{\frac{n+1}{2}}$.
3) *Theorem-3:* The solutions of the standard quadratic congruence: $x^2 \equiv a \ (mod\ 2^n)$ has exactly four incongruent solutions given by $x \equiv 2^{n-1}k \pm b \ (mod\ 2^n), if\ b$ is an odd positive integer; $a \equiv 1 \ (mod\ 8)$ & k = 0, 1.
4) *Theorem-4:* The solutions of the standard quadratic congruence: $x^2 \equiv a \ (mod\ 2^n)$ has exactly eight incongruent solutions given by $x \equiv 2^{n-2}k \pm b \ (mod\ 2^n), if\ b$ is an even positive integer; a is a perfect square, $a = b^2$ & k = 0, 1, 2, 3.

©IJRASET: All Rights are Reserved

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429
Volume 9 Issue VIII Aug 2021- Available at www.ijraset.com

III. ANALYSIS & RESULTS

1) Proof of theorem-1: Consider the congruence:

$x^2 \equiv 2^{n-1} \ (mod\ 2^n);\ n\ an\ odd\ positive\ integer.$

For its solutions let $\boldsymbol{x \equiv 2^{\frac{n-1}{2}}k + 2^{\frac{n-1}{2}}\ (mod\ 2^n)}$.

Then $x^2 \equiv \left(2^{\frac{n-1}{2}}k + 2^{\frac{n-1}{2}}\right)^2 (mod\ 2^n)$

$\equiv \left(2^{\frac{n-1}{2}}k\right)^2 + 2.2^{\frac{n-1}{2}}k.2^{\frac{n-1}{2}} + \left(2^{\frac{n-1}{2}}\right)^2 (mod\ 2^n)$

$\equiv 2^{n-1}k^2 + 2^nk + 2^{n-1} (mod\ 2^n)$

$\equiv 2^{n-1}k^2 + 2^{n-1} (mod\ 2^n)$; **$k$ being an integer.**

Therefore, $x \equiv 2^{\frac{n-1}{2}}k + 2^{\frac{n-1}{2}}\ (mod\ 2^n)$ gives solutions of the congruence.

But for $k = 2^{\frac{n+1}{2}}$, the formula reduces to

$x \equiv 2^{\frac{n-1}{2}}.2^{\frac{n+1}{2}} + 2^{\frac{n-1}{2}}\ (mod\ 2^n)$

$\equiv 2^n + 2^{\frac{n-1}{2}}\ (mod\ 2^n)$

$\equiv 0 + 2^{\frac{n-1}{2}}\ (mod\ 2^n)$

$\equiv 2^{\frac{n-1}{2}}\ (mod\ 2^n)$

This is the same solution as for $k = 0$.

Also, for $k = 2^{\frac{n-1}{2}} + 1$, the formula reduces to

$x \equiv 2^{\frac{n-1}{2}}.(2^{\frac{n+1}{2}} + 1) + 2^{\frac{n-1}{2}}\ (mod\ 2^n)$

$\equiv 2^n + 2^{\frac{n-1}{2}} + 2^{\frac{n-1}{2}} (mod\ 2^n)$

$\equiv 2^{\frac{n-1}{2}} + 2^{\frac{n-1}{2}}\ (mod\ 2^n)$

This is the same solution as for $k = 1$.

Therefore it is concluded that the solutions formula becomes

$x \equiv 2^{\frac{n-1}{2}}k + 2^{\frac{n-1}{2}}\ (mod\ 2^n); k = 0, 1, 2, \ldots\ldots, \left(2^{\frac{n+1}{2}} - 1\right).$

It gives all the solutions.

2) Proof of Theorem-2: Consider the congruence:

$x^2 \equiv 2^{n-3} \ (mod\ 2^n);\ n\ an\ odd\ positive\ integer.$

For its solutions let $\boldsymbol{x \equiv 2^{\frac{n-1}{2}}k + 2^{\frac{n-3}{2}}\ (mod\ 2^n)}$.

Then $x^2 \equiv \left(2^{\frac{n-1}{2}}k + 2^{\frac{n-3}{2}}\right)^2 (mod\ 2^n)$

$\equiv \left(2^{\frac{n-1}{2}}k\right)^2 + 2.2^{\frac{n-1}{2}}k.2^{\frac{n-3}{2}} + \left(2^{\frac{n-3}{2}}\right)^2 (mod\ 2^n)$

$\equiv 2^{n-1}k^2 + 2^{n-1}k + 2^{n-3} (mod\ 2^n)$

$\equiv 2^{n-1}k(k+1) + 2^{n-3} (mod\ 2^n)$; **$k$ being an integer.**

$\equiv 2^nt + 2^{n-3} (mod\ 2^n)$

$\equiv 2^{n-3} (mod\ 2^n)$.

Therefore, $x \equiv 2^{\frac{n-1}{2}}k + 2^{\frac{n-3}{2}}\ (mod\ 2^n)$ gives solutions of the congruence.

But for $k = 2^{\frac{n+1}{2}}$, the formula reduces to

$x \equiv 2^{\frac{n-1}{2}}.2^{\frac{n+1}{2}} + 2^{\frac{n-3}{2}}\ (mod\ 2^n)$

$\equiv 2^n + 2^{\frac{n-3}{2}}\ (mod\ 2^n)$

$\equiv 0 + 2^{\frac{n-3}{2}}\ (mod\ 2^n)$

$\equiv 2^{\frac{n-3}{2}}\ (mod\ 2^n)$

©IJRASET: All Rights are Reserved

This is the same solution as for $k = 0$.

Also, for $k = 2^{\frac{n+1}{2}} + 1$, the formula reduces to

$x \equiv 2^{\frac{n-1}{2}}.(2^{\frac{n+1}{2}} + 1) + 2^{\frac{n-3}{2}} \ (mod\ 2^n)$

$\equiv 2^n + 2^{\frac{n-1}{2}} + 2^{\frac{n-3}{2}} (mod\ 2^n)$

$\equiv 2^{\frac{n-1}{2}} + 2^{\frac{n-3}{2}} \ (mod\ 2^n)$

This is the same solution as for $k = 1$.

Therefore it is concluded that the solutions formula becomes

$x \equiv 2^{\frac{n-1}{2}}k + 2^{\frac{n-3}{2}} \ (mod\ 2^n); k = 0, 1, 2, \dots\dots\dots, \left(2^{\frac{n+1}{2}} - 1\right)$.

It gives all the solutions.

3) Proof of Theorem-3:

Let us consider that $a \equiv 1\ (mod\ 8);\ i.e.\ a\ is\ an\ odd\ positive\ integer$.

Here the congruence under study is: $x^2 \equiv a\ (mod\ 2^n)\ with\ a \equiv 1\ (mod\ 8)$.

If a is an odd perfect square, then $a = b^2$.

The congruence reduces to: $x^2 \equiv b^2\ (mod\ 2^n)$.

If not, then the congruence can be written as: $x^2 \equiv a + k.2^n = b^2\ (mod\ 2^n)$ [2].

For odd positive integer b,

Let $x \equiv 2^{n-1}k \pm b\ (mod\ 2^n), k = 0, 1, 2, 3, \dots\dots\dots\dots\dots$

Then $x^2 \equiv (2^{n-1}k \pm b)^2$

$\equiv (2^{n-1}k)^2 + 2.2^{n-1}k.b + b^2$

$\equiv 2^n k\{2^{n-2}k + b\} + b^2$; **as b is odd positive integer.**

$\equiv b^2\ (mod\ 2^n)$.

Thus, $x \equiv 2^{n-1}k \pm b\ (mod\ 2^n)$ satisfies the quadratic congruence and it is a solution of it.

But, for $k = 2,\ x \equiv 2^{n-1}.2 \pm b\ (mod\ 2^n)$,

$\equiv 2^n k \pm b\ (mod\ 2^n)$

$\equiv 0 \pm b\ (mod\ 2^n)$

$\equiv \pm b\ (mod\ 2^n)$, which is the same solution as for k=0.

But, for $k = 3 = 2 + 1,\ x \equiv 2^{n-1}.(2 + 1) \pm b\ (mod\ 2^n)$,

$\equiv 2^n k + 2^{n-1} \pm b\ (mod\ 2^n)$

$\equiv 0 + 2^{n-1} \pm b\ (mod\ 2^n)$

$\equiv 2^{n-1} \pm b\ (mod\ 2^n)$, which is the same solution as for k=1.

Thus, it can be said that the congruence under consideration has exactly four solutions:

$x \equiv 2^{n-1}k \pm b\ (mod\ 2^n), k = 0, 1,\ if a \equiv 1\ (mod\ 8)$, as for a single value of k, it has two solutions.

4) Proof of Theorem -4:

Let a be an even perfect square.

Then, $a = b^2, b\ even\ positive\ integer$.

For the solutions, consider $x \equiv 2^{n-2}k \pm b\ (mod\ 2^n)$

Then, $x^2 \equiv (2^{n-2}k \pm b)^2$

$\equiv (2^{n-2}k)^2 + 2.2^{n-2}k.b + b^2$

$\equiv 2^{n-1}k\{2^{n-3}k + b\} + b^2$

$\equiv 2^{n-1}k\{2^{n-3}k + 2t\} + b^2$ **as b is even positive integer.**

$\equiv 2^n k\{2^{n-4}k + t\} + b^2$

$\equiv b^2\ (mod\ 2^n)$.

Thus, $x \equiv 2^{n-2}k \pm b\ (mod\ 2^n)$ satisfies the quadratic congruence and it is a solution of it.

But, for $k = 4 = 2^2,\ x \equiv 2^{n-2}.2^2 \pm b\ (mod\ 2^n)$,

$\equiv 2^n k \pm b\ (mod\ 2^n)$

$\equiv 0 \pm b\ (mod\ 2^n)$

©IJRASET: All Rights are Reserved

$\equiv \pm b \ (mod\ 2^n)$, which is the same solution as for k=0.

But, for $k = 5 = 2^2 + 1$, $x \equiv 2^{n-2}.(2^2 + 1) \pm b \ (mod\ 2^n)$,

$\equiv 2^n k + 2^{n-2} \pm b \ (mod\ 2^n)$

$\equiv 0 + 2^{n-2} \pm b \ (mod\ 2^n)$

$\equiv 2^{n-2} \pm b \ (mod\ 2^n)$, which is the same solution as for k=1.

Thus, it can be said that the congruence under consideration has exactly eight solutions:

$x \equiv 2^{n-2}k \pm b \ (mod\ 2^n), k = 0, 1, 2, 3$; as for a single value of k, it has two solutions.

IV. ILLUSTRATIONS

1) Example-1: Consider the congruence $x^2 \equiv 16 \ (mod\ 32)$.

It can be written as: $x^2 \equiv 2^4 \ (mod\ 2^5)$.

It is of the type: $x^2 \equiv 2^{n-1} \ (mod\ 2^n)\ with\ n = 5, an\ odd\ positive\ integer.$

Its solutions are given by

$\boldsymbol{x \equiv 2^{\frac{n-1}{2}}k + 2^{\frac{n-1}{2}} \ (mod\ 2^n); k = 0, 1, 2, \ldots\ldots\ldots, (2^{\frac{n+1}{2}} - 1).}$

$\boldsymbol{\equiv 2^2 k + 2^2 (mod\ 2^5); k = 0, 1, 2, \ldots\ldots, 7.}$

$\boldsymbol{\equiv 4k + 4 \ (mod\ 32)}$

$\boldsymbol{\equiv 4, 8, 12, 16, 20, 24, 28, 32.}$

These are the eight solutions of the congruence.

2) Example-2: Consider the congruence $x^2 \equiv 64 \ (mod\ 128)$.

It can be written as: $x^2 \equiv 2^6 \ (mod\ 2^7)$.

It is of the type: $x^2 \equiv 2^{n-1} \ (mod\ 2^n)\ with\ n = 7, an\ odd\ positive\ integer.$

Its solutions are given by

$\boldsymbol{x \equiv 2^{\frac{n-1}{2}}k + 2^{\frac{n-1}{2}} \ (mod\ 2^n); k = 0, 1, 2, \ldots\ldots\ldots, (2^{\frac{n+1}{2}} - 1).}$

$\boldsymbol{\equiv 2^3 k + 2^3 (mod\ 2^7); k = 0, 1, 2, \ldots\ldots, 15.}$

$\boldsymbol{\equiv 8k + 8 \ (mod\ 128)}$

$\boldsymbol{\equiv 8, 16, 24, 32, 40, \ldots\ldots\ldots\ldots\ldots\ldots, 128.}$

These are the sixteen solutions of the congruence.

3) Example-3: Consider the congruence $x^2 \equiv 16 \ (mod\ 128)$.

It can be written as: $x^2 \equiv 2^4 \ (mod\ 2^7)$.

It is of the type: $x^2 \equiv 2^{n-3} \ (mod\ 2^n)\ with\ n = 7, an\ odd\ positive\ integer.$

Its solutions are given by

$\boldsymbol{x \equiv 2^{\frac{n-1}{2}}k + 2^{\frac{n-3}{2}} \ (mod\ 2^n); k = 0, 1, 2, \ldots\ldots\ldots, (2^{\frac{n+1}{2}} - 1).}$

$\boldsymbol{\equiv 2^3 k + 2^2 (mod\ 2^7); k = 0, 1, 2, \ldots\ldots, 15.}$

$\boldsymbol{\equiv 8k + 4 \ (mod\ 128)}$

$\boldsymbol{\equiv 4, 12, 20, 28, 36, \ldots\ldots\ldots\ldots\ldots\ldots, 124.}$

These are the sixteen solutions of the congruence.

4) Example-4: Consider the congruence $x^2 \equiv 64 \ (mod\ 512)$.

It can be written as: $x^2 \equiv 2^6 \ (mod\ 2^9)$.

It is of the type: $x^2 \equiv 2^{n-3} \ (mod\ 2^n)\ with\ n = 9, an\ odd\ positive\ integer.$

Its solutions are given by

$\boldsymbol{x \equiv 2^{\frac{n-1}{2}}k + 2^{\frac{n-3}{2}} \ (mod\ 2^n); k = 0, 1, 2, \ldots\ldots\ldots, (2^{\frac{n+1}{2}} - 1).}$

$\boldsymbol{\equiv 2^4 k + 2^3 (mod\ 2^9); k = 0, 1, 2, \ldots\ldots, 31.}$

$\boldsymbol{\equiv 16k + 8 \ (mod\ 152)}$

$\boldsymbol{\equiv 4, 12, 20, 28, 36, \ldots\ldots\ldots\ldots\ldots\ldots, 504.}$

These are the thirty-two solutions of the congruence.

©IJRASET: All Rights are Reserved

5) *Example-5:* Consider the congruence $x^2 \equiv 25\ (mod\ 2^5)$. *As* $25 \equiv 1\ (mod\ 8)$, it is solvable.
It can be written as $x^2 \equiv 25 = 5^2 (mod\ 2^5)$.
It is of the type $x^2 \equiv b^2 (mod\ 2^n)\ with\ b = 5, odd\ positive\ integer, n = 5$.
It has exactly four solutions $x \equiv 2^{n-1}k \pm b\ (mod\ 2^n), k = 0, 1$.

$$\equiv 2^{5-1}k \pm 5\ (mod\ 2^5)$$
$$\equiv 16k \pm 5\ (mod\ 32)$$
$$\equiv 0 \pm 5; 16 \pm 5\ (mod\ 32)$$
$$\equiv 5, 27; 11, 21\ (mod\ 32)$$

6) *Example-6:* Consider the congruence: $x^2 \equiv 17 (mod\ 2^6)$.
It is of the type: $x^2 \equiv a\ (mod\ 2^n)$.
As 17 is odd positive integer and $17 \equiv 1\ (mod\ 8)$, it is solvable.
It can be written as $x^2 \equiv 17 + 64 = 18 = 9^2 (mod\ 2^6)$
It is of the type $x^2 \equiv b^2 (mod\ 2^n)\ with\ b = 9, odd\ positive\ integer, n = 6$.
It has exactly four solutions: $x \equiv 2^{n-1}k \pm b\ (mod\ 2^n), k = 0, 1$.

$$\equiv 2^{6-1}k \pm 9\ (mod\ 2^6)$$
$$\equiv 32k \pm 9\ (mod\ 64)$$
$$\equiv 0 \pm 9; 32 \pm 9\ (mod\ 64)$$
$$\equiv 9, 55;\ 23, 41\ (mod\ 64)$$

7) *Example-7:* Consider the congruence $x^2 \equiv 19\ (mod\ 2^6)$. As $a = 19 \not\equiv 1\ (mod\ 8)$, the congruence is not solvable.
8) *Example-8:* Consider the congruence: $x^2 \equiv 36 (mod\ 2^6)$.
It can be written as $x^2 \equiv 6^2 (mod\ 2^6)$
It is of the type $x^2 \equiv b^2 (mod\ 2^n)\ with\ b = 6, even\ positive\ integer, n = 6$.
As 36 is even perfect square positive integer, it is solvable.
It has exactly eight incongruent solutions: $x \equiv 2^{n-2}k \pm b\ (mod\ 2^n), k = 0, 1, 2, 3$.

$$\equiv 2^{6-2}k \pm 6\ (mod\ 2^6)$$
$$\equiv 16k \pm 6\ (mod\ 64)$$
$$\equiv 0 \pm 6; 16 \pm 6; 32 \pm 6; 48 \pm 6\ (mod\ 64)$$
$$\equiv 6, 58; 10, 22; 28, 38; 42, 54\ (mod\ 64)$$

9) *Example-9:* Consider the congruence $x^2 \equiv 10\ (mod\ 2^6)$.
As $a = 10, not\ an\ even\ perfect\ square$, the congruence is not solvable.

10) *Example-10:* Consider the congruence: $x^2 \equiv 0\ (mod\ 256)$.
It can be written as: $x^2 \equiv 0\ (mod\ 2^8)$.
It is of the type: $x^2 \equiv 0\ (mod\ 2^n)\ with\ n = 8, an\ even\ positive\ integer$.
Its solutions are given by:

$$x \equiv 2^{\frac{n}{2}} k\ (mod\ 2^n); k = 1, 2, 3, \ldots\ldots, 2^{\frac{n}{2}}.$$
$$\equiv 2^4 k\ (mod\ 2^8); k = 1, 2, 3, \ldots\ldots\ldots, 2^4.$$
$$\equiv 16k\ (mod\ 256); k = 1, 2, 3, \ldots\ldots\ldots, 16.$$
$$\equiv 16, 32, 48, 64, 80, 96, 112, 128, 144, 160, 176, 192, 208, 224, 240, 256\ (mod\ 256).$$

These are the sixteen incongruent solutions of the congruence.

V. CONCLUSION

The congruence: $x^2 \equiv 2^{n-1}\ (mod\ 2^n), n\ always\ an\ odd\ positive\ integer$ has exactly $2^{\frac{n+1}{2}}$ solutions given by $\boldsymbol{x \equiv 2^{\frac{n-1}{2}} k + 2^{\frac{n-1}{2}}\ (mod\ 2^n); k = 0, 1, 2, \ldots\ldots\ldots, (2^{\frac{n+1}{2}} - 1)}$.
The congruence: $x^2 \equiv 2^{n-3}\ (mod\ 2^n), n\ always\ an\ odd\ positive\ integer$ has exactly $2^{\frac{n+1}{2}}$ solutions given by $\boldsymbol{x \equiv 2^{\frac{n-1}{2}} k + 2^{\frac{n-3}{2}}\ (mod\ 2^n); k = 0, 1, 2, \ldots\ldots\ldots, (2^{\frac{n+1}{2}} - 1)}$.
The congruence $x^2 \equiv b^2\ (mod\ 2^n)$ has exactly four solutions:

©IJRASET: All Rights are Reserved

$x \equiv 2^{n-1}k \pm b \ (mod\ 2^n), k = 0,1,$ when $a \equiv 1\ (mod\ 8)$

$i.e.\ a\ is\ an\ odd\ positive\ integer.$

The congruence $x^2 \equiv b^2\ (mod\ 2^n)$ has exactly eight solutions:


$x \equiv 2^{n-2}k \pm b \ (mod\ 2^n), k = 0,1,2,3$ when a is an even perfect square.

REFERENCES

[1] Niven I., Zuckerman H. S., Montgomery H. L. (1960, Reprint 2008), "An Introduction to The Theory of Numbers", 5/e, Wiley India (Pvt) Ltd, page-148, problem-11.
[2] Roy B M, 2016, Discrete Mathematics & Number Theory, Das Ganu Prakashan, Nagpur, India, ISBN: 978-93-84336-12-7.
[3] Roy B M, 2018, A new method of finding solutions of a solvable standard quadratic congruence of comparatively large prime modulus, International Journal of Advanced Research, Ideas and Innovations in Technology (IJARIIT), ISSN: 2454-132X, Vol-4, Issue-3, May-Jun-18.
[4] Roy B M, 2018, Formulation of solutions of standard quadratic congruence of even composite modulus as a product of two odd primes & four, International Journal of Recent Innovations In Academic Research (IJRIAR), ISSN:2635-3040, Vol-2, Issue-2, Jun-18.
[5] Roy B M, 2018, Formulation of solutions of standard quadratic congruence of even composite modulus as a product of two odd primes & eight, International Journal of Advanced Research, Ideas and Innovations in Technology (IJARIIT), ISSN: 2454-132X, Vol-4, Issue-4, July-18.
[6] Roy B M, 2018, Formulation of solutions of some classes of standard quadratic congruence of composite modulus as a product of a prime-power integer by two or four, International Journal for Research Trends and Innovations(IJRTI),ISSN:2456-3315,Vol-3,Issue-5,May-18.
[7] Roy B M, 2018, Formulation of Standard Quadratic Congruence of Composite modulus as a product of prime-power integer and eight, International Journal of Science & Engineering Development Research (IJSDR),ISSN: 2455-2631, Vol-3, Issue-7, Jul-18.
[8] Roy B M, 2018, Formulation of solutions of a class of standard quadratic congruence of even composite modulus, International Journal of Science & Engineering Development Research (IJSDR), ISSN: 2455-2631, Vol-3, Issue-8, Jul-18.
[9] Roy B M, 2018, An Algorithmic Formulation of solving Standard Quadratic Congruence of Prime- power Modulus, International Journal of Advanced Research, Ideas and Innovations in Technology (IJARIIT), ISSN: 2454-132X, Vol-4, Issue-6, Dec-18.
[10] Roy B M, 2019, Formulation of a Class of Solvable Standard Quadratic Congruence of Even Composite Modulus, International Journal for Research Trends and Innovations (IJRTI), ISSN: 2456-3315, Vol-4, Issue-3, Mar-19.
[11] Roy B M, 2019, Formulation of Some Classes of Solvable Standard Quadratic Congruence modulo a Prime Integer - Multiple of Three & Ten, International Journal of Scientific Research and Engineering Development(IJSRED),ISSN:2581-7175,Vol-2, Issue-2, Mar-19.

……..xxx……

©IJRASET: All Rights are Reserved



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)