



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 9 Issue: IX Month of publication: September 2021

DOI: https://doi.org/10.22214/ijraset.2021.38084

www.ijraset.com

Call: © 08813907089 E-mail ID: ijraset@gmail.com



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429 Volume 9 Issue IX Sep 2021- Available at www.ijraset.com

### Movie Recommendation System by Using Collaborative Filtering

Rupal Verma<sup>1</sup>, Chaitali Choudhary<sup>2</sup>, Ashok Behera<sup>3</sup>

1, 2, 3 Department of Computer Science & Engineering, CSVTU

Abstract: This is the era of modern technology where we are all surrounded and covered by technology. This eases our daily life and saves our time and one of the most important techniques that played a very important role in our day-to-day life is the recommendation system. The recommendation system is used in various fields like it is used to recommend products, books, videos, movies, news, and many more. In this paper, we use a Recommendation system for movies we built or a movie recommendation system. It is based on a collaborative filtering approach that makes use of the information provided by the users, analyzes them and recommends movies according to the taste of users. The recommended movie list sorted according to the ratings given to this system is developed in python by using pycharm IDE and MYSQL for database connectivity. The presented recommendation system generates recommendations using various types of knowledge and data about users. Our Recommendation system recommends movies to each and every user by their previous searching history. Here we use some searching techniques as well. We also tried to overcome the cold start problem we use Movielens database.

Keywords: Collaborative-filtering, Content-based filtering, Clustering, Recommendation system searching technique, Movies.

### I. INTRODUCTION

First of all, let's see what the word "RECOMMENDATION" says. For example:- one of my friends recommend stranger thing. My sister recommends to me to watch a horror movie. My mother recommended I see a documentary on planet earth this is called RECOMMENDATION and this recommendation is based on what they like and but what if I want to watch something different need someone who can understand me so that recommendation system come.

A recommendation system is really an automated system to filter some entities. These entities can be any products, ads, people, movies, or songs. All this we see through Amazon, Netflix, Pandora, Youtube, Eharmony, etc. For example:- we watch a movie and then, later on, we get a recommendation for the different movies of the same genre based on the power of viewing history.

Sometimes we all have that one question why Recommendation system is being built – I tried to find the reason behind this is one of the major reasons to built a Recommendation system is Businesses are showing us the Recommendation systems in relevant content for a couple of reasons.

Most businesses think that they understand their customer but often time customers can behave differently than you think. So it is important to show the users what is relevant to them and also sharing new items they would be interested in.

Recommendation system also serves to help us with the information-overloaded problem and help us to slow down the set of choices and then for business they get the benefit of selling more relevant items to the user.

It is also there to help (customers) to discover new and interesting things and to help you save time and from a business perspective, it helps to better understand what user wants.

The very first step in the Recommendation system is they ask questions about your taste preferences are.? reason is that they do not know what is your taste preferences. This problem is called the cold start problem. They have no idea and they have no profile for you.

Factors for Recommendation system:-

- 1) User Review
- 2) Number of Reviews
- 3) Relevancy



### International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429 Volume 9 Issue IX Sep 2021- Available at www.ijraset.com

A glimpse of the profit of same websites is shown in table below :-

Netflix	It has 80% accuracy recommend movies to watch.						
Linked In	It uses content analysis and 60% successful in user feed 0% successful in news suggestion 70% successful in Job Recommendation and 99% successful in suggesting similar connections.						
YouTube	Heavily personalize recommendations based on a user's history. 64% of recommendation went to videos with more than a million views.						
Amazon	35% of Amazon revenue is generated by its recommendation engine.						
Google News	Google News 60% of news recommendation system adopted a hybrid approach.						

Recommendation system recommend the products, books, movies etc. On the basis of users previous history and according to their interest. Recommendation system first capture detail about users and it preferences then recommend them according to this preferences.

### II. RELATED WORK

Many recommendation systems have been developed over the past decades, each system use different approaches like hybrid approach, collaborative filtering approach, content based approach etc.

Looking for some different approaches manoj kumar et al. 2015 represent a recommendation system names movrec which recommend movie by using collaborative filtering approach and k-means algorithms their purpose is to recommend the movies that is best suited to the users at that time.

George lekakos, petros caravelas used hybrid approach i.e collaborative filtering and content based filtering are the major methods in recommendation system that predict new items that users would find interesting.

### III.RESEARCH METHODOLOGY

### A. Collaborative Filtering Approach

Collaborative filtering is one of the technique used for Recommendation System. Collaborative filtering stands for collaboration. This comes from collaboration. Collaboration is one multiple people come together or multiple things comes together. In collaborative filtering is if to 100 people or says that 1 million people are there at place then the taste of one person similar to x other people. Let's assume that I am a user of Netflix and I do my suffering of movies and series on my way and then I used to watch any XYZ named movie and at the same time another user also watch the same movie then there is a similarity between the taste is user<sub>1</sub> and user<sub>2</sub> and hence in collaborative filtering the underlying engine says similar behaving people will like & dislike in the similar way. Example: Suppose if there are 10 people who used to watch same kind of movie in Netflix . purchase same kind of product in Flipkart, then in collaborative filtering engine what it will do is it will recommend the next best movie for one of those people who have not watched the movie which rest of the people have watched. Collaborative filtering is basically worked on user item interaction matrix. Suppose, there is  $u_1$ ,  $u_2$ ,  $u_3$ ,  $u_4$  up to N number of users and there is  $m_1$ ,  $m_2$ ,  $m_3$ ,  $m_4$  up to N number of movies then user item interaction Matrix works on the ratings of the movies.

	$M_{I}$	$M_2$	$M_3$	$M_4$	$\dots M_n$
$U_{I}$	3	2	-	1	5
$U_2$	0	2	-	4	4
$U_3$	2	1	1	5	3
$U_4$	3	5	-	1	2
		•	•	•	·
•		•	•	•	
•			•	•	•
•					
$U_n$					





ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429

Volume 9 Issue IX Sep 2021- Available at www.ijraset.com

As we seen the above example, there is users  $(U_1, U_2, U_3, U_4, \dots, U_n)$  and also movies  $(M_1, M_2, M_3, M_4, \dots, M_n)$  here we can see how collaborative filtering work. Let's take the row of users and movie column of M<sub>2</sub>. Here we can see that U<sub>1</sub> and U<sub>2</sub> both give 2 rating on movie (M<sub>2</sub>) and rest of the other give different from both U<sub>1</sub> and U<sub>2</sub>. So next step of Collaborative Filtering engine is to find the community of similar users. Here  $U_1$  and  $U_2$  has behave user-similarity behaviour. So the next movie watch by  $U_1$ automatically recommend to the U<sub>2</sub> because of user-similarity behaviour.

### B. Data Description

In processed collaborative filtering mode we use a group lens get a movie lens. Data from Movielens we download zip file of data and extract all data from this zip till we get Movielens latest dataset. Small dataset 1,00,000 ratings and 3,600 tags applications applied to 9,000 movies by 600 users. Dataset uploaded from 9/2018.ML-latest-small (dataset contain).

- 1) Links
- Movies 2)
- Ratings 3)
- **README** 4)
- 5) **TAGS**

Our movie recommendation basically work non user ratings. Rating attribute consists UserID, MovieID. Rating in our Movielens dataset movies rating from 1-5. In the below data table we can see the list of first 5 movies rating with title and genres.

	userld	movield	rating	timestamp	title	genres
0	1	1	4.0	964982703	Toy Story (1995)	Adventure Animation Children Comedy Fantasy
1	5	1	4.0	847434962	Toy Story (1995)	Adventure Animation Children Comedy Fantasy
2	7	1	4.5	1106635946	Toy Story (1995)	Adventure Animation Children Comedy Fantasy
3	15	1	2.5	1510577970	Toy Story (1995)	Adventure Animation Children Comedy Fantasy
4	17	1	4.5	1305696483	Toy Story (1995)	Adventure Animation Children Comedy Fantasy

Fig1.First Five Ratings of Dataset

### C. Sample Visualization

We are using here movielens dataset for sample visualization on the basis of ratings and year of movies in our dataset 1572 columns and each column contain the name of the movie.




Fig2.Sample Visualization

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429

Volume 9 Issue IX Sep 2021- Available at www.ijraset.com

In my movielens dataset tags attribute contain 3683 rows X 4 columns. Rating attribute contain 100836 rows X 4 columns. Tags contain column name user ID, Movie ID, tag, timestamp. Rating attribute contain User ID, Movie ID, rating, timestamps.




Fig3. Flow chart of Recommendation System

### IV. RESULT

We use dataset by partitioning it on training dataset and testing dataset. 80% on training dataset and 20% on testing dataset. There are total 10 genres in our dataset and they are Adventure, Animation, Comedy, Children, Fantasy, Romance, Drama, Sci-fi, Action, Thriller. After computing the result we conclude that our Recommendation System gives us 98% accuracy.




Fig4.Creating Chart By Using Seaborn.

Our movie Recommendation System try to reach overcome the problem of "Cold Start Problem" and we reach our goal somehow where we focus on recommendation system as well as "Cold Start Problem".



### International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429 Volume 9 Issue IX Sep 2021- Available at www.ijraset.com

### V. CONCLUSION & FUTURE WORK

The Recommendation System implemented in this paper aims to providing next best movie recommendation to the user according to their preference. In this movie Recommendation System we are trying to resolve Cold Start Problem and recommended movie on the basis of genres present. As we see in our system there are 10 types of genres present. It gives best result to the users. In future we decided to apply hybrid algorithm for movie recommendation system where we recommend movie to the user by Hybrid approach and also try to make community on the basis of user preferences by the item genre which help Engines to recommend movies to the users in more accurate way.

### REFERENCES

- [1] Gaurav Arora, Ashish Kumar, Gitanjali Sanjay Devre, Prof. Amit Ghumare. Movie Recommendation System Based on user's similarity, April 2014, ISSN 2320-088X.
- [2] George Lekakos, Petros Caravelas., A Hybrid Approach for movie recommendation, December 2006, 36:55-70.
- [3] Eyrun A.Eyjolfsdottir, Gaurangi Telak, Nanli, MovieGEN: A movie Recommendation System, university of Caalifornia santra Barbara.
- [4] M.Sandeep Kumar, J.Prabhu., A hybrid model collaborative Movie recommendation system using K-Means clustering with ant colony optimization, int. J. Internet technology and secured transactions, 2020
- [5] Rammi Harbir Singh, Sargam Maurya, Tanisha Trpathi, Tushar Narula, Gaurav Srivastav.Movie Recommendation System using cosine similarity and KNN, International Journal of Engineering and Advance Technology (IJEAT), june 2020.
- [6] Manoj Kumar, D.K.Yadav, Ankur Singh, Vijay Kr.Gupta, A movie Recommendation System: MOVREC, International journal of computer application, august 15, (0975-887).
- [7] Zan Wang, Xue Yu, Nan Feng, Zhenhua Wang., An improved collaborative movie recommendation system using computation intelligence, Journal of visual language and computing, October 2014,667-675.
- [8] Sajal Halder, A.M.Jehad Sarkar, Young-Koo Lee., Movie Recommendation System Based on Movie Swarm, second international conference on cloud and Green Computing, 2012.
- [9] Minli, yingming zeng, yue Guo, yun Guo, A movie recommendation system based on differential privacy protection, October 202
- [10] Sivakumar.k,Gopinath R,Machine learning Algorithms for movie recommendation,journal of Advaces in Electronics and Multidisciplinary computer science engineering,jan2021.
- [11] Zhenyan ji1, Member, IEEE, Huaiyu pi1, et.al, Recommendation Based on Review Texts and Social Communities, November 2017.
- [12] Phonexay vilakone, Khamphaphone, et.al, Personalized Movie Recommendation System Combining Data Mining With the K-Clique Method, Journal of Information.
- [13] Mahiye uluyagmur,et.al,Content-Based Movie Recommendation Using Diferent FeatureSets,proceedings of the world congress on engineering and computer science.2012.
- [14] SRS Reddy, Sarvani Nalluri, et.al, Content-Based Movie Recommendation System using Genre correlation, smart intelligent computing and applications, 2019.
- [15] Debadrita Roy, Design of Movie Recommendation System by Means of Collaborative filtering, International journal of emerging technology and advanced engineering, 2013
- [16] Santos da Silva, F., Alves, L. G. P., and Bressan. PersonalTVware: A proposal of architecture to support the context aware personalized recommendation of TV programs. In Proceedings of the 7th European Conference on Interactive TV and Video.2009
- [17] K. Ali and W. van Stam. TiVo: making show recommendations using distributed collaborative filtering architecture. In KDD '04: Proceedings of the tenth ACM SIGKDD international conference on Knowledge discovery and data mining, pages 394–401. ACM, 2004
- [18] Wang, J., de Vries, A.P., Reinders, M.J.T: Unifying User based and Item-based Collaborative Filtering Approaches by Similarity Fusion, SIGIR'06, August 6-11, 2006, Seattle, Washington, USA.,2006.
- [19] Koren, Y., Bell, R., Volinsky, C., "Matrix Factorization Techniques for Recommender Systems", Computer Journal, IEEE Press, 42-49, 2009.
- [20] Mark O'Connor & Jon Herlocker, Clustering Items for Collaborative Filtering. Dept. of Computer Science and Engineering University of Minnesota Minneapolis, MN









45.98



IMPACT FACTOR: 7.129



IMPACT FACTOR: 7.429



## INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call: 08813907089 🕓 (24\*7 Support on Whatsapp)