



# IJRASET

International Journal For Research in  
Applied Science and Engineering Technology



---

# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume: 4**

**Issue: II**

**Month of publication: February 2016**

**DOI:**

[www.ijraset.com](http://www.ijraset.com)

Call:  08813907089

E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)

# **An Improving Accessibility of Web Content Based On Opinion Targets**

R Karunya Packiya Jerry

*PG Scholar, Department of Computer Science and Engineering,  
Sardar Raja College of Engineering, Tamil Nadu, India*

*Abstract-- Social media monitoring the public views can be understood by the theories of people's opinion. Online reviews became increasingly popular in a broad way for people to share their views and sentiment with other users towards any product. These online reviews provide healthy information about any product which is newly launched in the market. This could be very useful for the business people to improve their product's quality and productivity to make reviews in their own field. There comes Sentiment analysis which makes review using the people's attitude accordingly. Sentiment analysis/opinion mining has attracted its attention all over the world. Extraction of sentiment word and sentiment target from online reviews is the two basic fundamental tasks in the web content. This could be accomplished by the word alignment model.*

*Keywords: opinion mining, review, sentiment analysis, public opinion.*

## **I. INTRODUCTION**

Today in the growing world of internet there are lot of ways for people to share their opinion in the social network like twitter, tumblr, face book.[1] They are free to share anything in the social network Before the popularity of web, if an organization or an individual needs to know the opinion about their product or anything they used to conduct surveys and focus on small groups. However human decision making has always influenced, while this meant to be useful for users as well as business organization too. Though these opinion could be helpful in the extraction of large amount of data. Sometimes these huge amount of data become tedious for users to get opinionated data.[9] Analyzing and ranking these data in the web is an interesting part. This could be one with the newly developed computational method called sentiment analysis.

Sentiment Analysis is the method of automated detection of attitudes, behavior, emotions from speech, text etc. Opinion mining involves classifying opinion into three different categories like positive, negative and neutral, these classifications provides a powerful voice for users and branded management.

Sentiment analysis could also be done at document, in document level the entire document is taken to classify them into positive and negative.[14] Opinion mining has two fundamental challenging problem they are opinion lexicon and opinion target extraction. Opinion lexicon describes the prior knowledge about the list of opinion words such as excellent, good, fair, poor etc.[13] Whereas opinion targets are the expressed word about the topic. For example, "This car is cheaper and spacious "These lexicon uses sentiment dictionary to match the original data with the opinion word to determine polarity and assigns the sentiment scores. The objective of this paper is to extract the opinion word in the text data and ranking them according to their priority.

## **II. EXISTING METHOD**

The fundamental problem in sentiment analysis is opinion target extraction. Extensive studies had been made on opinion target extraction which usually includes two different approaches namely supervised method and unsupervised method.[5] In supervised method, the opinion targets are usually concerned as sequence labeling task which has a limitation that labeling each training data is impossible. In unsupervised method, the same opinion word is used for all similar opinion targets which bring a great limitation. Rather the opinion target also focuses on sentence level extraction which only focuses on the identification of opinion expressions. While the corpus level, extracted a list of opinion targets which may produce fake information about the product/services. Opinion target extraction is said to be a bootstrapping process which iteratively depends on their own associations.[4] Double propagation method was simply superb which exploited a syntactic relations, besides this method had a great limitation is that the patterns could be dependent on parsing trees which is impossible for large corpora.[6] Many more algorithms have been exploited such as HITS, EM, WAM etc all these methods had been met with different insufficiencies. Besides, all these existing methods an efficient opinion

## International Journal for Research in Applied Science & Engineering Technology (IJRASET)

target extraction has been developed with partially supervised word alignment model which insisted on larger corpora too.

### III. PROPOSED METHOD

The proposed method overcomes all the disadvantages described in the existing technique, using word alignment model at the partially supervised method. It is done at the document level.. The noun/phrases are regarded as opinion target gets extracted, then each candidate with higher confidence greater than the threshold values are ranked using priority are extracted as results.




Fig.1 Architecture of the proposed method

#### A. Preprocessing

This is the essential step in opinion mining where analyzing the entire document is done so that it would be easier for users. It does help the user simultaneously to remove the incomplete, irrelevant and noisy datum in the document. The task involved here are: Stemmer, Stop word removal, frequent words.

#### B. Stemmer

A simple stemmer treats upon the inflected word to their base word by using the lookup table. Generally, the words that are stored in the lookup table/ data process automatically reduces the word to its root. Obviously, stemmer is used to maintain all the stem.[10] For example: "Alan is riding the car". Each word in the sentence is separately treated and the word riding is reduced to its stem word stem. It is done in order to make users to easily understand and rank them in a simple and fast way.

#### C. Stopwords Removal

Removing stop words allows users to search for the exact word in the document. Stop words are the list of words or simply the grammatical words which is removed before or after preprocessing. For example: "Clancy is reading". The word "is" got removed,

## International Journal for Research in Applied Science & Engineering Technology (IJRASET)

and the stemmer reduces reading to read, so the noun read is processed.

### D. Frequent Words

The same word that is iterated in the document. The common strategy for determining the frequent words is to sort all the terms by collection of frequency. i.e. the number of counts made in the document.

### E. Opinion Relation And Data Processing

The document which is preprocessed using the above tasks are extracted as opinion relation. The word that is extracted in the sentence / topic, frequently matches with the database. For example: "write" if this is the opinion relation that matches with the database frequently then it is given weighted priority by, how many times the word "write" gets matched with the database.

### F. Opinion Target

Extracting the opinion target is the fundamental task which is done using the monolingual word alignment model and given higher confidence to those extracted target using weighted priority algorithm.[7] It involves the following tasks.

### G. Mining Association Between Opinion Target And Opinion Word

To mine the association, the potential need is to identify the opinion relation in each sentence and determine them. An assumption is made on opinion target to be noun and opinion words to be verb.[2][7] To associate, word alignment model is applied to the monolingual scenario to find the one to one correspondence between the opinion targets. To improve the performance this method is done on partially supervised model[2]. To guarantee direct dependency, each word in the document indicates that exactly one word depends on other word without any additional word in its path.

### H. Mining Association Using Monolingual Word Alignment Model

The monolingual scenario is used to identify the opinion relation in the document and to estimate the association between each opinion target and the word[3]. Each word is aligned only with its own collocates. It is therefore done to get one to one correspondence with all other collocates. The monolingual sentence never collocates with itself.[11] Given a sentence with  $m$  words  $S = \{P_1, P_2, \dots, P_m\}$  the word alignment could be obtained by maximizing the alignment probability.

### ALGORITHM

INPUT: database  $D$ ; set of items  $I = \{i_1, i_2, \dots, i_m\}$ ,

Set of weight  $W = \{w_1, w_2, \dots, w_n\}$ ,

Calculate the weighted minimum threshold,

Calculate the weighted maximum confidence,

OUTPUT: Prioritized confidence

### PSEUDOCODE

BEGIN

INITIALIZE the document;

COMPARE opinion relation with data processing;

EVALUATE the count of frequent words;

ALLOCATE weight to the opinion targets;

SORT the weight based on priority.

## International Journal for Research in Applied Science & Engineering Technology (IJRASET)

END

### I. Ranking

Ranking is the essential part in improving the web content accessibility which is usually done after mining the association between opinion words using word alignment model and the candidates confidence would be extracted as opinion targets which is an important indicator.[12] For example, if two candidates are supposed to belong to the same category using same opinion words. Only one candidate must be prioritized, in order to do so the graph based co-ranking technique is used, which iteratively computes the weightage of the opinion target confidence.[8]

### J. Analysis

By using the word alignment model the overall average opinion target candidates gets analyzed which makes much easier for the users to review. It also proved that no single method performed best for all considered. Henceforth analysis is made and shown as graph

## IV. CONCLUSION

A novel method for improving the accessibility of web content using monolingual word alignment method has been proposed. The main framework is focused on extracting the opinion target in the web. The proposed method captures opinion target more precisely in order to rank the candidates confidence using the weighted priority algorithm. Finally, analysis is made on the estimated confidence and the result is extracted.

## REFERENCES

- [1] M. Hu and B. Liu, "Mining and summarizing customer reviews," in Proc. 10th ACM SIGKDD Int. Conf. Knowl. Discovery Data Mining, Seattle, WA, USA, 2004, pp. 168–177.
- [2] K. Liu, H. L. Xu, Y. Liu, and J. Zhao, "Opinion target extraction using partially-supervised word alignment model," in Proc. 23<sup>rd</sup> Int. Joint Conf. Artif. Intell., Beijing, China, 2013, pp. 2134–2140.
- [3] Q. Gao, N. Bach, and S. Vogel, "A semi-supervised word alignment algorithm with partial manual alignments," in Proc. Joint Fifth Workshop Statist. Mach. Translation MetricsMATR, Uppsala, Sweden, Jul. 2010, pp. 1–10.
- [4] G. Qiu, L. Bing, J. Bu, and C. Chen, "Opinion word expansion and target extraction through double propagation," *Comput. Linguistics*, vol. 37, no. 1, pp. 9–27, 2011.
- [5] B. Wang and H. Wang, "Bootstrapping both product features and opinion words from chinese customer reviews with crossinducing," in Proc. 3rd Int. Joint Conf. Natural Lang. Process., Hyderabad, India, 2008, pp. 289–295.
- [6] Q. Zhang, Y. Wu, T. Li, M. Ogihara, J. Johnson, and X. Huang, "Mining product reviews based on shallow dependency parsing," in Proc. 32nd Int. ACM SIGIR Conf. Res. Develop. Inf. Retrieval, Boston, MA, USA, 2009, pp. 726–727.
- [7] Zhen Hai, Kuiyu Chang, Jung-Jae Kim, and Christopher C. Yang. 2013. Identifying features in opinion mining via intrinsic and extrinsic domain relevance. *IEEE Transactions on Knowledge and Data Engineering*, 99(Preliminary):1.
- [8] Kang Liu, Liheng Xu and Jun Zhao National Laboratory of Pattern Recognition Institute of Automation, Chinese Academy of Sciences, Beijing, 100190, China Extracting Opinion Targets and OpinionWords from Online Reviews with Graph Co-ranking.
- [9] M. Taboada, J. Brooke, M. Tofiloski, K. Voll, and M. Stede, "Lexicon-based methods for sentiment analysis," *Computational Linguistics*, vol. 37, 2011, pp. 267-307.
- [10] Stevenson and R. Gaizauskas. 2000. Using corpus derived name lists for named entity recognition. In *Proceedings of the 6th Conference on Applied Natural Language Processing (ANLP 00)*, Seattle, Washington.
- [11] Dekang Lin. 1998. Extracting Collocations from Text Corpora. In *Proceedings of the 1st Workshop on Computational Terminology*, pp. 57-63.
- [12] Baluja, R. Seth, D. Sivakumar, Y. Jing, J. Yagnik, S. Kumar, D. Ravichandran, and M. Aly. 2008. Video suggestion and discovery for you tube: taking random walks through the view graph.
- [13] L. Deng, B. Xu, L. Zhang, Y. Han, P. Zou, "Event Evolution Analysis in Micro blogging Based on a View of Public Opinion Field", *IEEE Sixth International Symposium on Computational Intelligence and Design (ISCID)*, 2013, pp. 193 – 197.
- [14] W. Deitrick, B. Valyou, W. Jones, J. Timian, W. Hu, "Enhancing Sentiment Analysis on Twitter Using Community Detection", *Communications and Network*, 2013, pp.192-197.



10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)