iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 4 **Issue:** IV **Month of publication:** April 2016

DOI:

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

Volume 4 Issue IV, April 2016
ISSN: 2321-9653
International Journal for Research in Applied Science & Engineering Technology (IJRASET)

Voice Controlled Home and Industrial Appliances With Additional Wireless Controls

Mr.D.Lubin Balasubramanian[1], Ms.K.Arthi[2], Ms.K.Keerthani [3], Ms.A.Keerthiga [4]
[1,2,3,4] *Manakula Vinayagar Institute of Technology, Puducherry, India*

Abstract— Automation is the main domain now days. Automation for homes, institution, organizations, and industries are highly demanded these days. Our project is a system of software controlled hardware system. In our system the mode of device control is based on speech, button and online. For short range control we can use voice commands and buttons through computer .If we are out of town we can use net connected screen sharing app to control home appliances. We can control appliances by using our voice. The main aim of this project is to control light, fan, computer etc. by using human voice. The physically handicapped person does not capable to operate home appliances by using their hands. They are capable to operate home appliances by using their Voice. In this system we are using voice recognition module to recognize their voice. When we speak one then first device will be on and remaining devices will be off. When we speak two then second device will be on and remaining devices off and so on. The prototype of the Switchboard is built using a micro-controller, chosen for its low cost, in addition to its versatility and performance in mathematical operations and communication with other electronic devices. The system has been designed and implemented in a cost effective way so that if our project is commercialized the needy users in developing countries will benefit from it and the Graphical User Interface can be designed using Visual Basics (VB) or MATLAB.

Index Terms— VB, MATLAB, GUI.

I. INTRODUCTION

Speech is the most natural way to communicate for humans. While this has been true since the dawn of civilization, the invention and widespread use of the telephone, audio-phonic storage media, radio, and television has given even further importance to speech communication and speech processing. The advances in digital signal processing technology has led the use of speech processing in many different application areas like speech compression, enhancement, synthesis, and recognition. The concept of a machine than can recognize the human voice has long been an accepted feature in Science Fiction. From „Star Trek to George Orwell's „1984 - "Actually he was not used to writing by hand. Apart from very short notes, it was usual to dictate everything into the speak writer." - It has been commonly assumed that one day it will be possible to converse naturally with an advanced computer-based system.



Fig.1: Voice to corresponding frequency waves


The voice recognition technology enables the severely deaf or hearing impaired people, who cannot recognize by the aids. This is expected to be a remarkable innovation for the life quality of the hearing-impaired. Lowering the gate length from the current size of voice merely by amplifying the sound, to see the words recognized 40nm to 10nm in the semiconductor process technology within the next 20 years will bring about a reduction in the size of the hearing aids. The theory was so simple that a voice was generated through the trachea and the speech was decoded in the brain. Even the voice spectrogram was not considered. We introduce here the

©IJRASET: All Rights are Reserved

Volume 4 Issue IV, April 2016
ISSN: 2321-9653
International Journal for Research in Applied Science & Engineering Technology (IJRASET)

system which is the combination of Voice Control, Long Distance Control using Internet and Computer Control.

II. BLOCK DIAGRAM FOR OUR PROJECT



MFCC Algorithm Steps

Pre–emphasis: This process will increase the energy of signal at higher frequency.

$Y[n] = X[n] - 0.95\,X[n-1]$

Framing: The voice signal is divided into frames of N samples. Adjacent frames are being separated by M (M<N)

Hamming windowing: Hamming window is used as window shape by considering the next block in feature extraction processing chain and integrates all the closest frequency lines.

$Y(n) = X(n) \times W(n)$

Fast Fourier Transform:

$Y(w) = FFT[h(t) * X(t)] = H()w * X(w)$

Mel Filter Bank Processing: After that the following equation is used to compute the Mel for given frequency f in HZ:

$F(Mel) = [2595 * \log 10[\,]1 + f\,700\,]$

©IJRASET: All Rights are Reserved


Volume 4 Issue IV, April 2016
ISSN: 2321-9653
International Journal for Research in Applied Science & Engineering Technology (IJRASET)


III. WORKING OPERATION

The working procedure of our project starts with manual control of appliances using Graphical User Interface (GUI). We extend our project to voice control by providing speech to recognize device to be switched on and off. The main operation to recognize voice is identified by MFCC Algorithm. The long distance control is possible using the internet.

IV. OUTPUT

A. *Graphical User Interface (GUI)*







©IJRASET: All Rights are Reserved

Volume 4 Issue IV, April 2016
ISSN: 2321-9653
International Journal for Research in Applied Science & Engineering Technology (IJRASET)

V. CODING

```
% question for password
%c = cell(1)
password='mit';
prompt = {'Enter password'};
dlg_title = 'Password';
num_lines = 1;
def = {'????','hsv'};
answer_x = inputdlg(prompt,dlg_title,num_lines,def);
answer_xx=cell2struct(answer_x, 'word',1);
answer=answer_xx.word;

if answer==password
   set(gcf, 'visible','off')
else
   close all
end

% UIWAIT makes password_gui wait for user response (see UIRESUME)
% uiwait(handles.figure1);


% --- Outputs from this function are returned to the command line.
function varargout = password_gui_OutputFcn(hObject, eventdata, handles)
handles and user data (see GUIDATA)

% Get default command line output from handles structure
varargout{1} = handles.output;


% --- Executes on button press in pushbutton1.
function pushbutton1_Callback(hObject, eventdata, handles)
% hObject    handle to pushbutton1 (see GCBO)
tep=serial('COM1', 'BaudRate', 9600);
fopen(tep);
fprintf(tep,'A');
fclose(tep);
disp('Fan On')
beep
beep
sapi('Fan On')
msgbox('Fan On')
% --- Executes on button press in pushbutton2.
function pushbutton2_Callback(hObject, eventdata, handles)
tep=serial('COM1', 'BaudRate', 9600);
fopen(tep);
fprintf(tep,'B');
fclose(tep);
```


©IJRASET: All Rights are Reserved

```
disp('Fan off')
beep
beep
sapi('Fan off')

% --- Executes on button press in pushbutton11.
function pushbutton11_Callback(hObject, eventdata, handles)
% hObject    handle to pushbutton11 (see GCBO)
% eventdata  reserved - to be defined in a
tep=serial('COM1', 'BaudRate', 9600);
fopen(tep);
fprintf(tep,'A');
fclose(tep);
tep=serial('COM1', 'BaudRate', 9600);
fopen(tep);
fprintf(tep,'C');
fclose(tep);
tep=serial('COM1', 'BaudRate', 9600);
fopen(tep);
fprintf(tep,'E');
fclose(tep);
tep=serial('COM1', 'BaudRate', 9600);
fopen(tep);
fprintf(tep,'G');
fclose(tep);
disp('All Appliances On')
beep
beep
sapi('All Appliances On')
% --- Executes on button press in pushbutton12.
function pushbutton12_Callback(hObject, eventdata, handles)
% hObject    handle
tep=serial('COM1', 'BaudRate', 9600);
fopen(tep);
fprintf(tep,'B');
fclose(tep);
tep=serial('COM1', 'BaudRate', 9600);
fopen(tep);
fprintf(tep,'D');
fclose(tep);
tep=serial('COM1', 'BaudRate', 9600);
fopen(tep);
fprintf(tep,'F');
fclose(tep);
tep=serial('COM1', 'BaudRate', 9600);
fopen(tep);
fprintf(tep,'H');
fclose(tep);
```


©IJRASET: All Rights are Reserved

```
disp('All Appliances Off')
beep
beep
sapi('All Appliances Off')
```

VI. CONCLUSION

Thus we develop a system which is the hybrid of short range and long range control of home/industrial appliances. It uses software interfacing to control appliances through Voice Command and online control for long range. It can also be controlled by internet connection through mobile or remote PC.The system is efficient and provides the accurate output. It is sensitive to voice .In our future enhancement we will use the executable files so that there will not be any problem to install the software and common men can use it easily.

VII. ACKNOWLEDGEMENT

We thank our Dr.K.B.Jayarraman HOD, Ph.D (Department of Computer Science and Engineering) to help us for creating this paper with his sincere guidance and Technical Expertise in the field of communication. The help of our guide Mr.D.Lubin Balasubramanian M.E, Department of CSE, Manakula Vinayagar Institute of Technology is really immense and once again we thank her for her great motivation. We thank ManakulaVinayagar Institute of Technology to provide us such a standard educational environment so that we are able to understand the minute concepts in the field of Engineering.

REFERENCES

[1] Richard.C, Simpson and Simon.P.Levine, “Voice Control of a Powered Wheelchair”, IEEE Trans. Neural systems and Rehabilitation Engineering, vol. 10, no. 2, pp. 122-125, June 2002.
[2] Laisa.C.P, Nichholas S. Almeida, Ana G. D. Correa, Roseli D.Lopes, Marcelo K.Zuffo, “Accessible Display Design to Control Home Area Networks”, IEEE Trans. Consumer Electronics, Vol.59, No.2, pp. 422-427, 2013.
[3] Mark S. Hawley, Stuart P. Cunningham, Phil D. Green, Pam Enderby, Rebecca Palmer, Siddharth Sehgal, and Peter O″Neill, “A Voice-Input Voice-Output Communication Aid for People with Severe Speech Impairment”, IEEE Trans. Neural systems and Rehabilitation engineering, vol. 21, no. 1, pp. 23-31, , Jan 2013.
[4] Gnanasekar. A.K, Jayavelu.P, Nagarajan.V, “Speech Recognition Based Wireless Automation of Home Loads with Fault Identification”, IEEE International conference on communications and signal processing (ICCSP), Vol. 3, pp.128-132, 2012.
[5] Faisal Baig, Saira Beg and Muhammad Fahad Khan, “Zigbee Based Home Appliances Controlling Through Spoken Commands Using Handheld Devices”, International Journal of Smart Home Vol. 7, No. 1, pp. 19-26, Jan 2013.
[6] Jeyasree Tagore, l.Gayathri, Kamin Uttamambigai.S.P, “Implementation of Wireless Automation of Home Loads Based on Microsoft SDK”, International Journal of Science and Technology, Vol. 2, No. 5, pp.402-404, 2013.
[7] Y.Usha Devi, “Wireless Home Automation System Using Zigbee”, International Journal of Scientific & Engineering Research, Vol. 3, pp. 1-5, 2012.
[8] S. M. Anamul Haque, S. M. Kamruzzaman and Md. Ashraful Islam, “A System for Smart-Home Control of Appliances Based on Timer and Speech Interaction”, Proceedings of the 4th International Conference on Electrical Engineering & 2nd Annual Paper Meet, Vol.2, pp. 128-131, Jan 2006.
[9] Basil Hamed, “Design & Implementation of Smart House Control Using LabVIEW”, International Journal of Soft Computing and Engineering (IJSCE), Vol. 1, Issue-6, pp. 98-106, Jan 2012.
[10] I.K. Hwang, D.S. Lee and J.W. Baek, “Home Network Configuring Scheme for All Electric Appliances Using ZigBee-basedIntegrated Remote Controller”, IEEE Trans. Consumer Electronics, vol. 55, No. 3, pp. 1300-1307, August 2009.



D.Lubin Balasubramanian M.E, working Assistant Professor in the Department of Computer Science and Engineering, Manakula Vinayagar Institute of Technology,Puducherry. He has 3 years of experience .He published many papers in international journals and conference. His area of interest is Web Service.



K.Arthi currently pursuing her B.Tech from Manakula Vinayagar Institute of Technology from the stream of Computer Science Engineering. Her area of interest are HTML, PHP, Java, .NET, C, C++.

©IJRASET: All Rights are Reserved

Volume 4 Issue IV, April 2016
ISSN: 2321-9653
International Journal for Research in Applied Science & Engineering Technology (IJRASET)




K.Keerthani received diploma from “Sri Venkatachapathy Polytechnic College, Villupuram” in 2013.Currently she pursues her B.Tech from Manakula Vinayagar Institute of Technology from Department of Computer Science Engineering. Her area of interest are Java, HTML,C and C++.



A.Keerthiga currently pursuing her B.Tech from Manakula Vinayagar Institute of Technology from the stream of Computer Science Engineering. Her area of interest are Java,C and C++.

©IJRASET: All Rights are Reserved



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)