



IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 5 Issue: VIII Month of publication: August 2017 DOI: http://doi.org/10.22214/ijraset.2017.8091

www.ijraset.com

Call: 🕥 08813907089 🔰 E-mail ID: ijraset@gmail.com



Sentiment Analysis Approaches for Social Media Monitoring

Ritika Dhania¹, Yogesh Ahlawat² ^{1,2} Deptt. Of CSE, UIET, M.D. University, Deptt. Of CSE, UIET, M.D. University

Abstract: Sentiment analysis is a field of research which comes under analytics. Analytics is a subject of data mining to the extent that we read raw data by using computational techniques, then we make sense out of this raw data this is called analysis. Sentiment analysis is a perpetual concern of studies of text mining location.SA is proportional management of evaluations, sentiments and subjectivity of textual content. This research paper confronts an entire evaluation of the ultimate replace in this region. Many nowadays proposed algorithms improvements and diverse SA programs are explored & furnished in quick on this survey. These phrases are classified constant with their contributions within the various SA techniques. This paper intends to read raw data from kaggle.com and compare it against a trained machine to conclude if the phrases are positive, negative or neutral.

Keywords: Kaggle.com, KNN, NSR, World knowledge, Domain dependency, Text processing, Analysis & Scoring.

I. INTRODUCTION

In today's time of fast growing internet usage people prefer to use internet and social blogging sites and networking sites to understand the environment where they are going to survive[1], in such a context how important is the review of a given place, person or thing. Thus an introduction to the sentiment of a given review is an imperative thing to be studied as far as the sentiments of a given place will be allowed to evaluate the objective study of a given note [2]. Thus the sequence of work will be simple it will be based on different work and will try to calculate a useful notation on such a background terms like positive sentiment, negative sentiment and net sentiment ratio is calculated and thus the objective is used[3].



Fig 1. A complete flow of sentiment classification



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor:6.887 Volume 5 Issue VIII, August 2017- Available at www.ijraset.com

This figure is a complete flow of results that are indicating the steps needed to be flowed to come to an outcome commonly called as net set sentiment, positive sentiment and negative sentiment and so the results will be preceded with some normal steps.

II. LITERATURE REVIEW

We studied the use of ANN or artificial neural networks and Bayesian. We studied the performance of KNN algorithm to find out the final result by plotting it and concluding if the data collected is swaying towards once side or is neutral [4].

Nancy Lazarus of adweek.Com recommended 5 key stressful situations to analyse sentiments .He said Rob key of social media Consultancy conversion, who associated the changes in inventory fee of the hatchway. Group being truely affected by the arrival of Anna Hathway in social media even perception the two are not related Two lengthy and incredible surveys were furnished by using manner of the usage of Pang and Lee [5] and Liu [6].

They targeted at the applications and demanding situations in SA. They stated the strategies employed to clear up each obstacle in SA. Cambria and Schuller et al. [7], Feldman [8] and Montoyo and Martínez-Barco [9] have given brief surveys demonstrating the cutting-edge-day tendencies in SA.

Tsytsarau and Palpanas [10] have furnished a survey which said the principle topics of SA in data. For each task remember they have demonstrated its definition, issues and progress and classified the articles with the useful resource of tables and graphs.

The evaluation of the articles supplied on this survey is much like what have end up given with the beneficial resource of [10] however with each exceptional angle and terrific classification of the articles. The subscription of this inquiry is sizable for many reasons. First, this inquiry offers state-of-the-art categorization of a big amount of latest articles consistent with the strategies used. This mindset ought to assist the researchers who're acquainted with clear strategies to use them in the SA concern and pick out the proper approach for pleasant software. Second, the diverse strategies of SA are classifies with quick records of the algorithms and their originating references.

III.METHODOLOGY

We are using the concept of SVM [11] Neural Networks and K-NN (Nearest Neighbours)



Fig 2. Operational model of machine learning

Learning process in machine learning model is divided into two steps as:

A. Training

B. Testing

In training process, samples in training data are taken as input in which features are learned by learning algorithm or learner and build the learning model. In the testing process, learning model uses the execution engine to make the prediction for the test or production data. Tagged data is the output of learning model which gives the final prediction or classified data.

- 1) Supervised Learning Method: We are using stored sentences in an excel sheet. The sentences are stored in such a way that each important phrase in the sentence is extracted and stored separately. We have given these individual phrases some weight we have another matrix called the weight matrix which we are using as training sets.
- 2) We are then comparing the sample test sets with our weight matrix to calculate the net sentiment ratio



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor:6.887 Volume 5 Issue VIII, August 2017- Available at www.ijraset.com

NSR= (Positive Sentiments - Negative Sentiments)/Total Sentiments

We are then using Neural Networks [12] to train our system against these words and phrases to assign sentiment values to our system .This way when we read data from kaggle.com we can do sentiment analysis of those phrases using our trained system and conclude if the sentiments are positive, negative or neutral. To test our code we used Matlab which has an inbuilt MATLAB tools which has protocols defined inside it which can communicate with kaggle.com [6]:

- a) It is important to download database from kaggle.com to process.
- *b)* We use login id and password to login into the kaggle.com to download the dataset.
- *c)* This code is then used by matlab to login to kaggle.com.

Now we can read all the phrases by using various parameters and get phrases relevant to our interest. This part is very important because if the data collected is not relevant then the NSR would be useless. For example Matlab in Hindi means meaning but it is also software. So if we don't take this possibility into consideration then the data collected will be useless.

We finally use the concept of KNN [13] to calculate the overall response of a phrase or data. We plot the NSR values of thousand of phrases and plot it on a graph .We decides a threshold and see which way the most number of phrases is leaning towards.

Sentiment Analysis challenge is taken into consideration a sentiment elegance problem. The first step inside the SC hassle is to excerpt and pick out text features. Some of the modern competencies are [17]:

Terms presence and frequency: These functions are character phrases or word n-grams and their frequency counts. It either gives the terms binary weighting (zero if the word seems, or one if otherwise) or makes use of term frequency weights to suggest the relative importance of capabilities [18].

Parts of speech (POS): finding adjectives, as they may be essential indicators of reviews.

Opinion phrases and phrases: those are words commonly used to particular critiques collectively with suitable or horrible, like or hate. On the alternative hand, a few terms precise opinions without the use of opinion phrases. For instance: fee me an arm and a leg. Negations: the arrival of terrible phrases can also trade the opinion orientation like no longer perfect is equal to bad.

IV.RESULTS

Sentiment Classification strategies may be type of divided into device studying approach; lexicon primarily based definitely absolutely method and hybrid technique [19]. The Machine Learning Approach (ML) uses the famed ML algorithms and uses linguistic abilities. The Lexicon-based totally Approach depends on a sentiment lexicon, an accumulation of recognized and precompiled sentiment phrases. It is split into dictionary-based totally method and corpus-based actually technique which use statistical or semantic strategies to discover sentiment polarity. The hybrid Approach amalgamates each strategies and may be very common with sentiment lexicons playing a key function in the majority of strategies. The textual content class techniques using ML method can be form of separated into supervised and unsupervised getting to know strategies. The supervised strategies employ a big wide type of categorized training files. The unsupervised techniques are used at the same time as its miles tough to find out those categorised training files.

A. Training Data

TABLE I THIS IS A SAMPLE DATA SET

PhraseId	SentenceId	Phrase
1	1	A series of escapades demonstrating the adage that what is good for the goose is also good for the gander
		but none of which amount
2	1	A series of escapades demonstrating the adage that what is good for the goose
3	1	A series
4	1	Α
5	1	Series
6	1	of escapades demonstrating the adage that what is good for the goose
7	1	Of
8	1	escapades demonstrating the adage that what is good for the goose
9	1	Escapades



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor:6.887 Volume 5 Issue VIII, August 2017- Available at www.ijraset.com

10	1	demonstrating the adage that what is good for the goose
11	1	demonstrating the adage
12	1	Demonstrating
13	1	the adage
14	1	The
15	1	Adage
16	1	that what is good for the goose
17	1	That

WORD WITH WEIGHTS			
Words	Weight		
Frankenstein	0		
Zhivago	1		
DoctoerZhivago	1		
Avengers	1		
Superman	1		
Batman	1		
Spiderman	1		
Iron man	1		
Justice League	1		
Scooby	1		
Scooby Doo	1		
Scrappy Doo	1		
Shinchan	1		
Nobita	1		
Shizuka	1		
Lovita	1		
Dragon Ballz	0		

TABLE II WORD WITH WEIGHTS

B. Validation Data

Scoobydoo, scrappyDoo, iron man and shinchan is one of my favorite childhood cartoon series.

No. of positive sentiments: 1+1+1+1+1

No. of negative sentiments: 0

No. of Neutral sentiments: 0+0

Total sentiments: sum of (Positive, neutral, negative) =7

NSR= (Positive -negative)/Total sentiments=5-0/7=0.7142

In this phase, we study the trend of analyzer in the use of the numerous algorithms, facts or assignment one of the SA responsibilities. The following graphs represent the type of the phrases (which had been provided in Table 1) via years in step with their augmentation in plenty of requirements.

This parent suggests that still SA and SC appeal to researchers extra often. It may be decided that they have nearly identical form of contributions amongst years and the maximum vital amount in the ordinary depend. The associated fields ED, TL and BR have fascinated researchers extra nowadays as they will be growing fields of include seeking.

V. PERFORMANCE EVALUATIONS

Accuracy, Fidelity and recall are method employed for captivating the achievement of opinion mining [61]. Here accuracy is the



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor:6.887 Volume 5 Issue VIII, August 2017- Available at www.ijraset.com

overall accuracy of assured sentiment models. Recall (Pos) and Precision (Pos) are the ratio and precision ratio for true positive reviews. Recall (Neg) and Precision (Neg) are the ratio and precision ratio for true negative reviews. In an ideal scenario [61], all the experiential outputs are calculated according to the Table 1 and accuracy, Precision and recall as explained below. Accuracy = a + d / a + b + c + d

Recall (Pos) = a / a+c, Recall (Neg) = d / b+d

Precision (Pos) = a/a + b, Precision (Neg) = d/c+d

TABLE III	
CONTINGENCY TABLE FOR PERFORMANCE EVALUATION	S

	True Positive Reviews	True Negative Reviews	
Predict Positive	А	b	
Predict Negative	С	d	

The much awaited results will also include the sentiments of phrases and different other small sensitive verbs adjectives that may change the meaning of complete sentences, for carrying on such calculations it is necessary to identify the existing features.

In this section of report it is always considered that report will include results that are mostly called upon in the sections that will help in justifying the results related to the research topic. As the topic progresses the related result part will be allocated to the theme of sentiment analysis and thus the complete work will be going around the same. In such cases the most important thing is to consider the results in the form of snapshots that are added and makes sense to the originality of the work.

Since theme is sentiment analysis, the area is very wide as topic wise this thing can be applied to any area, whether be it office related social activity, or be it movie related social networking, or it can be political social networking, or social welfare related networking, so at times it is always necessary for the related researcher to choose a field in which this sentiment analysis could be effectively applied. Thus with the topic clarity it is now part of research in the current scenario to select a field, so for the current research work it is always necessary to use movie reviews to be used. As the work is used the reviews are taken from kaggle.com website which is a trusted website for competing machine learning algorithms.

To start with calculations it is necessary to look forward the database which has most number of inputs in calculations and thus provides a great level of insight in the data and shows us the way how it is organized, normally it is all accepted without which there is some level of inputs from the side of user who wish to give a good level of inputs to any possible calculations so the following inputs are necessary for understanding.

Table IV					
Sentiments of	phrases,	sub	phrases	and	verbs

Phrase	Sentiment
A series of escapades demonstrating the adage that what is good for the goose is also good for the	1
gander but none of which amount	
A series of escapades demonstrating the adage that what is good for the goose	2
A series	2
Α	2
Series	2
of escapades demonstrating the adage that what is good for the goose	2
Of	2
escapades demonstrating the adage that what is good for the goose	2
Escapades	2
demonstrating the adage that what is good for the goose	2
demonstrating the adage	2
Demonstrating	2
the adage	2
The	2
Adage	2



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor:6.887 Volume 5 Issue VIII, August 2017- Available at www.ijraset.com

that what is good for the goose	2
That	2

In the following Table I, the database is very important which is used and thus its relevant location is also important from where it is taken thus to show the difference it is important to understand the four different fields names are phrase id, sentence id, phrases, and sentiment(Table IV).

- A. Phrase id is basic field which only gives numbering or sequencing to the data of reviews collected and thus used for the purpose of inputs to machine learning classification.
- B. Sentence id if the following image is seen it becomes clear to us that why the user has been a tremendous use of this id field.
- C. As the results are very good so will be the use of other inputs for the category thus the actual phrase is very good.
- D. Sentiment is important as the sentiment provides the use of the classification part.

In this way it becomes very clear that how actually the expected number of columns in the data is imperative and thus how it will be used.

Now the next snapshot is about the different types of data which is used and thus typically it is very common in the context of the use that gives a clear indication of the purpose of usage and finally provides a very common usage of inputs to the user.

The accuracy of existing sentiment analysis system based on machine learning techniques calculated is nearly 50 % with some techniques accuracy increasing to a maximum of 90% as well.



Fig 3. Comparison of Different Techniques

In this fig 3 two different techniques are used altogether and their differences are also shown properly for better understanding, this way the communication of sentiment is very much clear and self explanatory to the subjects. Now what is more important is the understanding of the following graph which is like use of two techniques, Naive bayes and KNN method. These two techniques are very popular and thus reduce the implications of better understanding and eliminating the consequences of reducing the possibility of any of the level racing.



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor:6.887 Volume 5 Issue VIII, August 2017- Available at www.ijraset.com

The two techniques which are used in the current context are popular machine learning methods used for classification of signals. There the use of any possible signal in the learning technique will help in analysing the signals without any jurisdiction of signal level analysis.

This accuracy is calculated for Naïve bayes and kNN method, thus predicting sentiment using kNN method is as high as 90%.

VI.CONCLUSION

After the learning process starts, the practical understanding of the same thing will be used for the sentiment analysis made on the basis of some social network blogging and typical blogging websites the study is made on some review comments which are made on the some typical movies and also on typical software platform that will be considered as sentiments as the process continues the system will have a good evaluation of results and therefore the results will be definitely good based on the approach of simple machine learning algorithms that have typical usage of the same calculation. The sentiments are mainly based on positive sentiments and negative sentiments which are highly proportional and the sentiments are taken from different levels ages and context, ethnics, races across the globe. To get the final understanding it is necessary to get the best of the systems.

REFERENCES

- [1] B. Pang, et al. "Thumbs up?, "Sentiment Classification Using Machine Learning Techniques", Proc. of the Conference on Empirical Methods in Natural Language Processing (EMNLP), ACL Press, pp 79-86, July.
- [2] Bing Liu., "Sentiment analysis and subjectivity", Handbook of Natural Language Processing, 2:568, 2010.
- [3] Bo Pang and Lillian Lee, "Opinion mining and sentiment analysis", Foundations and trends in information retrieval, 2(1-2):1–135, 2008.2002.
- [4] R. Mukras, J. Carroll (2004) "A comparison of machine learning techniques applied to sentiment classification", pp 200-204.
- Krzysztof JĘDRZEJEWSKI2, Maurycy ZAMORSKI3, "Performance of K-Nearest Neighbours Algorithm", Foundations of Computing and Decision Science, VI-38,No.2
- [6] Pang B, Lee L. "Opinion mining and sentiment analysis." Found Trends Inform Retrieval 2008; 2:1–135.
- [7] Bing Liu. "Sentiment analysis and opinion mining", Synthesis Lectures on Human Language Technology, 2012.
- [8] Cambria E, Schuller B, Xia Y, Havasi C. New avenues in "opinion mining and sentiment analysis", IEEE Intelligent Systems 28, 15–21 (2013).
- [9] Feldman R. "Techniques and applications for sentiment analysis" Commun ACM 2013; 56:82-9.
- [10] Montoyo Andre's, Marti'nez-Barco Patricio, Balahur Alexandra. "Subjectivity and sentiment analysis: an overview of the current state of the area and envisaged developments", Decis Support Syst 2012; 53:675–9.
- [11] Tsytsarau Mikalai, Palpanas Themis, "Survey on mining subjective data on the web", Data Min Knowl Discov 2012; 24:478–514.
- [12] Use of SVM for Binary Classification in Matlab, stats, Mathworks.
- [13] Nancy Lazarus, "5 Key challenges of sentiment analysis", Blog Adweeks.
- [14] Krzysztof JĘDRZEJEWSKI2, Maurycy ZAMORSKI3, "Performance of K-Nearest Neighbours Algorithm", Foundations of Computing and Decision Science, Vol-38, No.2.
- [15] Analyzing twitter, Loren, Mathworks.
- [16] Herrera, S., Gutiérrez, J.M. Cofiño, A.S. Sordo, C.M. San-Martín, D. Bedia, J. "Data mining and AI: Bayesian and Neural Networks", Santander Meteorology Group.
- [17] S.Padmaja, Prof S Sameen Fatima and Sasidhar Bandu, "Evaluating Sentiment Analysis: Identifying Scope of Negation in Newspaper Articles", IJARAI, Vol. 3, No.11, 2014
- [18] Gayathiri.R, Arunkumar.A, "Opinion mining on traffic dataset using rule based approach", IJCSMC, Vol. 5, Issue. 3, March 2016
- [19] Yelena Mejova, Padmini Srinivasan, "Exploring feature definition and selection for sentiment classifiers", Proceedings of the Fifth International Conference on Weblogs and Social Media, Barcelona, Catalonia, Spain, July 17-21, 2011.
- [20] Diana Maynard, Adam Funk. "Automatic detection of political opinions in tweets", In: Proceedings of the 8th international conference on the semantic web, ESWC'11; 2011. p. 88–99.











45.98



IMPACT FACTOR: 7.129







INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 🕓 (24*7 Support on Whatsapp)