



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 5 Issue: IX Month of publication: September 2017

DOI: http://doi.org/10.22214/ijraset.2017.9052

www.ijraset.com

Call: © 08813907089 E-mail ID: ijraset@gmail.com



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 6.887

Volume 5 Issue IX, September 2017- Available at www.ijraset.com

Computational Approach for Finding Pythagoras Heptagon Using Programming language Java

S.N.AR.G. Bharat Iragavarapu¹, Kuppili Sai Rahul²

¹Department of Mathematics G.V.P. College of Engineering (Autonomous), Visakhapatnam, A.P., India ²Department of Electronics and Communication Engineering, G.V.P. College of Engineering (Autonomous), Visakhapatnam, A.P., India

Abstract: In this paper, using computer programming language JAVA, for any natural number n, we determine the Pythagoras heptagon (a, b, c, d, e, f, g) where g denotes the length of the hypotenuse and is $\leq n$, when one of a, b, c, d, e or f is given thereby the number of such Pythagoras heptagon are also known.

Keywords: Pythagoras theorem, heptagon, Pythagoras heptagon, natural numbers, programming language.

I. INTRODUCTION

In [1, 2, 3, 4], we found the remaining side lengths of the Pythagoras triangle, quadrilateral, pentagon and hexagon, if one of the side lengths is known. Now in this paper, we exhibit all possible Pythagoras heptagons, knowing only one side length that is not hypotenuse. For example, suppose we take the length of one side as 12 and the maximum limit n as 15 then all the possible Pythagoras heptagons are (2,3,4,4,6,12,15), (1,2,2,6,6,12,15), (3,3,3,3,4,12,14), (1,1,3,4,5,12,14), (2,2,2,2,6,12,14), (2,2,2,2,3,12,13). Because the above all combinations satisfies extension of Pythagoras theorem. This process is very difficult if one side length is sufficiently large and n is also large. Now our aim is to find the number of Pythagoras heptagons using programming language.

II. MAIN RESULT

- A. Algorithm
- 1) Step-1: START.
- 2) Step-2: Enter maximum limit value 'l'.
- 3) Step-3: Read 'l' value.
- 4) Step-4: Enter one side of Pythagoras Heptagon 'a'.
- 5) Step-5: Read 'a' value.
- 6) Step-6: Initialise the variables b, c,d, e, f, g, x.
- 7) Step-7: Give x value as 1.
- 8) Step-8: If a > 1, go to step 9, else go to step 10.
- 9) Step-9: Display that the side length exceeds maximum limit.
- 10) Step-10: Initialise a for loop with condition g=1, g>a, g decreases by 1; If condition fails, go to step 19.
- 11) Step-11: Initialize a for loop with condition b=1, b<=g, increment b by1; If condition fails, go to step 10
- 12) Step-12: Initialize a for loop with condition c=1, c<=b, increment c by1; If condition fails, go to step 11.
- 13) Step-13: Initialize a for loop with condition d=1, d<=c, increment d by1; If condition fails, go to step 12.
- 14) Step-14: Initialize a for loop with condition e=1, e<=d, increment e by 1; If condition fails, go to step 13.
- 15) Step-15: Initialize a for loop with condition f=1, f<=e, increment f by1; If condition fails, go to step 14.
- 16) Step-16: If $a^2+b^2+c^2+d^2+e^2+f^2=g^2$, go to step 17, else, go to step 15.
- 17) Step-17: Display values of a, b, c, d, e, f, g, h
- 18) Step-18: Increment count x.
- 19) Step-19: End for-loops
- 20) Step-20: Display x value.
- 21) Step-21: STOP.



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 6.887

Volume 5 Issue IX, September 2017- Available at www.ijraset.com

B. Result Analysis

We are required to display all the possible combinations of a Pythagoras heptagon's by taking one side as parameter which is not a hypotenuse. This can be achieved by the following steps.

- 1) Step-1: Write all the possible combinations that are possible to form a Pythagoras Heptagon by keeping a maximum limit to the hypotenuse.
- 2) Step-2: Arrange the side lengths in the combinations in ascending order and count the number of combinations and display all the combinations and count.

To illustrate how this works, let us perform this process with one side length 18 and the maximum limit as 20.

Step 1: Write all the possible combinations to form Pythagoras Heptagon with the given number 18 are...........

			TABLE I	1 0		
a	b	С	d	e	f	g
1	3	4	5	5	18	20
2	2	4	4	6	18	20
1	1	3	4	7	18	20
1	1	1	3	8	18	20
1	3	3	3	3	18	19
2	2	2	3	4	18	19
1	1	1	3	5	18	19
·		·			·	·

In the above table every combination is a Pythagoras heptagon and satisfies the extension of Pythagoras theorem and we can form total 9 Pythagoras heptagon's if one side length is 18 and maximum limit n as 20.

If the side length is exceed the maximum limit n then result displays no Pythagoras Heptagons. For example suppose we take the length of one side as 40 and the maximum limit n as 20 then the result is no Heptagons

III. OUTPUTS




Fig. 1 One side length=2, Maximum limit=8




Fig. 2 One side length=66, Maximum limit=64



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor:6.887 Volume 5 Issue IX, September 2017- Available at www.ijraset.com




Fig. 3 One side length=6, Maximum limit=15

🥷 Problems @ Javadoc 🖳 Declarati	on 🖳 Console 🛭				
<terminated> mathspro2 [Java Application</terminated>	on] C:\Program Files\Java\jre1.8.0_60\bin\javaw.e	exe (31-Aug-2017, 7:01:03 pm)		- Alle Entre	
Enter the maximum limit					٨
275					
Enter one side length of py	thagorous heptagon				- 1
273					- 1
14, 15, 15, 15, 15, 273, 275	2,15,17,17,17,273,275	8,14,16,16,18,273,275	2,16,16,16,18,273,275	5,13,17,17,18,273,275	- 1
9,13,14,17,19,273,275	10,11,15,17,19,273,275	5,14,15,17,19,273,275	6,11,17,17,19,273,275	11,11,13,18,19,273,275	- 1
1,11,17,18,19,273,275	6,13,13,19,19,273,275	3,13,14,19,19,273,275	7,10,15,19,19,273,275	6,7,17,19,19,273,275	- 1
2,9,17,19,19,273,275	5,5,18,19,19,273,275	1,7,18,19,19,273,275	2,3,19,19,19,273,275	10,12,14,16,20,273,275	- 1
4,10,16,18,20,273,275	6,8,14,20,20,273,275	2,6,16,20,20,273,275	11,13,13,14,21,273,275	6,13,15,15,21,273,275	- 1
3,14,15,15,21,273,275	7,11,14,17,21,273,275	1,13,14,17,21,273,275	9,9,13,18,21,273,275	5,9,15,18,21,273,275	- 1
5,10,13,19,21,273,275	2,11,13,19,21,273,275	7,7,14,19,21,273,275	1,2,17,19,21,273,275	3,6,13,21,21,273,275	- 1
3,3,14,21,21,273,275	7,13,13,15,22,273,275	9,9,15,15,22,273,275	4,12,14,16,22,273,275	6,8,16,16,22,273,275	- 1
9,11,11,17,22,273,275	7,7,15,17,22,273,275	3,5,17,17,22,273,275	4,4,16,18,22,273,275	7,9,11,19,22,273,275	- 1
3,11,11,19,22,273,275	1,9,13,19,22,273,275	1,5,15,19,22,273,275	2,8,12,20,22,273,275	3,9,9,21,22,273,275	- 1
5,5,11,21,22,273,275	1,7,11,21,22,273,275	1,1,13,21,22,273,275	9,11,13,14,23,273,275	10,11,11,15,23,273,275	- 1
2,13,13,15,23,273,275	5,11,14,15,23,273,275	6,9,15,15,23,273,275	6,11,11,17,23,273,275	3,10,13,17,23,273,275	- 1
1,9,14,17,23,273,275	2,7,15,17,23,273,275	9,9,9,18,23,273,275	1,11,11,18,23,273,275	5,7,13,18,23,273,275	- 1
3,3,15,18,23,273,275	5,9,10,19,23,273,275	6,7,11,19,23,273,275	2,9,11,19,23,273,275	1,6,13,19,23,273,275	- 1
1,3,14,19,23,273,275	3,6,9,21,23,273,275	1,5,10,21,23,273,275	1,2,11,21,23,273,275	3,5,7,22,23,273,275	- 1
1,1,9,22,23,273,275	2,3,5,23,23,273,275	1,1,6,23,23,273,275	6,12,12,14,24,273,275	8,8,14,14,24,273,275	
8,10,10,16,24,273,275	2,8,14,16,24,273,275	2,2,16,16,24,273,275	4,6,12,18,24,273,275	2,4,10,20,24,273,275	
2,4,4,22,24,273,275	9,10,11,13,25,273,275	5,9,13,14,25,273,275	5,10,11,15,25,273,275	2,11,11,15,25,273,275	
5,5,14,15,25,273,275	1,7,14,15,25,273,275	1,9,10,17,25,273,275	5,6,11,17,25,273,275	2,3,13,17,25,273,275	
7,7,7,18,25,273,275	1,5,11,18,25,273,275	5,6,7,19,25,273,275	2,5,9,19,25,273,275	1,3,10,19,25,273,275	
1,2,5,21,25,273,275	7,9,11,13,26,273,275	3,11,11,13,26,273,275	1,9,13,13,26,273,275	4,8,12,14,26,273,275	



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 6.887

Volume 5 Issue IX, September 2017- Available at www.ijraset.com

5,7,11,15,26,273,275	1,5,13,15,26,273,275	6,8,8,16,26,273,275	2,4,12,16,26,273,275	5,5,9,17,26,273,275
1,7,9,17,26,273,275	1,3,11,17,26,273,275	4,4,8,18,26,273,275	3,5,5,19,26,273,275	1,3,7,19,26,273,275
5,10,11,11,27,273,275	2,11,11,11,27,273,275	6,9,9,13,27,273,275	7,7,10,13,27,273,275	2,5,13,13,27,273,275
3,9,9,14,27,273,275	5,5,11,14,27,273,275	1,7,11,14,27,273,275	1,1,13,14,27,273,275	5,6,9,15,27,273,275
2,5,7,17,27,273,275	3,3,5,18,27,273,275	1,1,2,19,27,273,275	2,8,10,12,28,273,275	4,6,8,14,28,273,275
2,4,6,16,28,273,275	5,7,9,10,29,273,275	6,7,7,11,29,273,275	2,7,9,11,29,273,275	3,5,10,11,29,273,275
2,3,11,11,29,273,275	5,5,6,13,29,273,275	1,6,7,13,29,273,275	1,2,9,13,29,273,275	3,5,5,14,29,273,275
1,3,7,14,29,273,275	1,2,5,15,29,273,275	7,7,7,7,30,273,275	2,8,8,8,30,273,275	3,5,9,9,30,273,275
4,4,8,10,30,273,275	5,5,5,11,30,273,275	1,5,7,11,30,273,275	3,3,3,13,30,273,275	1,1,5,13,30,273,275
5,5,6,7,31,273,275	1,6,7,7,31,273,275	2,5,5,9,31,273,275	3,3,6,9,31,273,275	1,2,7,9,31,273,275
1,3,5,10,31,273,275	1,2,3,11,31,273,275	2,4,4,6,32,273,275	1,1,1,2,33,273,275	6,10,11,11,13,273,274
7,8,11,12,13,273,274	3,9,12,12,13,273,274	8,8,9,13,13,273,274	3,10,10,13,13,273,274	4,7,12,13,13,273,274
1,8,12,13,13,273,274	2,6,13,13,13,273,274	7,9,10,11,14,273,274	3,10,11,11,14,273,274	1,9,10,13,14,273,274
5,6,11,13,14,273,274	2,3,13,13,14,273,274	5,7,9,14,14,273,274	3,5,11,14,14,273,274	1,10,10,11,15,273,274
4,8,11,11,15,273,274	4,9,9,12,15,273,274	3,5,12,12,15,273,274	5,8,8,13,15,273,274	6,6,9,13,15,273,274
2,7,10,13,15,273,274	4,4,11,13,15,273,274	3,6,9,14,15,273,274	1,5,10,14,15,273,274	1,2,11,14,15,273,274
5,6,6,15,15,273,274	5,8,9,11,16,273,274	7,7,7,12,16,273,274	1,5,11,12,16,273,274	3,7,8,13,16,273,274
4,5,9,13,16,273,274	4,5,5,15,16,273,274	1,4,7,15,16,273,274	1,1,8,15,16,273,274	1,3,5,16,16,273,274
7,8,8,9,17,273,274	3,7,10,10,17,273,274	3,8,8,11,17,273,274	1,6,10,11,17,273,274	4,7,7,12,17,273,274
5,5,8,12,17,273,274	1,7,8,12,17,273,274	2,6,7,13,17,273,274	3,4,8,13,17,273,274	2,2,9,13,17,273,274
1,5,6,14,17,273,274	2,3,7,14,17,273,274	1,4,4,15,17,273,274	2,2,5,15,17,273,274	5,6,9,9,18,273,274
5,7,7,10,18,273,274	2,7,7,11,18,273,274	1,1,10,11,18,273,274	2,5,5,13,18,273,274	3,3,6,13,18,273,274
1,2,7,13,18,273,274	3,3,3,14,18,273,274	1,1,5,14,18,273,274	3,7,8,8,19,273,274	4,5,8,9,19,273,274
5,5,6,10,19,273,274	1,6,7,10,19,273,274	1,2,9,10,19,273,274	2,5,6,11,19,273,274	1,4,5,12,19,273,274
2,2,3,13,19,273,274	3,5,7,8,20,273,274	4,5,5,9,20,273,274	1,4,7,9,20,273,274	1,1,8,9,20,273,274
1,3,4,11,20,273,274	1,1,1,12,20,273,274	3,5,6,6,21,273,274	4,4,5,7,21,273,274	2,2,7,7,21,273,274
1,4,5,8,21,273,274	1,1,2,10,21,273,274	2,3,5,5,22,273,274	3,3,3,6,22,273,274	1,1,5,6,22,273,274
1,2,3,7,22,273,274	1,2,2,3,23,273,274			
Total number of Pythagorous H	eptagons are: 242			

Fig. 4 One side length=273, Maximum limit=275




Fig. 5 One side length=119, Maximum limit=121



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 6.887

Volume 5 Issue IX, September 2017- Available at www.ijraset.com

<terminated> mathspro2 [Java Appli</terminated>	cation] C:\Program Files\Java\jre	1.8.0_60\bin\javaw.exe (31-Au	ig-2017, 6:38:39 pm)					
Enter the maximum limit								
92								
Enter one side length of	pythagorous heptagon							
88								
12,12,12,12,12,88,92	6,11,13,13,15	88,92 7	,9,13,14,15,88,9	2 3,1	1,13,14,15,88,92	7,10,11,15,	15,88,92	
1,10,13,15,15,88,92	5,7,14,15,15,	38,92 3	,6,15,15,15,88,9	2 6,6	,14,14,16,88,92	9,9,10,13,1	17,88,92	
5,9,10,15,17,88,92	6,7,11,15,17,	38,92 2	,9,11,15,17,88,9	2 1,6	,13,15,17,88,92	1,3,14,15,1	17,88,92	
5,6,9,17,17,88,92	5,9,11,13,18,	38,92 3	,7,13,13,18,88,9	2 6,8	,10,14,18,88,92	3,9,9,15,18	3,88,92	
5,5,11,15,18,88,92	1,7,11,15,18,	38,92 1	,1,13,15,18,88,9	2 2,6	,10,16,18,88,92	3,7,7,17,18	3,88,92	
1,5,9,17,18,88,92	2,2,8,18,18,8	3,92 6	,9,11,11,19,88,9	2 3,9	,10,13,19,88,92	1,9,9,14,19	9,88,92	
6,7,7,15,19,88,92	2,7,9,15,19,8	3,92 3	,5,10,15,19,88,9	2,3,11,15,19,88,92		3,5,6,17,19,88,92		
1,3,5,18,19,88,92	4,4,12,12,20,	38,92 6	,9,9,9,21,88,92	7,7	,9,10,21,88,92	3,7,10,11,2	21,88,92	
1,6,11,11,21,88,92	5,6,7,13,21,8	3,92 2	,5,9,13,21,88,92	1,3	,10,13,21,88,92	3,5,7,14,2	1,88,92	
1,1,9,14,21,88,92	2,5,5,15,21,88,92		,3,6,15,21,88,92	1,2	,7,15,21,88,92	5,7,9,9,22,	88,92	
6,6,8,10,22,88,92	3,5,9,11,22,8	3,92 3	,3,7,13,22,88,92	1,1	,3,15,22,88,92	5,6,7,9,23,	88,92	
2,5,9,9,23,88,92	1,3,9,10,23,8	3,92 3	,5,6,11,23,88,92	2,3	,3,13,23,88,92	6, 6, 6, 6, 24,	88,92	
2,2,6,10,24,88,92	3,5,5,6,25,88	.92 1	,3,6,7,25,88,92	1,2	,3,9,25,88,92	1,3,3,5,26,	88,92	
7,10,10,12,12,88,91	8,8,11,12,12,	88,91 4	,8,12,12,13,88,9	1 4,9	,10,12,14,88,91	2,7,12,12,1	14,88,91	
6,6,10,13,14,88,91	3,6,10,14,14,	38,91 2	,8,10,12,15,88,9	1 4,6	,8,14,15,88,91	6,8,9,10,10	5,88,91	
3,8,8,12,16,88,91	1,6,10,12,16,88,91		,4,6,15,16,88,91	2,6	,8,12,17,88,91	6,7,8,8,18,	88,91	
2,8,8,9,18,88,91	4,4,9,10,18,88,91		,3,10,10,18,88,9	1 2,4	,7,12,18,88,91	1,2,8,12,18	3,88,91	
2,2,6,13,18,88,91	2,2,3,14,18,8	3,91 2	,6,6,10,19,88,91	4,6	,6,7,20,88,91	1,6,6,8,20,	,88,91	
2,4,6,9,20,88,91	2,2,3,6,22,88	.91 7	,8,9,9,9,88,90	8,8,8,8,10,	8,8,8,8,10,88,90 3,			
4,7,7,11,11,88,90	5,5,8,11,11,88,90		,7,8,11,11,88,90	5,5	,9,9,12,88,90	1,7,9,9,12,	.88,90	
1,3,9,11,12,88,90	4,4,6,12,12,88,90		,7,7,8,13,88,90	3,4	,9,9,13,88,90	4,5,5,11,13	3,88,90	
1,4,7,11,13,88,90	1,1,8,11,13,88,90		,3,5,12,13,88,90	1,1	,4,13,13,88,90	4,4,8,8,14,88,90		
3,3,7,8,15,88,90	3,4,5,9,15,88,90		,5,5,5,16,88,90	1,5	,5,7,16,88,90	1,1,7,7,16,88,90		
2,4,4,8,16,88,90	1,3,3,9,16,88	.90 1	,4,5,5,17,88,90	1,1	,4,7,17,88,90	1,1,1,8,17,	,88,90	
4,5,6,6,8,88,89	2,3,6,8,8,88,89	3,4,4,6,10,88,89	1	,2,6,6,10,88,89	2,2,3	,4,12,88,8 <mark>9</mark>		
Total number of Pythagor	12							

Fig. 6 One side length=88, Maximum limit=92

IV. CONCLUSIONS

The process of finding side lengths using manually is very difficult. So by using MATLAB finding the Pythagoras heptagon by knowing any one of the side length is becomes novel and easy process. Further we are planning to extend this to Pythagoras n-sided polygon.

REFERENCES

- [1] S.N.R.G.Bharat Iragavarapu, B.saranya, "Extension of Pythagoras Theorem using Programming Language", Journal of Information Technology and Sciences, Volume 3 Issue 1, Pg 1-4, MAT Journals 2017.
- [2] S.N.R.G.Bharat Iragavarapu, Computational approach for finding Pythagoras quadrilateral (a, b, c, d), when a or b or c is given and hypotenuse d≤n, where n is a natural number", International Journal of Advanced Research in management Engineering and Technology, ISSN: 2456 - 2998 (Online), Volume 2, Issue 3, March 2017, pg: 512-517.
- [3] S.N.R.G.Bharat Iragavarapu, B.saranya, Computational approach for finding Pythagoras pentagon (a, b, c, d, e), when a or b or c or d is given and hypotenuse e ≤ n, where n is a natural number'', International Journal of Scientific Research and development, ISSN: 2321 – 0613 (Online), Volume 5, Issue 5, june, 2017.
- [4] S.N.R.G.Bharat Iragavarapu, k.kavya, Computational approach for finding Pythagoras hexagon (a, b, c, d, e, f), when a or b or c or d or e is given and hypotenuse $f \le n$, where n is a natural number", International Journal for Research in Applied Science & Engineering Technology (IJRASET), ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 6.887, Volume 5 Issue VII, July 2017, pg: 2112-2116.

AUTHOR PROFILE



S.N.R.G.Bharat Iragavarapu (born April 25, 1990) is working as Assistant professor in the Department of Mathematics, GVP College of Engineering (A), Visakhapatnam, Andhra Pradesh, India. He completed his Masters degree in Mathematics from Andhra University in the year 2012 with 8.9 CGPA. (Secured university second). Worked as Junior research fellow in NBHM-DAE project during 2012-2015. Published 3 research papers in international journals. During this academic year 2016-17 there are 10 publications in national journals on the topic related to the present work.



Kuppili Sai Rahulis studying B.Tech, fourth year in the Department of Electronics and communication engineering, GVP College of Engineering (A), Visakhapatnam, Andhra Pradesh, India









45.98



IMPACT FACTOR: 7.129



IMPACT FACTOR: 7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call: 08813907089 🕓 (24*7 Support on Whatsapp)