



ISSN No. : 2321-9653

IJRASET

**International Journal for Research in Applied
Science & Engineering Technology**

IJRASET is indexed with Crossref for DOI-DOI : 10.22214

Website : www.ijraset.com, E-mail : ijraset@gmail.com

Certificate

*It is here by certified that the paper ID : IJRASET27111, entitled
Impact Response of Partially Replaced Anti- Crack Glass Fiber as Fine Aggregate in
Concrete*

*by
E. Vinodha*

*after review is found suitable and has been published in
Volume 8, Issue III, March 2020
in*

*International Journal for Research in Applied Science &
Engineering Technology*

(International Peer Reviewed and Refereed Journal)

Good luck for your future endeavors

By

Editor in Chief, IJRASET



ISRA Journal Impact
Factor: 7.429



45.98
INDEX COPERNICUS



THOMSON REUTERS
Researcher ID: N-9681-2016



10.22214/IJRASET



TOGETHER WE REACH THE GOAL
SJIF 7.429



ISSN No. : 2321-9653

IJRASET

**International Journal for Research in Applied
Science & Engineering Technology**

IJRASET is indexed with Crossref for DOI-DOI : 10.22214

Website : www.ijraset.com, E-mail : ijraset@gmail.com



ISRA Journal Impact
Factor: 7.429



45.98
INDEX COPERNICUS



THOMSON REUTERS
Researcher ID: N-9681-2016



10.22214/IJRASET
doi
crossref



TOGETHER WE REACH THE GOAL
SJIF 7.429

Certificate

*It is here by certified that the paper ID : IJRASET27111, entitled
Impact Response of Partially Replaced Anti- Crack Glass Fiber as Fine Aggregate in
Concrete*

*by
K. Saravanan*

*after review is found suitable and has been published in
Volume 8, Issue III, March 2020
in*

*International Journal for Research in Applied Science &
Engineering Technology*

(International Peer Reviewed and Refereed Journal)

Good luck for your future endeavors

By [Signature]

Editor in Chief, IJRASET



ISSN No. : 2321-9653

IJRASET

**International Journal for Research in Applied
Science & Engineering Technology**

IJRASET is indexed with Crossref for DOI-DOI : 10.22214

Website : www.ijraset.com, E-mail : ijraset@gmail.com



ISRA Journal Impact
Factor: 7.429



45.98
INDEX COPERNICUS



THOMSON REUTERS
Researcher ID: N-9681-2016



10.22214/IJRASET
doi
crossref



TOGETHER WE REACH THE GOAL
SJIF 7.429

Certificate

*It is here by certified that the paper ID : IJRASET27111, entitled
Impact Response of Partially Replaced Anti- Crack Glass Fiber as Fine Aggregate in
Concrete*

*by
M. Hari Haran*

*after review is found suitable and has been published in
Volume 8, Issue III, March 2020
in*

*International Journal for Research in Applied Science &
Engineering Technology*

(International Peer Reviewed and Refereed Journal)

Good luck for your future endeavors

By [Signature]

Editor in Chief, IJRASET



ISSN No. : 2321-9653

IJRASET

**International Journal for Research in Applied
Science & Engineering Technology**

IJRASET is indexed with Crossref for DOI-DOI : 10.22214

Website : www.ijraset.com, E-mail : ijraset@gmail.com

Certificate

*It is here by certified that the paper ID : IJRASET27111, entitled
Impact Response of Partially Replaced Anti- Crack Glass Fiber as Fine Aggregate in
Concrete*

*by
J. Augustin Raj*

*after review is found suitable and has been published in
Volume 8, Issue III, March 2020
in*

*International Journal for Research in Applied Science &
Engineering Technology*

(International Peer Reviewed and Refereed Journal)

Good luck for your future endeavors

By [Signature]

Editor in Chief, IJRASET



ISRA Journal Impact
Factor: 7.429



45.98
INDEX COPERNICUS



THOMSON REUTERS
Researcher ID: N-9681-2016



10.22214/IJRASET



TOGETHER WE REACH THE GOAL
SJIF 7.429



ISSN No. : 2321-9653

IJRASET

**International Journal for Research in Applied
Science & Engineering Technology**

IJRASET is indexed with Crossref for DOI-DOI : 10.22214

Website : www.ijraset.com, E-mail : ijraset@gmail.com



ISRA Journal Impact
Factor: 7.429



45.98
INDEX COPERNICUS



THOMSON REUTERS
Researcher ID: N-9681-2016



10.22214/IJRASET
doi
crossref



TOGETHER WE REACH THE GOAL
SJIF 7.429

Certificate

*It is here by certified that the paper ID : IJRASET27111, entitled
Impact Response of Partially Replaced Anti- Crack Glass Fiber as Fine Aggregate in
Concrete*

*by
K. Vignesh*

*after review is found suitable and has been published in
Volume 8, Issue III, March 2020
in*

*International Journal for Research in Applied Science &
Engineering Technology*

(International Peer Reviewed and Refereed Journal)

Good luck for your future endeavors

By [Signature]

Editor in Chief, IJRASET



ISSN No. : 2321-9653

IJRASET

**International Journal for Research in Applied
Science & Engineering Technology**

IJRASET is indexed with Crossref for DOI-DOI : 10.22214

Website : www.ijraset.com, E-mail : ijraset@gmail.com



ISRA Journal Impact
Factor: 7.429



45.98
INDEX COPERNICUS



THOMSON REUTERS
Researcher ID: N-9681-2016



10.22214/IJRASET
doi
crossref



TOGETHER WE REACH THE GOAL
SJIF 7.429

Certificate

*It is here by certified that the paper ID : IJRASET27111, entitled
Impact Response of Partially Replaced Anti- Crack Glass Fiber as Fine Aggregate in
Concrete*

*by
E. Mathiyazhagan*

*after review is found suitable and has been published in
Volume 8, Issue III, March 2020
in*

*International Journal for Research in Applied Science &
Engineering Technology*

(International Peer Reviewed and Refereed Journal)

Good luck for your future endeavors

By [Signature]

Editor in Chief, IJRASET