

### International Journal for Research in Applied Science & Engineering Technology

IJRASET is indexed with Crossref for DOI-DOI: 10.22214

Website: www.ijraset.com, E-mail: ijraset@gmail.com



It is here by certified that the paper ID: IJRASET72793, entitled

Evaluation of Safety and Effectiveness of the Floret PDA Occluder for Transcatheter Closure of Patent Ductus Arteriosus in Pediatric Patients

by

Minocha Dr. Pramod Kumar

after review is found suitable and has been published in Volume 13, Issue VI, June 2025

11

International Journal for Research in Applied Science & Engineering Technology

(International Peer Reviewed and Refereed Journal)
Good luck for your future endeavors



ISRA Journal Impact Factor: **7.429** 









By were



### International Journal for Research in Applied Science & Engineering Technology

IJRASET is indexed with Crossref for DOI-DOI: 10.22214

Website: www.ijraset.com, E-mail: ijraset@gmail.com



It is here by certified that the paper ID: IJRASET72793, entitled

Evaluation of Safety and Effectiveness of the Floret PDA Occluder for Transcatheter Closure of Patent Ductus Arteriosus in Pediatric Patients

by

Kothwala Dr. Deveshkumar

after review is found suitable and has been published in Volume 13, Issue VI, June 2025

11

International Journal for Research in Applied Science & Engineering Technology

(International Peer Reviewed and Refereed Journal)
Good luck for your future endeavors



ISRA Journal Impact Factor: **7.429** 









By were



### International Journal for Research in Applied Science & Engineering Technology

IJRASET is indexed with Crossref for DOI-DOI: 10.22214

Website: www.ijraset.com, E-mail: ijraset@gmail.com



It is here by certified that the paper ID: IJRASET72793, entitled

Evaluation of Safety and Effectiveness of the Floret PDA Occluder for Transcatheter Closure of Patent Ductus Arteriosus in Pediatric Patients

> by Shah Khusboo

after review is found suitable and has been published in Volume 13, Issue VI, June 2025

in

International Journal for Research in Applied Science &
Engineering Technology

(International Pear Parismed and Referred Lever al)

(International Peer Reviewed and Refereed Journal)
Good luck for your future endeavors



ISRA Journal Impact Factor: **7.429** 









By were



### International Journal for Research in Applied Science & Engineering Technology

IJRASET is indexed with Crossref for DOI-DOI: 10.22214

Website: www.ijraset.com, E-mail: ijraset@gmail.com



It is here by certified that the paper ID: IJRASET72793, entitled

Evaluation of Safety and Effectiveness of the Floret PDA Occluder for Transcatheter Closure of Patent Ductus Arteriosus in Pediatric Patients

> by Machhi Diya

after review is found suitable and has been published in Volume 13, Issue VI, June 2025

in

International Journal for Research in Applied Science &
Engineering Technology
(International Peer Reviewed and Refereed Journal)

(International Peer Reviewed and Refereed Journal)
Good luck for your future endeavors



ISRA Journal Impact Factor: **7.429** 









By were



### International Journal for Research in Applied Science & Engineering Technology

IJRASET is indexed with Crossref for DOI-DOI: 10.22214

Website: www.ijraset.com, E-mail: ijraset@gmail.com



It is here by certified that the paper ID: IJRASET72793, entitled

Evaluation of Safety and Effectiveness of the Floret PDA Occluder for Transcatheter Closure of Patent Ductus Arteriosus in Pediatric Patients

#### by Rahul Sharma

after review is found suitable and has been published in Volume 13, Issue VI, June 2025

in

International Journal for Research in Applied Science &
Engineering Technology
(International Pear Reviewed and Referred Journal)

(International Peer Reviewed and Refereed Journal)
Good luck for your future endeavors



ISRA Journal Impact Factor: **7.429** 









By were



### International Journal for Research in Applied Science & Engineering Technology

IJRASET is indexed with Crossref for DOI-DOI: 10.22214

Website: www.ijraset.com, E-mail: ijraset@gmail.com



It is here by certified that the paper ID: IJRASET72793, entitled

Evaluation of Safety and Effectiveness of the Floret PDA Occluder for Transcatheter Closure of Patent Ductus Arteriosus in Pediatric Patients

by
Patel Krushang

after review is found suitable and has been published in Volume 13, Issue VI, June 2025

in

International Journal for Research in Applied Science & Engineering Technology

(International Peer Reviewed and Refereed Journal)
Good luck for your future endeavors



ISRA Journal Impact Factor: **7.429** 









By were