



International Journal for Research in Applied Science & Engineering Technology

IJRASET is indexed with Crossref for DOI-DOI : 10.22214

Website : www.ijraset.com, E-mail : ijraset@gmail.com



 J_{F}

ISRA Journal Impact Factor: **7.429**





Researcher ID: N-9681-2016





It is here by certified that the paper ID : IJRASET39818, entitled

Using the Area of Contact between Layers as a Predictor for the Anisotropic Strength of Parts Produced by FDM

> *by* Alexandre A. Cavalcante

after review is found suitable and has been published in Volume 10, Issue I, January 2022 in

By non

Editor in Chief, **IJRASET**





International Journal for Research in Applied Science & Engineering Technology

IJRASET is indexed with Crossref for DOI-DOI : 10.22214

Website : www.ijraset.com, E-mail : ijraset@gmail.com



of Parts Produced by FDM

It is here by certified that the paper ID : IJRASET39818, entitled

bv

I SRA

ISRA Journal Impact Factor: 7.429





THOMSON REUTERS





Newton B. Oliveira

after review is found suitable and has been published in Volume 10, Issue I, January 2022 in

were

Editor in Chief, **iJRASET**





International Journal for Research in Applied Science & Engineering Technology

IJRASET is indexed with Crossref for DOI-DOI : 10.22214

Website : www.ijraset.com, E-mail : ijraset@gmail.com



 J_{F}

ISRA Journal Impact Factor: **7.429**





THOMSON REUTERS Researcher ID: N-9681-2016





It is here by certified that the paper ID : IJRASET39818, entitled

Using the Area of Contact between Layers as a Predictor for the Anisotropic Strength of Parts Produced by FDM

> by Jose A. M. Alfonzo

after review is found suitable and has been published in

Volume 10, Issue I, January 2022 in

were

Editor in Chief, **iJRASET**





International Journal for Research in Applied Science & Engineering Technology

IJRASET is indexed with Crossref for DOI-DOI : 10.22214

Website : www.ijraset.com, E-mail : ijraset@gmail.com



It is here by certified that the paper ID : IJRASET39818, entitled

by Iuri M. Pepe

Using the Area of Contact between Layers as a Predictor for the Anisotropic Strength

of Parts Produced by FDM

JISRA F

ISRA Journal Impact Factor: **7.429**





THOMSON REUTERS Researcher ID: N-9681-2016





after review is found suitable and has been published in Volume 10, Issue I, January 2022

in

were

Editor in Chief, **iJRASET**