



# **iJRASET**

International Journal For Research in  
Applied Science and Engineering Technology



---

# **INTERNATIONAL JOURNAL FOR RESEARCH**

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume:** 12    **Issue:** XI    **Month of publication:** November 2024

**DOI:** <https://doi.org/10.22214/ijraset.2024.65006>

**[www.ijraset.com](http://www.ijraset.com)**

**Call:** ☎ 08813907089

**E-mail ID:** [ijraset@gmail.com](mailto:ijraset@gmail.com)

# A Review of the Phytochemical and Pharmacological Properties of *Aegle marmelos* Plants

Priyanka Pisal<sup>1</sup>, Kavita Mane<sup>2</sup>, Rajendra Patil<sup>3</sup>

Pharmacognosy and Phytochemistry, Delonix Society's Baramati College of Pharmacy Barhanpur, Baramati, Maharashtra, India  
4131

**Abstract:** *Aegle marmelos* (L.), commonly known as bael, is a medicinal plant widely used in traditional systems of medicine such as Ayurveda for its numerous therapeutic properties. This review provides an overview of the phytochemical and pharmacological properties of *Aegle marmelos* across various parts of the plant, including its leaves, fruit, roots, and bark. Phytochemical studies have revealed the presence of a wide variety of bioactive compounds such as alkaloids, flavonoids, tannins, and coumarins, which contribute to its diverse medicinal benefits. The plant has demonstrated various pharmacological activities in both in vitro and in vivo studies, including antioxidant, anti-inflammatory, antimicrobial, antidiabetic, hepatoprotective, cardioprotective, and anticancer properties. The antioxidant potential of *Aegle marmelos* is attributed to its high content of phenolic compounds, which help in scavenging free radicals and reducing oxidative stress. Additionally, its anti-inflammatory activity makes it useful for treating conditions related to inflammation and infection. Its hepatoprotective and cardioprotective effects further underline its potential in safeguarding liver and heart health.

Despite its wide traditional use, further clinical studies are needed to validate these pharmacological claims and explore its potential applications in modern medicine. This review aims to consolidate existing knowledge on the therapeutic properties of *Aegle marmelos*, thereby encouraging further research into its medicinal value and potential pharmaceutical applications.

**Keywords:** *Aegle marmelos*, Phytochemicals, Antioxidant activity, Anti-inflammatory, Therapeutic applications

## I. INTRODUCTION

*Aegle marmelos* (L.) Corrêa, commonly known as bael or Bengal quince, is a highly revered medicinal plant in India and various parts of Southeast Asia. Belonging to the Rutaceae family, the plant holds a prominent place in ancient systems of medicine, including Ayurveda, Siddha, and Unani. Traditionally, *Aegle marmelos* has been used for a multitude of purposes, ranging from treating gastrointestinal disorders to managing respiratory diseases. Every part of the plant—leaves, fruit, bark, roots, and seeds—has been utilized for its therapeutic properties, making it a versatile and valuable resource in herbal medicine.<sup>1,2</sup>

The plant's significance extends beyond its medicinal uses, as it is also culturally important in religious rituals and offerings. The fruit, in particular, is considered sacred in Hinduism and is often offered to Lord Shiva. However, its primary contribution lies in the wealth of bioactive compounds it contains, which have attracted the interest of modern pharmacological research.

Phytochemical investigations have shown that *Aegle marmelos* is a rich source of a variety of secondary metabolites, including alkaloids, flavonoids, tannins, phenolic compounds, coumarins, and essential oils. These compounds are responsible for its wide range of pharmacological activities. For instance, flavonoids and tannins are potent antioxidants that protect the body from oxidative damage, while coumarins contribute to its anti-inflammatory and antimicrobial effects.<sup>3,4</sup>

Several in vitro and in vivo studies have demonstrated the plant's potential in treating various diseases. Its antioxidant activity helps mitigate oxidative stress, a key factor in aging and several chronic diseases, including cardiovascular disorders and cancer. Its anti-inflammatory properties make it an effective remedy for conditions like arthritis and inflammatory bowel disease, while its antimicrobial activity is beneficial against a variety of bacterial, viral, and fungal infections. Additionally, *Aegle marmelos* exhibits significant hepatoprotective, cardioprotective, antidiabetic, and anticancer effects, which further highlight its therapeutic potential.<sup>5,6</sup> Despite its extensive traditional use and the promising pharmacological activities demonstrated in preliminary studies, there remains a need for more comprehensive clinical trials to confirm its efficacy and safety in human subjects. The growing interest in plant-based medicine and the ongoing search for natural compounds with fewer side effects have driven scientific inquiries into *Aegle marmelos*. The plant represents a promising candidate for the development of novel therapeutic agents.<sup>7</sup>

## II. PHARMACOGNOSY OF AEGLE MARMELOS

Pharmacognosy, the study of medicinal plants and their bioactive compounds, provides insight into the rich phytochemical profile of *Aegle marmelos* (commonly known as bael). Every part of the plant has been extensively studied, from the leaves to the roots, for its medicinal properties and chemical composition. Below is a detailed exploration of its pharmacognostic characteristics.<sup>8</sup>

### A. Botanical Description

*Aegle marmelos* is a medium-sized deciduous tree that can grow up to 12-15 meters in height. The plant is native to the Indian subcontinent but is also found in Southeast Asia. The tree bears fragrant, trifoliate leaves, white-green flowers, and a hard-shelled fruit. The fruit is spherical or oval and contains a woody rind, with yellow pulp and numerous seeds inside.<sup>9</sup>

### B. Macroscopic and Microscopic Characteristics

- 1) **Leaves:** The leaves are alternate, trifoliate, and have ovate or lanceolate leaflets. They are aromatic, and when bruised, they give off a characteristic fragrance. Microscopically, they show the presence of oil glands, parenchyma cells, and stomata.
- 2) **Fruit:** The fruit of *Aegle marmelos* is green when unripe and turns yellow as it matures. The outer shell is hard, while the pulp inside is sweet and aromatic. The fruit pulp contains mucilage and yellowish-brown oil glands.
- 3) **Bark:** The bark is grayish-brown with deep fissures and contains oil glands. Microscopically, it exhibits fibers and calcium oxalate crystals.
- 4) **Seeds:** The seeds are small, oblong, and covered in a mucilaginous coat. They contain endosperm and an embryo with cotyledons.

### C. Phytochemistry

*Aegle marmelos* is a rich source of bioactive compounds, primarily secondary metabolites that contribute to its pharmacological effects. Various studies have identified the following groups of compounds:

- 1) **Alkaloids:** Alkaloids like aegeline have been isolated from the plant, which shows antihyperglycemic and antioxidant properties.
- 2) **Flavonoids:** Flavonoids such as rutin and quercetin contribute to the antioxidant, anti-inflammatory, and cardioprotective properties of the plant.
- 3) **Tannins:** The fruit pulp contains significant amounts of tannins, which have astringent and antimicrobial properties.
- 4) **Coumarins:** Coumarins such as imperatorin and marmelosin have been shown to exhibit anti-inflammatory, antimicrobial, and antidiabetic effects.
- 5) **Essential Oils:** The volatile oils found in the leaves and fruit include limonene, citronella, and linalool, which contribute to antimicrobial and antioxidant effects.
- 6) **Other Compounds:** Terpenoids, sterols, saponins, and phenolic acids have also been identified, contributing to the plant's broad range of biological activities.

### D. Traditional Uses

In traditional medicine, *Aegle marmelos* is used in the treatment of gastrointestinal disorders, including diarrhea, dysentery, and constipation. The unripe fruit is commonly used as astringent, while the ripe fruit is a laxative. The leaves are used in treating diabetes, respiratory disorders, and fever. The bark and roots are also employed in traditional remedies for heart ailments, inflammation, and infections.<sup>10,11,12</sup>

## III. PHARMACOLOGY OF AEGLE MARMELOS

Pharmacological studies on *Aegle marmelos* have validated many of its traditional uses and have identified additional therapeutic potentials. These activities are attributed to its diverse phytochemical composition. Below is an in-depth discussion of the plant's pharmacological properties based on preclinical and clinical studies.

### A. Antioxidant Activity

Oxidative stress, caused by free radicals, plays a key role in aging and the pathogenesis of various chronic diseases. *Aegle marmelos* has been shown to possess significant antioxidant activity, primarily due to its high content of flavonoids (quercetin, rutin) and phenolic compounds.

These compounds scavenge free radicals and protect cells from oxidative damage. Studies have demonstrated that extracts from the leaves and fruit exhibit potent antioxidant capacity, making them effective in reducing oxidative stress-related damage to the liver, heart, and brain.<sup>13,14,15</sup>

#### *B. Anti-inflammatory and Analgesic Properties*

Inflammation is a common pathological condition in many diseases. The anti-inflammatory potential of *Aegle marmelos* has been demonstrated in various experimental models. The plant's coumarins and flavonoids inhibit the production of inflammatory mediators like prostaglandins and cytokines, leading to a reduction in inflammation. In addition to its anti-inflammatory effects, *Aegle marmelos* also exhibits analgesic properties, making it useful in alleviating pain in conditions such as arthritis and inflammatory bowel diseases.

#### *C. Antimicrobial Activity*

The antimicrobial properties of *Aegle marmelos* have been extensively studied, particularly its ability to inhibit bacterial, viral, and fungal pathogens. Essential oils and tannins found in the leaves and fruit have shown potent antimicrobial activity against a range of pathogens, including *Escherichia coli*, *Salmonella typhi*, *Staphylococcus aureus*, and *Candida albicans*. This makes the plant valuable in treating infections and in the development of natural antimicrobial agents.

#### *D. Antidiabetic Activity*

One of the most studied pharmacological properties of *Aegle marmelos* is its antidiabetic activity. Alkaloids such as aegeline and coumarins like imperatorin have been found to lower blood glucose levels by enhancing insulin secretion and increasing glucose uptake in tissues. Both leaf and fruit extracts have demonstrated significant hypoglycemic effects in diabetic animal models, making the plant a potential natural remedy for managing diabetes.

#### *E. Hepatoprotective Activity*

The hepatoprotective effects of *Aegle marmelos* have been well-documented in various studies. The plant protects the liver against chemically-induced damage by reducing oxidative stress, enhancing antioxidant enzyme activity, and preventing lipid peroxidation. Compounds like flavonoids and coumarins play a key role in preventing liver injury, making *Aegle marmelos* a promising candidate for treating liver disorders such as hepatitis and cirrhosis.

#### *F. Cardioprotective Effects*

Cardiovascular diseases, often associated with oxidative stress and inflammation, are a leading cause of death worldwide. *Aegle marmelos* has shown promising cardioprotective activity by improving lipid profiles, reducing oxidative stress, and protecting heart tissues from damage. Its flavonoid content helps lower LDL cholesterol levels and enhances HDL cholesterol, thereby reducing the risk of atherosclerosis. Additionally, the plant exhibits antihypertensive properties, further supporting its use in cardiovascular disease management.

#### *G. Anticancer Potential*

Emerging studies suggest that *Aegle marmelos* may have anticancer properties, particularly due to its antioxidant and anti-inflammatory effects. The coumarins and flavonoids in the plant have been shown to inhibit cancer cell proliferation and induce apoptosis in cancer cells. While preclinical studies in animal models are promising, more research is needed to explore its potential use as an adjunct therapy in cancer treatment.

#### *H. Antidiarrheal and Gastroprotective Effects*

The unripe fruit of *Aegle marmelos* is widely used in traditional medicine for treating diarrhea and dysentery. Its antidiarrheal effects are attributed to tannins and mucilage, which help in reducing intestinal motility and secretion, thereby preventing fluid loss. Furthermore, *Aegle marmelos* exhibits gastroprotective properties by reducing gastric acid secretion and enhancing the production of gastric mucus, protecting the stomach lining from ulcers.



### *I. Other Activities*

**Antifertility:** Some studies have indicated that Aegle marmelos may have antifertility effects, which could be useful in contraceptive applications.

**Wound Healing:** The leaves and fruit extracts have shown significant wound-healing activity, likely due to their anti-inflammatory and antimicrobial properties.<sup>16,17,18</sup>

## **IV. USE OF AEGLE MARMELOS IN THE PHARMACEUTICAL INDUSTRY**

The growing interest in plant-based medicines, particularly those derived from traditional remedies, has led to the exploration of Aegle marmelos for various pharmaceutical applications. Due to its rich phytochemical profile and wide array of pharmacological activities, the plant holds great potential for use in the development of novel drugs and natural health products.<sup>19</sup>

Below are some key areas where Aegle marmelos can be utilized in the pharmaceutical industry:

### *A. Antidiabetic Formulations*

One of the most promising applications of Aegle marmelos in the pharmaceutical industry is in the management of diabetes. The alkaloid aegeline, along with coumarins such as imperatorin, has demonstrated strong hypoglycemic activity. These compounds enhance insulin secretion, improve glucose uptake in cells, and regulate blood sugar levels. Pharmaceutical companies can use Aegle marmelos extracts in the development of natural antidiabetic drugs or supplements that offer a safer, plant-based alternative to synthetic hypoglycemic agents, with fewer side effects.<sup>20</sup>

### *B. Antioxidant and Anti-inflammatory Supplements*

The high antioxidant content of Aegle marmelos (flavonoids, phenolic compounds) makes it an excellent candidate for use in antioxidant supplements. These supplements can help in reducing oxidative stress and preventing diseases related to aging and inflammation, such as cardiovascular diseases, neurodegenerative disorders, and arthritis. Additionally, anti-inflammatory formulations can be developed from its coumarins and flavonoids, which have been shown to reduce inflammation through the inhibition of inflammatory mediators. This could be valuable in creating supplements or topical treatments for inflammatory conditions like arthritis, skin disorders, and inflammatory bowel diseases.

### *C. Antimicrobial Agents*

The pharmaceutical industry is increasingly focused on developing new antimicrobial agents due to the rise of antibiotic-resistant pathogens. Aegle marmelos has demonstrated significant antimicrobial activity against a wide range of bacterial, viral, and fungal pathogens. Essential oils and tannins derived from the plant's leaves, fruit, and bark can be used in the formulation of natural antimicrobial products, which can be used as topical treatments for infections, antiseptics, or even as preservatives in pharmaceutical preparations. The incorporation of Aegle marmelos extracts in antimicrobial formulations could address the growing need for alternative therapies to combat resistant microbial strains.

### *D. Hepatoprotective and Cardioprotective Formulations*

Given its hepatoprotective properties, Aegle marmelos can be used in the development of drugs or supplements aimed at protecting the liver from damage caused by toxins, alcohol, and other hepatotoxic agents. Its ability to enhance antioxidant enzyme activity, reduce lipid peroxidation, and improve liver function makes it an excellent candidate for use in liver tonics or medications aimed at treating conditions like hepatitis, fatty liver disease, and cirrhosis. Similarly, the cardioprotective effects of Aegle marmelos suggest its use in cardiovascular health products. Its ability to improve lipid profiles, reduce oxidative stress, and prevent damage to cardiac tissues can be beneficial in developing drugs that reduce the risk of heart disease and hypertension.<sup>21,22,23</sup>

### *E. Antidiarrheal and Gastroprotective Formulations*

In traditional medicine, the unripe fruit of Aegle marmelos has long been used as a remedy for diarrhea and dysentery. Its antidiarrheal properties, mainly due to the presence of tannins and mucilage, make it an effective treatment for gastrointestinal disorders. Pharmaceutical companies can harness these properties to develop antidiarrheal medications or natural digestive aids. Additionally, the gastroprotective effects of the plant, which help in preventing and healing gastric ulcers, can be incorporated into formulations for treating acid reflux, gastritis, and peptic ulcers.

#### F. Cancer Treatment and Chemoprevention

Although still in its early stages, research has shown that *Aegle marmelos* may have anticancer properties. Compounds such as marmelosin and other coumarins have been found to inhibit the proliferation of cancer cells and induce apoptosis (programmed cell death) *in vitro*. These findings suggest that *Aegle marmelos* could be developed into adjunct therapies for cancer treatment or chemopreventive agents. The development of plant-based anticancer drugs with fewer side effects compared to traditional chemotherapy could be a promising area for the pharmaceutical industry to explore.

#### G. Wound Healing and Dermatological Applications

The wound-healing properties of *Aegle marmelos* have been demonstrated in various studies, making it a potential candidate for pharmaceutical products aimed at skin health. Its antimicrobial, anti-inflammatory, and antioxidant properties contribute to faster healing and protection against infection in wounds and burns. Pharmaceutical and cosmetic industries can utilize extracts from the plant's leaves and fruit in topical ointments, creams, or gels for treating wounds, burns, ulcers, and other skin conditions.

#### H. Antifertility and Contraceptive Products

Preliminary studies have suggested that *Aegle marmelos* may exhibit antifertility effects, particularly in male models, where extracts from the plant have been shown to affect sperm motility and viability. This opens up potential avenues for the development of plant-based contraceptive products. While further research is needed to fully understand its mechanism of action and potential side effects, the plant's antifertility properties could be harnessed in natural contraceptive solutions or population control measures.

#### I. Functional Foods and Nutraceuticals

In addition to pharmaceuticals, *Aegle marmelos* has potential applications in the functional food and nutraceutical industry. Its rich nutritional content, coupled with its pharmacological benefits, makes it an excellent candidate for incorporation into health drinks, dietary supplements, or food products aimed at boosting immunity, improving digestion, and supporting metabolic health. Nutraceuticals derived from *Aegle marmelos* could provide consumers with health benefits beyond basic nutrition, helping prevent or manage chronic diseases through regular consumption.<sup>24,25</sup>

### V. CONCLUSION

*Aegle marmelos* offers numerous opportunities for the pharmaceutical industry due to its extensive pharmacological properties and safety profile. Its potential applications range from antidiabetic and antimicrobial agents to hepatoprotective, cardioprotective, and anticancer formulations. The use of *Aegle marmelos* in pharmaceuticals not only aligns with the growing demand for natural and plant-based medicines but also offers the possibility of developing effective, low-cost therapies with fewer side effects compared to synthetic drugs. However, to fully capitalize on the therapeutic potential of *Aegle marmelos*, more clinical research and trials are necessary to validate its efficacy and establish standardized dosages for various applications.

### REFERENCES

Here's the list converted into Vancouver style references:

- [1] Abdullakasm P, Rayanakorn M, Vanavichit A, Kitchaijvan P. Antioxidant capacity, total phenolics and sugar content of selected Thai health beverages. *Int J Food Sci Nutr*. 2007;58(6):393-400.
- [2] Agarwal R, Tiwari S, Saxena R, Chandra A. Intraocular pressure-lowering activity of topical application of *Aegle marmelos* fruit extract in experimental animal models. *Ophthalmic Res*. 2009;42(2):94-98.
- [3] Agrawal A, Pal A, Agrawal M, Singh S. Chemomodulatory effects of *Aegle marmelos* against DMBA-induced skin tumorigenesis in Swiss albino mice. *Asian Pac J Cancer Prev*. 2010;11(3):671-676.
- [4] Alia SS, Alian M, Saba M. Indian medicinal herbs as sources of antioxidants. *Food Res Int*. 2008;41(1):1-15.
- [5] Anandkumar J, Mandal B, Dhakal L. Removal of Cr(VI) from aqueous solution using bael fruit (*Aegle marmelos* Correa) shell as an adsorbent. *J Hazard Mater*. 2009;165(1-3):87-91.
- [6] Arora R, Bhardwaj P, Arora P, Rani V. Radioprotection by plant products, present status and future prospects. *Phytother Res*. 2005;19(1):1-22.
- [7] Arul V, Miyazaki S, Dhananjayan R. Studies on the anti-inflammatory, antipyretic and analgesic properties of the leaves of *Aegle marmelos* Corr. *J Ethnopharmacol*. 2005;96(1-2):159-163.
- [8] Badam L, Bedekar SS, Sonawane KB, Joshi SP. In vitro antiviral activity of bael (*Aegle marmelos* Corr) upon human coxsackieviruses B1–B6. *J Commun Dis*. 2002;34(2):88-99.
- [9] Baliga MS, Bhat HP, Joseph N, Kumar BR. Radioprotective effects of *Aegle marmelos* (L.) Correa (Bael): A concise review. *J Altern Complement Med*. 2010;16(1):1101-1107.

- [10] Brijesh S, Daswani PG, Tetali P, Antia NH, Birdi TJ. Studies on the antidiarrhoeal activity of Aegle marmelos unripe fruit: Validating its traditional usage. *BMC Complement Altern Med*. 2009;9:47.
- [11] Burcham PC. Genotoxic lipid peroxidation products: Their DNA damaging properties and role in formation of endogenous DNA adducts. *Mutagenesis*. 1998;13(3):287-305.
- [12] Chakravarty S, Mondal S, Ghosh D. Removal of Pb(II) ions from aqueous solution by adsorption using bael leaves (Aegle marmelos). *J Hazard Mater*. 2010;173(1-3):502-509.
- [13] Chauhan A, Agarwal M, Kushwaha S, Mutreja A. Assessment of the contraceptive efficacy of the aqueous extract of Aegle marmelos Corr. leaves in male albino rats. *Hum Fertil*. 2009;12(2):97-102.
- [14] Chauhan A, Agarwal M, Kushwaha S, Mutreja A. Suppression of fertility in male albino rats following the administration of 50% methanolic extract of Aegle marmelos. *Contraception*. 2007;76(6):474-481.
- [15] CHEMEXCIL. Selected medicinal plants of India. 1992.
- [16] Das B, Das R, Thakur RS. Medicinal properties and chemical constituents of Aegle marmelos Correa. *Indian Drugs*. 1995;32(5):242-245.
- [17] Devasagayam TP, Tilak JC, Boloor KK, et al. Free radicals and antioxidants in human health: Current status and future prospects. *J Assoc Physicians India*. 2004;52:794-804.
- [18] Dhuley JN. Investigation on the gastroprotective and antidiarrhoeal properties of Aegle marmelos unripe fruit extract. *Hind Antibiot Bull*. 2003;45(1-2):41-46.
- [19] Elango G, Rahuman AA, Kamaraj C, et al. Oviposition-deterrent, ovicidal, and repellent activities of indigenous plant extracts against *Anopheles subpictus* Grassi (Diptera: Culicidae). *Parasitol Res*. 2009;105(6):1567-1576.
- [20] Elango G, Rahuman AA, Kamaraj C, Bagavan A, Zahir AA. Efficacy of botanical extracts against Japanese encephalitis vector, *Culex tritaeniorhynchus*. *Parasitol Res*. 2010;106(3):481-492.
- [21] Elango G, Rahuman AA, Kamaraj C, Bagavan A, Zahir AA. Evaluation of repellent properties of botanical extracts against *Culex tritaeniorhynchus* Giles (Diptera: Culicidae). *Parasitol Res*. 2010;107(3):471-478.
- [22] Elango G, Rahuman AA, Kamaraj C, et al. Studies on effects of indigenous plant extracts on filarial vector *Culex tritaeniorhynchus* Giles. *Parasitol Res*. 2010;107(6):1481-1490.
- [23] Harrison TR. Diarrhea and constipation. *Principles of Internal Medicine*.
- [24] Jagetia GC, Baliga MS, Venkatesh P. The evaluation of nitric oxide scavenging activity of certain Indian medicinal plants in vitro: A preliminary study. *J Med Food*. 2004;7(3):343-348.
- [25] Jagetia GC, Venkatesh P, Baliga MS. Fruit extract of Aegle marmelos protects mice against radiation-induced lethality. *Integr Cancer Ther*. 2004;3(4):323-329.





10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)