



IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 11 Issue: X Month of publication: October 2023 DOI: https://doi.org/10.22214/ijraset.2023.56228

www.ijraset.com

Call: 🕥 08813907089 🔰 E-mail ID: ijraset@gmail.com



A Review Study of *Pranavaha Srotas Vikara* With Special Reference to Chronic Obstructive Pulmonary Disease (COPD)

Dr.Saurabh Chandra Rohila¹, Dr. Mukesh Kumar², Dr. Shyoram Sharma³

^{1, 2}MD Scholar (2nd Year), ³Associate Professor, P.G. Department of Rachana Sharir, Postgraduate Institute of Ayurveda, Jodhpur (Rajasthan)

Abstract: Ayurvedic literature refers to the expression "Srotomayam Hi Shariram" which means "the living body is a system of channels consisting of several channels built as an internal transport system to perform various tasks. Srotas are macro channels and pathways in the living body covering visible and invisible organs, molecules, atoms and subatomic layers. Pranavaha Srotas is one of these channels that mediate Pranavayu. In Ayurveda, respiratory diseases are due to binding of Pranavaha Srotas, causing cough, breathing problems and disturbance of the breathing rhythm. COPD is the second largest common lung disease in India after pulmonary tuberculosis. It is common in middle-aged patients and rarely in patients under 35 years of age. COPD is the leading cause of death and morbidity worldwide. It is characterized by progressive and persistent airflow limitation.

Keywords: Srotas, Pranavaha Srotas, COPD, Clinical Aspect

I. INTRODUCTION

Srotas is a general term that refers to all macro channels and pathways." *Srotas* are channels or pores that exist throughout the visible body as well at the "invisible" or delicate level of cells, molecules, atoms and subatomic layers. These channels to transport nutrients and other substances in and out of our physiology. In *Srotas*, two things are defined through the organs of the body and are known as *Srotomoola* (Root of *Srotas*). The roots of the tree can be compared to *Srotomola*. Any damage to the roots will result in the destruction of the tree, just as damage to the <u>Rotomola</u> can affect the entire *Srota*. The *Moolas* can therefore be the physiological and anatomical control center of the roots. *Pranavaha Srotas* are one of those that mediate *Pranavayu*. In *Ayurveda*, respiratory diseases are caused by binding of *Pranavaha Srotas*, accompanied by cough, difficulty in breathing and breathing rhythm. COPD is such a disease which can be co related with *Pranavaha srotas vikara*. COPD (chronic obstructive pulmonary disease) is a group of lung diseases that make breathing difficult and worse over time. The present study has tried to correlate this in every possible way, especially in terms of modern anatomy and pathology.

A. Aim

II. AIM AND OBJECTIVE

Literary study of Pranavaha Srotas w.s.r. to Bruhatrayee.

B. Objectives

- 1) To study Pranavaha Srotas according to Ayurveda and Modern science.
- 2) To study Moolasthana of Pranavaha srotas and their importance in treatment of COPD diseases of Pranavaha srotas.

III. MATERIAL AND METHODS

References related to proposed title are collected from classical books of *Ayurveda*. Various publications, books, research papers, internet, library, webinars, proceeding webinars, related to topics are collected.

IV. DISCUSSION

Ayurvedic Aspect

According to Acharya Charak Srotansi, Sira, Dhamani, Rasayani, Rasavahini, Nadi, Panth, Marga, Shariracchidra, Samvrit, Asamvrita, Sthana, Ashaya and Niketa are some synonyms for Srotas.



International Journal for Research in Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 11 Issue X Oct 2023- Available at www.ijraset.com

In the sixth chapter of the Ashtang Samgrah Sharir Sthan, Acharya Vagabhatt describes the synonym of Srotas. These are Srotansi, Sira, Dhamani, Rasavahini, Nadi, Panth, Ayna, Marga, Shariracchidra, Samvrit, Asamvrita, Sthana, Ashyaya, and Niketa.

Srotas Bhed (Types) - Different texts of *Ayurveda* classified *Srotas* as (Table 1)

Acharya Charak	Acharya Sushruta	ita	
	Bahirmukhsrotas	Antarmukha	
		Srotas / Yogvahi	
		Srotas -11 pairs	
1.Pranavahasrotas	9 in male and 12	1.Pranavahasrotas	
2.Udakvahasrotas	in female, they are,	2.Udakvahasrotas	
3.Annavahasrotas	1. Netra - 2	3.Annavahasrotas	
4.Rasavahasrotas	2. Karana-2	4.Rasavahasrotas	
5.Raktavahasrotas	3. Nasika–2	5.Raktavahasrotas	
6.Manshavahasrotas	4.Mukha –1	6.Manshavahasrotas	
7.Medovahasrotas	5.Guda-1	7.Medovahasrotas	
8.Asthivahasrotas	6.Mutramarg -1	8.Shukravahasrotas	
9.Majjavahasrotas	And 3 extra	9. Mutravahasrotas	
10.Shukravaashrotas	12 in females	10.Purishvahasrotas	
11.Mutravahasrotas	7.Stanya-2	11.Aartavvhasrotas	
12.Purishvahasrotas	8. Apatyamarg - 1		
13.Swedavahasrotas			

Pranavaha Srotas

Mulas of Pranavaha Srotas

Both Acharya Charak and Sushruta regarded distinct Mula Sthana of Pranava Srotas as well as indications of vitiation.

Acharya Charak has considered Hridaya and Mahasrotas as the Mula of the Pranava Srotas. According to Acharya Sushruta, the Mula of the Pranava Srotas is Hridaya and Rasavahi Dhamni. The word "Hridaya" here refers to both the organ heart and the chest or cardiac region. For Prana vayu to flow normally, the cardiac region is also essential.

Pranavaha Srotas Dushti Hetu

Kshaya of Dhatus, Vegadharan, Rukshadi Ahara and Vihara, exercise during hunger and overwork are the factors that vitiate Pranavaha Srotas.

Pranavaha Srotas Dushti Lakshana

There are several symptoms associated with aberrant *Pranavaha Srotas*, including *Atishrast*, *Atibadha*, *Kupita*, *Alpa*, *Shasabda* and *Swasa* with *Shoola*.

Pranavaha Srotas Viddha Lakshana

Krosan, Vinaman, Mohan, Bhraamn, Vepan & Maran are the symptoms of Vidhha on Pranvaha Srotas.

Pranavaha Srotas Vikar

S. No.	Ayurvedic	Modern
1.	Kasa	Inflammatory - (Lung Collapse; Bronchial Asthma;
		Emphysema etc.)
2.	Shwasa	Infectious - (Covid - 19, SARS, Tuberculosis, Measles,



International Journal for Research in Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 11 Issue X Oct 2023- Available at www.ijraset.com

		Pertusis etc.)	
3.	Hikka	Interstitial - (Sarcoidosis, Idiopathic Pulmonary Fibrosis	
		etc.)	
4.	Swarabheda	Environmental - (Asbestosis, Silicosis etc.)	
5.	Rajayakshma	Obstructive - (COPD, Bronchiectasis, Cystic Fibrosis	
		etc.)	
6.	Urakshata	Respiratory insufficiency - (Atelactasis; Gas exchange	
		etc.)	
7.	Parshwa Shula	Pulmonary (Vascular) - (Pulmonary embolism,	
		Telangiectasia etc.)	
8.		Pulmonary (Pleural) - (Pleural effusion, and	
		Pneumothorax etc.)	
9.		Pulmonary (Pleural) - (Pleural effusion, and	
		Pneumothorax etc.)	
10.		Congenital - (Airway malformations, bronchial atresia	
		etc.)	

V. MODERN ASPECT

COPD can be referred to as a *Pranavaha Srotas* disease in *Ayurveda* since the etiological reasons and clinical symptoms mentioned in *Ayurvedic* texts for *Pranavaha Sroto Dushti* are almost identical to those of COPD and occur most commonly in extended circumstances of *Kasa* or *Tamaka Shvasa*. Exposure to air pollution, second-hand smoke, occupational dusts and chemicals, smoking, cold weather, and other risk factors are referenced in Ayurvedic classics such as "*Rajasa Dhoomvatabhyam Shitathanambusevanam Rukshanna Vishmashanat.*"

Chronic obstructive pulmonary disease or COPD is a collection of lung conditions that progressively worsen breathing difficulties. The air sacs and airways in the lungs are normally flexible and elastic. The airways carry air into the air sacs during inhalation. The air sacs expand like a tiny balloon as they fill with air. The air exits your body during exhalation because the air sacs contract. In COPD, less air enters and exits the airways due to one or more of the following issues:-

- 1) Lungs' air sacs and airways lose their elasticity.
- 2) Many of the air sacs' walls are damaged.
- *3)* Thickening and inflammation of the airway walls.
- 4) The airways produce more mucus than normal, which can obstruct them.

There are two primary forms of COPD:

- *a)* Emphysema- Emphysema is defined as the "Persistent abnormal air distension distal to the terminal bronchioles." It Affects the air sacs in the lungs, as well as the walls between them. They get harmed and lose their elasticity.
- *b)* Chronic bronchitis- A condition in which the lining of your airways is inflamed and irritated all the time. The lining swells and produces mucus as a result. Chronic bronchitis is distinguished by a persistent cough with expectoration for at least three months out of the year two years in a row.

Emphysema and chronic bronchitis are common in COPD patients; however, the severity of each condition varies from person to person.

The risk factors for COPD include:-

- Smoking-This the main risk factor. Up to 75% of people who have COPD smoke or used to smoke.
- Long-term exposure to other lung irritants, such as second hand smoke, air pollution, and chemical fumes and dusts from the environment or workplace
- Age- Most people who have COPD are at least 40 years old when their symptoms begin.
- Genetics-This includes alpha-1 antitrypsin deficiency, which is a genetic condition. Also, smokers who get COPD are more likely to get it if they have a family history of COPD.
- *Asthma* People who have *Asthma* have more risk of developing COPD than people who don't have *Asthma* but most people with *Asthma* will not get COPD.



International Journal for Research in Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 11 Issue X Oct 2023- Available at www.ijraset.com

- Aetio-pathogenesis: According to Ayurveda, the pathophysiology of any disease is caused by faulty nutrition and lifestyle habits. Diet articles, dietary habits, and lifestyle faults are etiological factors of COPD described in ancient and current literature.
- Pathogenesis: In COPD, inhaling harmful chemicals, mainly cigarette smoke, promotes inflammation of the lung tissue. If the regular protective and/or healing systems are overloaded or fail, inflammation causes tissue damage. Mucus hypersecretion, airway constriction and fibrosis, parenchymal deterioration, and vascular alterations are all symptoms of lung tissue injury. These pathological alterations result in airflow restriction and other physiological abnormalities, which result in COPD clinical characteristics.

The pathophysiology of *Pranavaha Srotodusti* expressed in terms of *Kasa* and *Shvasa* mimics the above-mentioned description and may be characterised as vitiated *Prana* and *Udana* located in *Pranavaha Srotas* enforces *Kapha*, resulting in blockage of *Pranavaha* channels. On the basis of this, the pathophysiology of COPD may be defined as the following-



Clinical features: COPD is characterised by a chronic sputum-producing cough and shortness of breath on exertion for many years, as well as a history of excessive tobacco or smoking. Coughing in cold weather, wheezing, chest tightness, recurrent respiratory infection, dyspnoea; peripheral oedema secondary to over right ventricular failure, cyanosis, and percussion note is normally resonant, medium to coarse crepitation, and rhonchi that change in intensity and location are other clues for COPD diagnosis.

Atisristam-Atibaddhama (too lengthy or too limited respiration), *Kupita* (disturbed pattern of respiration), *Alpa-alpam* (shallow or frequent respiration) and *Shashbdam Sashulam* (respiration connected with sound and pain) are the typical signs of *Pranavaha Srotas* vitiation. Most of the clinical aspects identified for COPD are also noted in classical medicine, either as general symptoms or as particular *Doshika Kasa* or *Tamaka Shvasa* traits.

- Management of COPD by Ayurveda: Ayurveda describes three basic measures for the prevention or management of any disease as Nidanaparivarjana, which involves lifestyle changes and eating pattern, Shamana (pacification therapy), and Shodhana (biopurifactory methods). Considering this, the management of COPD can be summarised as follows:
- ✤ Avoidance of etiological factors:
- Modification of lifestyle:
- Similarly due to importance diet articles may be done:

Shodhana (biopurification) should be conducted on a regular and seasonal basis, with strong patients undergoing *Vamana*, *Virechana*, and *Niruhabasti* as well as *Nasya* treatment in suitable seasons. This form of therapy reduces *Kapha* and may help to dry up extra mucous secretions in the *Pranavaha Srotasa* (respiratory system).

VI. CONCLUSION

The *Srotas* philosophy is built on the three primary features listed below.

- 1) To generate a certain Bhavas or substance utpatti of bhav.
- 2) To move or transport this Bhavas from one location to another another location represents the Vahana of these Bhavas.
- 3) To keep these specific *Bhavas* secret signifies *Stravanath Srothansi*. These *Bhavas* have a specific root or marg. Some *Srotas* have all three features while others only have one.

Srotas is determined by the passage of materials via it. It is also connected to Moolsthana. Charak and Susruta assign Moolsthana based on their function, such as storage of Bhavas or relay hub of Bhavas. Second Moola is seen as a system for doing these Bhavas. Pranavaha Srotas is the most important and primary Srotas in the body. It is made up of external nares, nasal chambers, pharynx, trachea, bronchus, and bronchioles that transfer oxygen or carbon dioxide to the lungs. The pulmonary veins convey these gases from the lungs to the heart. All bodily cells receive oxygen from the heart. The exchange of gases then happens at the tissue cell level. Because the heart is so vital in this process, it is stated as Moolsthana of the Pranavaha Srotas.



International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 11 Issue X Oct 2023- Available at www.ijraset.com

The passage and exchange of gases proceeds from the nose to the alveoli, from the alveoli to the heart via the pulmonary veins, from the heart to all cells of the body via the arteries, and from all cells of the body to the heart again via the veins. This entire route is comprised of *Pranavahini Dhamanya*.

COPD, being a chronic progressive illness with permanent alterations, necessitates early detection and therapy. Extra diet attention, dietary pattern changes, and lifestyle changes along with appropriate use of *Rasayana* can play a significant role in the prevention or advancement of COPD.

REFERENCES

- [1] Agnivesh, Charaka, Dridhabala, Charak samhitaChikitsasthana 17/11. Hindi commentary by Vidhyadharshukla and Ravidattripathi Chaukhambha Sanskrit pratishthan Delhi 2009.
- [2] Sushrut samhita- sharirsthanam-Dr. B.G. GhanekarMeharchand Laghamchand Pulication, New Delhi110002.
- [3] Charakasamhita Viman sthana chapter 5, shloka 2.4th edition. Varanasi, Choukhamba Sanskrit Sansthana
- [4] Ghanekar, B.G. Sushrut Samhita, Sharirsthanam, Meharchand, Laghamchand Publication, New Delhi110002.
- [5] Mannino, D. M., & Kiri, V. A. (2006). Changing the burden of COPD mortality. International Journal of Chronic Obstructive Pulmonary Disease, 1(3), 219– 233.
- [6] API Textbook of medicine editor Y.P.Munjal, published by the association of physicians of india. Ninth edition page no 1711.
- [7] Davidson's principle & practice of medicine, 21st edition, Churchill livingstone Elsevier 2010, pg555.
- [8] https://medlineplus.gov/copd.html











45.98



IMPACT FACTOR: 7.129







INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 🕓 (24*7 Support on Whatsapp)