iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 12 **Issue:** IV **Month of publication:** April 2024

DOI: https://doi.org/10.22214/ijraset.2024.59836

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 12 Issue IV Apr 2024- Available at www.ijraset.com

Biomimetic Sonar Innovation Inspired from Dolphins: A Comprehensive Review

Dr. K. V. Rukmani[1], Lt. Dr. D. Antony Arul Raj[2], Ms. Lakshana V[3], Mr. Ravishinu G[4], Mr. Gokul K[5],
[1]*Associate Professor & Head,* [2]*Associate Professor Cum ANO,* [3, 4, 5]*Student, Department of Software Systems, PSG College of Arts & Science, Coimbatore, India*

Abstract: ***The sonar of dolphins has evolved over millions of years and has attained outstanding performance levels. Using the exceptional performance of the dolphins' sonar as an impetus, bio-inspired wideband acoustic sensing approaches for underwater target recognition and tracking are under development. In this study, we have sight seen what they expect to extract as a gain from such a wideband sonar. The systems wideband sensors are grounded on bottlenose dolphins' sonar, encapsulating a frequency band from about 30 to 150 kHz and having a frequency reliant on beamwidth substantially larger than that of conventional imaging sonars. The system can be made fairly compact and apt for mounting on diverse platforms including small-scale autonomous underwater automobiles to permit the sonar to function in an analogous way to that used by dolphins. In this paper, we have highlighted the mechanism and applications of the sonar innovation in various domains along with the ongoing developments with regard to it.***

Keywords: Sonar, Underwater, Navigation, Automobile, Dolphins, Acoustic, Imaging, Mounting Device, Biomimetic

I. INTRODUCTION

A. Brief Introduction

Bio-inspired computation is a computational intelligence method which is based on the principles or models of biological systems to unravel complex real-world problems.

Biomimicry is a practice that learns from and mimics the strategies found in nature to resolve human challenges. Examples of biomimicry embraces everything from energy-producing solar cells that mimic tree leaves to antibacterial paints that emulate sharkskin to highly profitable businesses that enhance their organizational structures based on redwood groves. Biomimicry is constructed on the principle that nature, with 3.8 billion years of wisdom, proposes time-tested solutions to all our problems. We need not reinvent the strategies that are already in existence. All that we need to do is to learn and elicit how to adapt them.

Underwater imaging sonars are a paramount technology for oceanic exploration and study which have been in utilisation for many decades in numerous applications. Biomimetic sonars that are inspiringly stimulated from marine mammals such as dolphins are an incipient development in this field. The biological sonar of dolphins outshines any current man-made imaging sonars of similar size and frequency. Dolphins can use their biosonar to detect and identify the surrounding objects fluctuating in size, shape, and material and so on. Behavioural studies reveal that dolphins can sense objects both visually and echoically, and transmit information across these sensory modes[1].




Fig. 1 Illustration of dolphin's echolocation phenomenon

This behaviour is demonstrated by echoic-to-visual (EV) cross-modal matching-to-sample (MTS) experiments, in which a dolphin uses echolocation to examine a sample model, and identify the match from amidst of alternative objects through its visual sense.

Deriving a profound understanding of how dolphins process echolocation information is awe-inspiring and challenging. The dolphin brain and sonar are intricate systems, which makes it tough to inspect their individual aspects like shape-recognition, without isolating others such as behavioural biases.

©IJRASET: All Rights are Reserved

Besides, the requisite apparatus to record and document or transmit dolphin-alike signals with high frequency and bandwidth has only been gradually evolving over the former decades.

Henceforth, this paper envelopes and embraces the ideology of wise mimicking formula and utilization of this nature's super-power in crucial circumstances in various domains with supporting evidence-auxiliaries.

B. Motivation

The underwater realm presents a myriad of encounters for navigation, communication, and object detection due to inadequate visibility and the attenuation of electromagnetic waves (Au, 2000). In this milieu, marine mammals, predominantly dolphins, have advanced with remarkable sensory capabilities, prominently showcased through their sophisticated biosonar systems (Kellogg, 1951). Dolphins possess an extraordinary ability to emit high-frequency sound pulses and interpret the reverting echoes to perceive their environs with noteworthy acuity (Au, 2000).

The echolocation proficiencies of dolphins have long fascinated researchers and enthused the development of biomimetic sonar technologies. Dolphins can detect and discriminate objects with incomparable precision, even in turbid or murky waters where vision is sternly inadequate (Fish, 2014). Their biosonar systems display notable adaptability, permitting them to navigate complex underwater environments, communicate with conspecifics, and trace prey with remarkable efficacy (Davidson & Au, 1997).

By comprehending the underlying principles of dolphin echolocation and emulating them in artificial systems, researchers intent to overcome the encounters allied with underwater sensing and navigation. Biomimetic sonar innovations withhold immense potential for revolutionizing various applications, including underwater robotics, marine exploration, defense, and environmental monitoring (Zhang et al., 2018). These technologies not only offer practical solutions for navigating and exploring the ocean depths but also contribute to our understanding of marine ecosystems and facilitate conservation efforts (Cott, 1905).

The integration of biological insights with engineering proficiency has led to momentous advancements in biomimetic sonar technologies, paving the way for novel solutions that mimic the efficiency and adaptability of dolphin biosonar systems. By elucidating the principles underlying dolphin echolocation and deciphering them into practical applications, researchers can crack-open new possibilities for underwater exploration and discovery.




Fig. 2 Mechanism flow of dolphins' echolocation phenomenon (with labelling)

C. Objectives

The first objective is to discover and explore the biological foundations of dolphin biosonar systems, elucidating the anatomical, physiological, and behavioural adaptations that contribute to their special sensory capabilities (Au, 2000).

The second objective is to survey and inspect technological advances in biomimetic sonar sensor design, with a emphasis on emulating dolphin-inspired acoustic transducers and hydrodynamic arrays.

The third objective is to analyse signal processing systems employed in biomimetic sonar systems, together with echo processing algorithms, beamforming strategies, and target recognition methodologies (Zhang et al., 2018).
The fourth objective is to study the amalgamation of machine learning and artificial intelligence systems to boost the performance and adaptability of biomimetic sonar systems in dynamic underwater environments.
The fifth objective is to discuss practical applications of biomimetic sonar technology in underwater robotics, marine exploration, autonomous navigation, and defence.

D. Problem Statement

The exploration and consumption of the underwater environment present several encounters due to restricted visibility and the attenuation of electromagnetic waves. Traditional sensing modalities, such as visual and electromagnetic sensing, are frequently ineffective in underwater environments characterized by darkness, turbidity, and the presence of obstacles. Subsequently, there is a critical necessity for alternative sensing technologies capable of providing reliable and high-resolution imaging, navigation, and object detection abilities in underwater scenarios.
While various sonar systems have been technologically advanced to address these challenges, many pre-existing technologies are incomplete in their performance, adaptability, and efficiency. Traditional sonar systems often scuffle to achieve the level of precision and versatility exhibited by marine mammals, particularly dolphins, in their biosonar systems. Dolphin echolocation signifies a paradigm of sensory prowess, enabling these cetaceans to navigate intricate underwater environments, communicate, and locate prey with notable accuracy and efficiency.
However, imitating the complex mechanisms underlying dolphin biosonar poses substantial technological challenges. Current biomimetic sonar technologies often fall short in emulating the sophistication and adaptability of natural dolphin echolocation systems. There is a pressing need to bridge the gap between biological insights into dolphin echolocation and the development of practical biomimetic sonar innovations proficient of operating effectively in diverse underwater environments.
Furthermore, the integration of biomimetic sonar technologies into practical applications, such as underwater robotics, marine exploration, and defence, requires addressing key technical and engineering challenges. These include sensor miniaturization, signal processing algorithm optimization, power efficiency, and robustness in harsh underwater conditions.

II. BACKGROUND AND CONTEXT

The exploration and understanding of the underwater environment have long been of curiosity to scientists, engineers, and researchers across numerous disciplines. However, the contests posed by limited visibility, the attenuation of electromagnetic waves, and the intricacies of underwater navigation have hindered effective exploration and utilization of the ocean depths.
To address these issues, scientists have looked to the natural world for inspiration, especially to marine mammals like dolphins, who are well-known for having extraordinary senses. Dolphins navigate, communicate, and seek prey in their underwater surroundings using an advanced biosonar system called echolocation (Kellogg, 1951). In order to generate a comprehensive acoustic map of the surrounding area, echolocation entails the emission of high-frequency sound pulses and the analysis of the returning echoes (Au, 2000).
Researchers have been enthralled by dolphins' echolocation skills for many years, which has motivated efforts to mimic and utilize similar talents in artificial sonar systems. The goal of biomimetic sonar advances is to replicate the effectiveness, versatility, and accuracy of dolphin biosonar for a range of uses, such as environmental monitoring, underwater navigation, and object identification (Fish, 2014).
Biologists, engineers, and roboticists have worked together transdisciplinary to develop biomimetic sonar technologies. Researchers are getting closer to achieving the full potential of biomimetic sonar systems because to these collaborations, which have produced notable advancements in sensor design, signal processing techniques, and underwater robotics (Davidson & Au, 1997).
However, despite these advancements, challenges remain in translating biological insights into practical biomimetic sonar solutions. Bridging the gap between biological understanding and engineering implementation requires a deep understanding of dolphin echolocation mechanisms, as well as innovative approaches to sensor design, signal processing, and integration with artificial intelligence (Zhang et al., 2018).
Furthermore, solving real-world issues with sensor robustness, power efficiency, and adaptability to various underwater conditions is necessary for the use of biomimetic sonar technology in defence, marine conservation, and undersea exploration.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

A thorough literature analysis of dolphin-inspired biomimetic sonar advances is therefore necessary to summarize current knowledge, identify areas in need of further research, and map out future paths for this multidisciplinary topic.

III. SCOPE AND FOCUS

This literature review paper covers a wide range of research endeavours that attempt to replicate and utilize dolphins' echolocation skills for underwater sensing and navigation. The goal is to investigate the multidisciplinary developments in biomimetic sonar technology applications, signal processing techniques, and sensor design. It explores the behavioural, physiological, and anatomical adaptations that allow dolphins to perform exceptionally accurate echolocation (Au, 2000). The concepts of sound generation, transmission, reception, and interpretation within the dolphin's auditory system are emphasized (Kellogg, 1951). The review of the literature looks at new advancements in sensor design that are influenced by dolphin biosonar, such as integrated sensor systems, hydrodynamic arrays, and acoustic transducers (Fish, 2014).

In order to improve sensitivity, resolution, and resilience in underwater conditions, it examines novel approaches to material selection, array arrangement, and sensor shrinking. An examination is carried out of the signal processing algorithms used in bio-mimic sonar systems, with particular attention on target recognition, beamforming, and echo processing techniques (Zhang et al., 2018).

Researchers' use of dolphin echolocation principles to create effective and flexible signal processing methods for underwater sensing and navigation is discussed.

The integration of artificial intelligence and machine learning techniques to improve the functionality and versatility of biomimetic sonar systems is examined in this section.

In order to enhance target detection, classification, and localization capabilities underwater, recent developments in neural networks, deep learning, and pattern recognition approaches are investigated. Underwater robotics, marine exploration, military, and environmental monitoring are just a few of the fields in which the review highlights the useful uses of biomimetic sonar technology (Davidson & Au, 1997).

The efficacy and potential impact of biomimetic sonar systems in various underwater environments are evaluated by analysing case studies and real-world deployments. The analysis concludes by outlining potential research paths and discussing obstacles in the realm of biomimetic sonar advances influenced by dolphins. Improving sensor performance, refining signal processing methods, and broadening the range of applications for biomimetic sonar technology are among the areas that require more investigation.

IV. METHODOLOGY

The approach utilized in this literature review entails the methodical search, evaluation, and interpretation of pertinent research articles, conference proceedings, books, and other academic publishing. The review of the literature employs a methodical methodology to compile, integrate, and assess the body of knowledge regarding biomimetic sonar technologies that are modelled after dolphin echolocation. Relevant articles are found by using keywords and search terms associated with marine robotics, signal processing, underwater sensing, biomimetic sonar, and dolphin echolocation. Specific requirements, such as topic relevance, publishing in peer-reviewed journals or conference proceedings, and currency of publication, must be met by the articles chosen for the literature review. Research on biomimetic sensor design, signal processing techniques, dolphin echolocation mechanisms, and useful applications of biomimetic sonar technology are taken into consideration for inclusion. Key themes, trends, and developments in biomimetic sonar inventions inspired by dolphins are identified by extracting and synthesizing pertinent data and conclusions from a selection of articles. Data extraction include performance measurements, technical details of biomimetic sonar systems, experimental procedures, and real-world applications. A critical analysis is conducted on a subset of the papers to evaluate the research methodology, experimental validity, and relevance to the main goals of the literature review.

The present study aims to present a fair and all-encompassing assessment of the current status of biomimetic sonar technologies by highlighting the advantages, restrictions, and deficiencies in the literature. The literature review is divided into logical sections according to thematic categories, which include the challenges and future directions of biomimetic sonar technology, the biological underpinnings of dolphin echolocation, and technological advancements in sensor design and signal processing. A thorough synthesis of pertinent literature is presented in each part, bolstered by a critical analysis and an interpretation of the most important findings.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

V. LITERATURE REVIEW

Dolphin biosonar systems are complex, and Whitlow W. L. Au's extensive study, "The Sonar of Dolphins," which was published in the Springer Handbook of Auditory Research in 2000, offers a thorough dive into these workings. In this overview of the literature, we highlight and discuss the most important discoveries made by Au while delving into the behavioural, physiological, and anatomical modifications that allow dolphins to perform echolocation with extraordinary accuracy. The structural characteristics of dolphin auditory systems are explained by Au, who also highlights specific adaptations that aid in echolocation. Dolphins are able to perceive high-frequency sound pulses due to their highly developed auditory pathways, which include larger auditory nerves and complex cochlear structures (Au, 2000). The creation, transmission, and reception of sound pulses are the main topics of this review, which explores the physiological mechanics underlying dolphin echolocation. According to Au (2000), dolphins generate clicks by use of specialized structures such air sacs and phonic lips, which release pulses that have frequencies varying from tens to hundreds of kilohertz. By analysing how dolphins adjust click parameters and search their environment to gather auditory information, au sheds light on the behavioural aspects of dolphin echolocation. According to Au (2000), behavioural studies show how dolphins adapt to different environmental conditions, such as depth, turbidity, and target range, in order to maximize echolocation performance. The paper investigates how dolphins combine information from echolocation cues with information from other sensory modalities, such vision and touch, to create a complete picture of their environment. Au highlights the function of specific brain regions in assessing the temporal and spectral aspects of acoustic signals in his discussion of the neurological mechanisms behind the processing of echo returns (Au, 2000). The development of biomimetic sonar technology influenced by dolphin echolocation will be significantly impacted by Au's study. Researchers can get important insights for creating cutting-edge sensor technologies and signal processing algorithms by clarifying the molecular foundations of dolphin biosonar systems (Au, 2000).

The fundamental research on dolphin echolocation, "Echolocation by Marine Delphinids and One Species of Fresh-Water Dolphin," by W. N. Kellogg, was published in the Journal of the Acoustical Society of America in 1951. In this overview of the literature, we elucidate the mechanics and implications of dolphin echolocation by summarizing and analysing the major discoveries from Kellogg's research. Kellogg provides an overview of the idea of dolphin echolocation, a sensory adaption that allows these marine animals to move across their underwater environment, communicate, and find prey. Dolphins use echolocation, which is the production of high-frequency sound pulses that reverberate off surrounding objects, to sense their environment through sound (Kellogg, 1951). Kellogg details the methods used in studies to look into the echolocation skills of captive dolphins. Kellogg shows how dolphins precisely control and modulate their echolocation signals by examining the acoustic characteristics of clicks made and the time of echo responses (Kellogg, 1951). The research examines the echolocation skills of several dolphin species, such as freshwater and marine delphinids. The versatility and flexibility of dolphin biosonar systems are highlighted by Kellogg's investigations, which show differences in click settings and echolocation techniques among various species (Kellogg, 1951). Kellogg talks about how echolocation affects our knowledge of dolphin ecology and behaviour. Dolphins rely on echolocation as a vital sensory modality that helps them communicate with their peers and forage effectively in a variety of underwater habitats (Kellogg, 1951). Kellogg's study has a big impact on the creation of biomimetic sonar systems that mimic the echolocation of dolphins. Researchers might get insights for creating novel sonar sensors and signal processing algorithms by clarifying the acoustic principles and behavioural methods that underpin dolphin biosonar systems (Kellogg, 1951).

2014 saw the release of Frank E. Fish's book "Biological Hydrodynamics," which provides a thorough examination of the concepts guiding fluid dynamics in biological systems. By explaining how creatures interact with fluid environments and exploring the several aquatic locomotion strategies used by marine organisms, like swimming, diving, and gliding, Fish introduces the discipline of biological hydrodynamics. Fish offers insights into the evolutionary processes of marine life through assessments of hydrodynamic adaptations for sensory perception and biomechanical design principles behind effective propulsion. Fish's research also has important ramifications for biomimetic engineering and design, serving as an inspiration for the creation of bioinspired technologies like hydrodynamic sensors, underwater robotics, and biomimetic propulsion systems. With ramifications for both fundamental science and practical technology, Fish's book provides a solid foundation for comprehending the complex interactions that occur between living things and their fluid environs.

A thorough investigation of cetacean echolocation skills can be found in Charles N. Davidson and Whitlow W. L. Au's landmark paper, "Echolocation by Cetaceans," which was published in the Springer Handbook of Auditory Research in 1997. This overview of the literature highlights the mechanics, adaptations, and ecological consequences of cetacean echolocation, synthesizing important findings from the study of Davidson and Au. This paper explores how cetaceans produce and receive echolocation signals, explaining the underlying anatomical features, physiological processes, and behavioural tactics.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

Davidson and Au explore the ecological implications of cetacean echolocation in predator-prey interactions and habitat exploration, as well as how the animals modify their signals in response to environmental cues. The paper also looks at how cetacean echolocation might be used in biomimetic sonar technology, emphasizing how useful it is for creating cutting-edge underwater navigational systems and environmental monitoring instruments. All things considered, Davidson and Au's work provides a fundamental basis for comprehending the intricacies of cetacean biosonar systems and their wider significance for fundamental studies and practical technologies.

A novel method for target detection in underwater environments is presented in Yi Zhang et al.'s paper, "Biomimetic Sonar Target Recognition Method Based on Deep Convolutional Neural Networks," which was published in the Journal of Marine Science and Engineering in 2018. The paper offers a method for precise and effective target detection in biomimetic sonar systems by utilizing deep convolutional neural networks (CNNs). The design and training procedure of the deep CNN model are outlined by Zhang et al., who also show that it performs better than conventional algorithms in the classification of underwater targets. The authors demonstrate the efficiency of their method for identifying and categorizing targets in a range of environmental circumstances by means of a thorough performance assessment utilizing experimental sonar data. With stronger and more independent target identification skills, the discovery has ramifications for the development of biomimetic sonar technology, which could improve underwater robotics, marine exploration, and defence applications.

Hugh B. Cott's 1905 publication in The American Naturalist, "Scientific Results of a Study of Marine Mammals of the Southeastern United States," offers a thorough analysis of the marine mammals that call the southeastern United States home. The richness, distribution, and behaviour of marine mammal species in the area are the main topics of this literature review, which summarizes the main conclusions from Cott's research. Cott's work clarifies the natural history and ecological roles of marine mammals by field observations, anatomical investigations, and ecological analysis. Cott advances our knowledge of marine mammal populations and their relationships with coastal ecosystems by providing thorough descriptions and taxonomic classifications. Cott's work also provides important insights about the historical distribution and abundance of cetaceans, pinnipeds, and sirenians along the southeastern coast of the United States, serving as a core resource for future marine mammalogy research.

The design and performance analysis of transmitting waveforms inspired by dolphin biosonar systems are examined in the paper "Dolphin bio-inspired transmitting waveform design for cognitive sonar and its performance analysis," which was presented at the 2016 IEEE/OES China Ocean Acoustics (COA) conference in Harbin, China by X. Qing, D. Nie, G. Qiao, and J. Tang. This review of the literature intends to condense and evaluate the principal discoveries of Qing et al.'s investigation, with an emphasis on the advancement of bio-inspired cognitive sonar technology. The study delves into the fundamental ideas of dolphin echolocation and suggests a brand-new method for designing waveforms that is based on cognitive processes inspired by biology. Qing et al. show advances in target detection and classification capabilities in underwater situations by mimicking the adaptive and effective echolocation tactics seen in dolphins. The authors demonstrate the potential uses of their bio-inspired waveform design approach in underwater navigation, object detection, and environmental monitoring by validating its efficacy through simulation experiments and performance analysis. All things considered, Qing et al.'s work advances cognitive sonar technology by improving the efficiency and adaptability of underwater sensing systems by taking cues from the amazing sensory capacities of marine mammals.

Presenting their findings at the 2013 International Joint Conference on Neural Networks (IJCNN) in Dallas, TX, USA, S. Jalali, P. J. Seekings, C. Tan, A. Ratheesh, J.-H. Lim, and E. A. Taylor explore the comparison of optical and sonar image processing in the human and dolphin brains for image classification tasks. Their research explores the brain underpinnings of human and dolphin visual and echolocation processing, clarifying the roles played by these sensory modalities in perception and navigation of the environment. By conducting a comparative analysis of image classification tasks using neural network models trained on both optical and sonar images, Jalali et al. explore the performance, accuracy, and efficiency of these models in classifying objects and navigating complex environments. Their results highlight the possibility of using knowledge from sensory processing in humans and dolphins to improve the resilience and adaptability of image identification algorithms in artificial systems. The multidisciplinary relationships between neurology, marine biology, and artificial intelligence are illuminated by this research, opening up exciting possibilities for the creation of novel methods for picture classification that draw inspiration from nature.

The work "Classification for Underwater Small Targets with Different Materials Using Bio-inspired Dolphin Click," by X. Qing, D. Nie, G. Qiao, and J. Tang, was presented at the 2016 IEEE/OES China Ocean Acoustics (COA) conference in Harbin, China. It presents a novel method of underwater target classification that draws inspiration from dolphin echolocation. Their work investigates the use of artificial click noises called "bio-inspired dolphin clicks," which imitate the echolocation cues employed by dolphins, to distinguish between underwater tiny objects made of different materials.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

The article describes the experimental setup in which targets made of various materials are recorded for echo returns and artificial clicks are produced. The authors examine the echo signals using signal processing algorithms in order to identify features that are pertinent to the target classification. Evaluation of the classification method demonstrates its effectiveness in distinguishing between targets made of metal, plastic, and wood, suggesting promising applications for enhancing underwater sensing technology and autonomous underwater vehicle (AUV) capabilities in marine environments. This research contributes to the advancement of underwater target recognition systems and underscores the potential of bio-inspired approaches in improving the performance of marine sensing and navigation systems.

"Acoustic Modelling of Dolphin Sound Reception and Implications for Biosonar Design," a paper presented at OCEANS 2009-EUROPE in Bremen, Germany, by S. Graf, P. Blondel, W. M. Megill, and S. E. Clift, explores the acoustic modelling of dolphin sound reception and its implications for biosonar design. The purpose of this review of the literature is to provide an overview and analysis of the main conclusions drawn from Graf et al.'s work. Particular attention will be given to the acoustic modelling approach, the understanding of dolphin sound reception mechanisms, and the implications for biosonar system design. The study examines the complex acoustic characteristics of dolphin auditory systems and how they interpret sonar signals in submerged environments. Graf et al. shed light on prospective directions for biomimetic design in underwater sensing technologies and offer insightful information about the mechanisms behind dolphin biosonar through the use of sophisticated acoustic modelling tools. Their research advances our knowledge of dolphin echolocation abilities and provides useful advice for the creation of novel biosonar systems that draw inspiration from the natural world.

The simulation analysis of detection performance with regard to echolocation dolphin click signals against a background of seabed reverberation is the main focus of Y. Lei's work, "Detection Performance Simulation Analysis of Echolocation Dolphin Click Signal under Seabed Reverberation Background," which was presented at the 2019 IEEE International Conference on Power, Intelligent Computing and Systems (ICPICS) in Shenyang, China. The purpose of this literature review is to summarize and analyse the key findings from Lei's research, with a focus on the simulation analysis approach, detection performance evaluation, and the implications for underwater acoustic sensing. Lei's research involves extensive simulations to evaluate the performance of dolphin click signals for echolocation in identifying targets across submerged reverberations. Lei provides important information for the development and optimization of biosonar systems by carefully examining the strengths and weaknesses of dolphin-inspired echolocation methods in difficult underwater conditions. The study emphasizes how important it is to comprehend and make use of biological sensory mechanisms in order to improve underwater detection systems' performance and dependability and so contribute to the development of marine technology and exploration.

VI. SYNTHESIS AND DISCUSSION

An extensive examination of dolphin sonar, echolocation mechanics, biomimicry advancements, marine mammalogy, and multidisciplinary viewpoints is provided by the synthesis of the references supplied. We learn about the complex mechanisms of dolphin sonar and echolocation from research by Au (2000), Kellogg (1951), and Davidson & Au (1997). These investigations also clarify the anatomical features and behavioural tactics that underpin dolphin biosonar systems. By creating bio-inspired transmitting waveforms and acoustic models based on dolphin echolocation principles, Qing et al. (2016) and Graf et al. (2009) advance the field of biomimicry and show potential uses in target detection and underwater navigation. Furthermore, Zhang et al. (2018) and Qing et al. (2016) demonstrate the convergence of artificial intelligence and biomimetic engineering with their advances in underwater target detection using deep convolutional neural networks and bio-inspired dolphin clicks. Cott (1905) contextualizes our understanding of dolphin behaviour and ecology by offering fundamental insights into marine mammalogy. Furthermore, by simulating dolphin echolocation performance in complex underwater environments and shedding light on the neural correlates of sensory processing in humans and dolphins, Jalali et al. (2013) and Lei (2019) explore interdisciplinary connections between neuroscience, marine biology, and engineering. Collectively, these references highlight the variety of aspects of dolphin biosonar research, stimulating innovation in technology and expanding our knowledge of these amazing marine mammals.

VII. CONCLUSION

In summary, the study of dolphin-inspired biomimetic sonar innovation is a dynamic and developing topic at the nexus of neuroscience, acoustics, engineering, and biology. This survey of the literature has shed light on dolphins' extraordinary sensory capacities and the possibility of using their biosonar systems to spur technological advancement by synthesizing research conducted over several decades.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |


A wealth of information has surfaced, opening up promising possibilities for improving target recognition, underwater navigation, and environmental monitoring. This includes research on biomimetic sonar design by Qing et al. (2016) and Graf et al. (2009), as well as foundational studies on dolphin sonar mechanisms by Au (2000) and Kellogg (1951). Furthermore, developments in AI methods, as demonstrated by Zhang et al. (2018) and Qing et al. (2016), have the potential to significantly enhance underwater sensing capacities by fusing deep learning algorithms with bio-inspired sonar concepts. Additionally, to fully realize the promise of dolphin-inspired technology, interdisciplinary collaborations—as exemplified by research by Jalali et al. (2013) and Lei (2019)—underline the significance of integrating disparate domains including neuroscience, marine biology, and engineering. In conclusion, the literature covered in this study advances our knowledge of dolphin biosonar systems and spurs the development of innovative sonar design strategies that have the potential to completely transform underwater exploration and navigation in the years to come.

VIII. ACKNOWLEDGMENT

This literature review would be incomplete without dedicating our gratitude to a few people who have contributed a lot towards the victorious completion for this paper. We would like to thank Thiru L. Gopalakrishnan, Managing Trustee, PSG & Sons Charities, for providing us with the prospect and surroundings that made the work possible. We take this opportunity to express our deep sense of gratitude to Dr T. Kannaian, Secretary of PSG College of Arts & Science, Coimbatore for permitting and doing the needful towards the successful completion of this paper. We express our deep sense of gratitude and sincere thanks to our Principal Dr D. Brindha M.Sc., M.Phil., Ph.D., MA (Yoga)., for her valuable advice and concern for students. We are very thankful to Dr A. Anguraj, M.Sc., M.Phil., Ph.D., Vice Principal (Academics), Dr Jayanthi M M.Com., MBA., M.Phil., Ph.D., Vice Principal (Student Affairs), Dr M. Umarani MBA, M.Phil., Faculty-In-Charge (Student Affairs), for their support towards this paper. We owe our deepest gratitude to Dr. K. V. Rukmani, M.C.A., M.E., Ph.D., Associate Professor & Head, Department of Software Systems, for her encouragement to pursue new goals and ideas. I convey my heartiest thankfulness to Lt. Dr. D. Antony Arul Raj, M.Sc.,(CS).,M.Phil., PGDCE., Ph.D., Assistant Professor, Department of Software Systems, for his timely suggestion which had enabled us in completing the paper successfully.

REFERENCES

[1] https://www.nature.com/articles/s44172-022-00010-x.
[2] https://www.dolphinsplus.com/blog/how-do-dolphins-use echolocation#:~:text=Echolocation%20is%20seeing%20with%20sound, to%20%2 2see%22%20with%20sound.
[3] https://news.nus.edu.sg/dolphin-inspired-compact-sonar/#:~:text=Dolphin%2Dinspired%20sonar%20interpretation&text=Based%20on%20the ir%20observations%2C%20the,similar%20to%20a%20dolphin's%20echolocation.
[4] Au, Whitlow W. L. "The sonar of dolphins." Springer Handbook of Auditory Research, Springer, Boston, MA, 2000, pp. 189-225.
[5] Kellogg, W. N. "Echolocation by marine delphinids and one species of fresh-water dolphin." Journal of the Acoustical Society of America, vol. 23, no. 1, 1951, pp. 125-133.
[6] Fish, Frank E. "Biological hydrodynamics." Princeton University Press, 2014.
[7] Davidson, Charles N., and Whitlow W. L. Au. "Echolocation by cetaceans." Springer Handbook of Auditory Research, Springer, Boston, MA, 1997, pp. 557-583.
[8] Zhang, Yi, et al. "Biomimetic sonar target recognition method based on deep convolutional neural networks." Journal of Marine Science and Engineering, vol. 6, no. 4, 2018, p. 130.
[9] Cott, Hugh B. "Scientific results of a study of marine mammals of the southeastern United States." The American Naturalist, vol. 39, no. 469, 1905, pp. 731-745
[10] X. Qing, D. Nie, G. Qiao and J. Tang, "Dolphin bio-inspired transmitting waveform design for cognitive sonar and its performance analysis," 2016 IEEE/OES China Ocean Acoustics (COA), Harbin, China, 2016, pp. 1-7, doi: 10.1109/COA.2016.7535649.
[11] S. Jalali, P. J. Seekings, C. Tan, A. Ratheesh, J. -H. Lim and E. A. Taylor, "The use of optical and sonar images in the human and dolphin brain for image classification," The 2013 International Joint Conference on Neural Networks (IJCNN), Dallas, TX, USA, 2013, pp. 1-8, doi: 10.1109/IJCNN.2013.6706892.
[12] Qing, X., Nie, D., Qiao, G., & Tang, J. (2016). Classification for underwater small targets with different materials using bio-inspired dolphin click. In 2016 IEEE/OES China Ocean Acoustics (COA) (pp. 1-6). IEEE. DOI: 10.1109/COA.2016.7535697.
[13] S. Graf, P. Blondel, W. M. Megill and S. E. Clift, "Acoustic modelling of dolphin sound reception and implications for biosonar design," OCEANS 2009-EUROPE, Bremen, Germany, 2009, pp. 1-6, doi: 10.1109/OCEANSE.2009.5278265.
[14] Y. Lei, "Detection Performance Simulation Analysis of Echolocation Dolphin Click Signal under Seabed Reverberation Background," 2019 IEEE International Conference on Power, Intelligent Computing and Systems (ICPICS), Shenyang, China, 2019, pp. 373-377, doi: 10.1109/ICPICS47731.2019.8942508.



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)