



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** IV **Month of publication:** April 2025

DOI: <https://doi.org/10.22214/ijraset.2025.68248>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Development of Medicine Transport Robot with Integrated Health Monitoring System

Mr. K. M. Dhenge¹, Karina Shahare², Rohit D. Banaet³, Harsh Kature⁴, Jiya M. Deogade⁵

¹Ass. Professor, ^{2, 3, 4, 5}Students, Department Of Electrical Engineering, K.D.K. College Of Engineering, Nagpur, India

Abstract: *The growing need for advanced healthcare solutions has led to the development of innovative technologies aimed at enhancing patient care. This project introduces a Medicine Transport Robot with Integrated Health Monitoring System, incorporating Bluetooth control, SpO2 sensor, a temperature sensor, an Arduino controller, an LCD display, and a motor driver unit. The system enables real-time monitoring of vital health parameters such as SpO2 levels and body temperature, displaying the data on an LCD screen for easy access. Bluetooth connectivity ensures seamless remote control of the robot, allowing it to autonomously transport medicines and medical supplies within healthcare facilities. Arduino-based architecture efficiently processes sensor data and controls the robot's movement, ensuring smooth operation. With its ability to integrate automated medicine delivery and real-time patient monitoring, the project offers a scalable solution suitable for hospitals, clinics, and home healthcare settings.*

Keywords: *Bluetooth control, Smart Monitoring, Health, Remote Communication etc.*

I. INTRODUCTION

In the ever-changing realm of healthcare, technology plays a pivotal role in reshaping the approach to patient care. Leading this transformative charge is the Real-Time Patient Health Monitoring System, a pioneering initiative poised to revolutionize healthcare delivery principles. This system focuses on continuously monitoring vital health indicators such as blood oxygen saturation (SpO2), body temperature, and pulse rate. Its distinguishing feature lies in seamlessly integrating state-of-the-art technologies like cloud technology, data science, and machine learning to offer proactive and tailored healthcare solutions for each patient.

The emergence of the Real-Time Patient Health Monitoring System represents the culmination of advanced technologies converging strategically to enable timely and personalized healthcare interventions. Through the strategic integration of wearable tech and cloud-based analytics, the system aims to establish a sophisticated healthcare ecosystem beyond traditional diagnostic and treatment methods. It seeks to create an interconnected network capable of not only monitoring but also proactively addressing individual patients' distinct health needs.

This project signifies more than just a technological advancement; it embodies a fundamental shift in the philosophy of patient care. By leveraging modern technologies to their fullest extent, the Real-Time Patient Health Monitoring System aims to enhance patient engagement, improve healthcare outcomes, and optimize the broader healthcare system's efficiency. As we delve deeper into subsequent chapters, we'll explore how this system aligns with evolving healthcare demands and the transformative impact it promises to deliver.

The Real-Time Patient Health Monitoring System, with its innovative approach and integration of advanced technologies, represents a significant stride toward a future where personalized, real-time monitoring becomes central to patient-centric care. It serves as a beacon of progress in healthcare, ushering in an era where technology is utilized not only for diagnosis and treatment but also for proactive health preservation and enhancement. Subsequent chapters will delve into the intricate workings of this system, shedding light on its potential to improve patient outcomes and reshape the broader healthcare landscape.

II. PROBLEM IDENTIFICATION

Health is a fundamental pillar of human well-being, yet global healthcare challenges persist due to factors such as inadequate medical services and disparities between rural and urban regions. The shortage of healthcare professionals further exacerbates the situation, particularly during critical times. To address these challenges, technology-driven solutions are being developed to enhance healthcare accessibility and efficiency.

This project introduces a Medicine Transport Robot with Integrated Health Monitoring System, incorporating Bluetooth communication, an SpO2 sensor, a temperature sensor, an Arduino controller, an LCD display, and a motor driver unit.

The system enables real-time monitoring of essential health parameters such as body temperature, pulse rate, and oxygen levels, displaying the data on an LCD screen for instant access. Bluetooth connectivity allows seamless wireless communication, enabling remote operation and monitoring without the need for complex networking infrastructure.

By automating medicine delivery and integrating real-time health tracking, the system helps reduce time consumption and enhances patient care efficiency. This technology is particularly beneficial in hospitals, clinics, and home healthcare settings, ensuring timely medical assistance and continuous health monitoring.

A. Existing System

Traditionally, health monitoring systems have been restricted to fixed setups, detectable only when patients are within hospital premises or confined to their beds. Current accessible systems are typically large-scale and limited to hospital settings, primarily in Intensive Care Units. However, recent advancements have enabled the utilization of Zigbee technology to transmit patient information directly to their caregivers or attending physicians.



Fig.1. Existing System

B. Drawbacks

The current healthcare monitoring systems require patients to be hospitalized for continuous monitoring, which becomes impractical once they are discharged. These systems are not designed for home use. They typically measure the patient's health parameters and transmit the data using protocols like Zigbee or Bluetooth, which are suitable for short-range communication. However, this means that doctors cannot always access these details, leading to limitations in timely monitoring and intervention.

III. AIM AND OBJECTIVES

A. Aim

The aim is to create a wireless-controlled health monitoring system capable of real-time data tracking and facilitating remote communication with doctors.

B. Objectives:

- 1) Develop a system capable of continuous monitoring of a patient's pulse rate and body temperature with real-time updates.
- 2) Implement a wireless base system to allow doctors remote access to patient health data, enabling timely medical intervention and advice.
- 3) Ensure reliability in the patient health monitoring system's design and functionality.
- 4) Incorporate sensors to measure body temperature, heartbeat rate, and oxygen levels accurately.
- 5) Design a robust data storage system to securely store patient health data.
- 6) Conduct thorough analysis of collected sensor data to derive meaningful insights.

IV. LITERATURE SURVEY

S. J. Jung and W. Y. Chung Examined was a flexible and scalable health monitoring system for patients utilizing 6LoWPAN technology. The key benefit lies in the amalgamation of different technologies and communication solutions. The outcomes of the Internet of Things represent synergistic efforts spanning multiple domains such as telecommunications, informatics, and electronics.

K. S. Shin and M. J. Mao Kaiver Explored was a cell phone-based health monitoring system featuring self-analysis, integrating IoT—a novel paradigm leveraging smart objects. These objects not only gather data from the environment and interact with the physical world but also interconnect via the internet to exchange both data and information among themselves.

Gennaro tartarisco and Tabilo Paniclo Research was conducted on maintaining sensing coverage and connectivity in large sensor networks. This encompasses the development of computational technologies based on clinical decision support systems, information processing, wireless communication, and data mining. These advancements are pivotal in the evolution of personal healthcare, with new premises being explored in this field.

Cristina Elena Turcu studied The survey on healthcare applications proposes a solution based on the Internet of Things (IoT), aiming to provide comprehensive insights into leveraging radio frequency identification (RFID), multi-agent systems, and IoT technologies. The objective is to enhance people's access to quality healthcare services and optimize the healthcare process.

Gubbi, Jayavardhana, Buyya, Rajkumar, Marusic, Slaven, Palaniswami, Marimuth studied The Internet of Things (IoT): A vision, architectural elements, and future direction, presents a proposal for an on-demand positioning and tracking system. This system utilizes Global Positioning enabled devices and is particularly suitable for large environments. The communication between two terminals is initiated using smartphones, with the initial interaction conducted during a synchronization phase.

J.L. Kalju developed a system, Capable of measuring various physiological parameters, these devices are instrumental in designing a system for reconstructing heart rate for rate-adaptive pacing.

Loren Schwiebert, Sandeep K.S. Gupta and Jennifer Weinmann studied The power of smart sensors lies in their development through the fusion of sensing materials with integrated circuitry, tailored for diverse biomedical applications.

Gentili G.B proposed A straightforward microwave technique is employed to monitor cardiac activity, relying on fluctuations in the modulation envelope of amplitude-modulated waves as they pass through the body. This method elucidates the utilization of wireless microsensor networks for medical monitoring and environmental sensing.

Reza S. Dilmaghani(2016) In their research, they developed a Wi-Fi sensor network designed to monitor patients' chronic diseases from the comfort of their homes through a remote monitoring system. While existing wireless sensor technologies allow for individual tests such as blood pressure, heart rate, and temperature measurement, this project integrates all these parameters into a single system. Additionally, all the sensors can be worn by the patient, and the processed data is sent to the internet via the Internet of Things (IoT).

Iranpak, S., Shahbahrami, A., & Shakeri, H, LSTM Highly accurate networks are adept at identifying disease patterns and predicting potential events, even with minimal training data. The focus is on personalized healthcare, customizing interventions according to individual patient profiles and real-time monitoring data. Secure communication protocols such as MQTT guarantee data integrity and privacy during transmission between devices and the cloud platform. Advocacy is for user-friendly interfaces that empower patients to actively engage in their health monitoring and decision-making processes. Furthermore, the potential for real-time feedback loops between healthcare providers and patients is highlighted, driven by continuously monitored data.

Polshettiwar, S., et al. The potential of integrating AI-powered virtual assistants into the system for providing real-time guidance and health education is emphasized. Cloud-based big data analytics techniques can be utilized to identify broader trends and patterns in patient populations, informing public health initiatives and preventive care strategies. Addressing interoperability challenges can be achieved through standardized data formats and open-source communication protocols, facilitating system integration and data sharing across healthcare institutions. Blockchain technology presents promising solutions for secure and transparent data management, fostering patient trust and control over their health information. Advocacy is for the continuous monitoring of evolving industry standards and best practices in cloud-based health tracking systems.

V. PROPOSED SYSTEM




Fig. 2. Block Diagram of system

Real-Time Health Monitoring: Achieve continuous real-time monitoring of patient's pulse rate, body temperature, and oxygen levels.

Wireless Data Transmission: Successfully implement a wireless communication system for remote access to patient health data by doctors.

Enhanced Patient Care: Enable timely medical intervention and remote advice from healthcare professionals, improving patient care.

Accurate Sensor Measurements: Ensure reliable and precise measurement of body temperature, heartbeat rate, and oxygen saturation using integrated sensors.

Secure Data Storage: Develop a secure and efficient data storage system for storing and retrieving patient health information.

User-Friendly Interface: Create an intuitive user interface for doctors to easily access and interpret the patient's health data reotely.

Data Analysis and Insights: Generate actionable insights through thorough analysis of collected sensor data to aid in patient diagnosis and treatment.

System Reliability: Demonstrate a reliable and consistent health monitoring system with minimal downtime and accurate performance.

Scalability: Design a system that can be easily scaled or adapted to monitor additional health parameters in the future.

Improved Patient Outcomes: Ultimately contribute to enhanced patient outcomes through continuous monitoring and timely medical response.

VI. COMPONENTS SPECIFICATION

A. Arduino Uno (12v)


The Arduino Uno is an open-source microcontroller board based on the Microchip ATmega328P microcontroller and developed by Arduino.cc. The board is equipped with sets of digital and analog input/output (I/O) pins that may be interfaced to various expansion boards (shields) and other circuits.



B. LCD Display (5v)

A liquid crystal display (LCD) is a thin, flat panel used for electronically displaying information such as text, images, and moving pictures.

LCD stands for Liquid Crystal Display. LCD is finding wide spread use replacing LEDs (seven segment LEDs or other multi segment LEDs).



C. Pulse Oximeter Sensor

A Pulse Oximeter Sensor (SpO2 Sensor) is used to measure the oxygen saturation in red blood cells. They are usually the small clip-like devices which can be attached to the fingers, toes, earlobes, etc. Pulse Oximeters as a system (They comprise of the sensor and oximeter itself). The pulse oximeter uses a cold light source that shines a light through the fingertip, making the tip appear to be red. By analyzing the light from the light source that passes through the finger, the device is able to determine the percentage of oxygen in the red blood cell.



D. Temperature Sensor

This module uses a thermistor to detect the ambient temperature where the resistance of a thermistor will increase when the ambient temperature decreases. A temperature sensor creates a changing voltage signal depending on the temperature it senses. It has three pins: one that connects to ground, another that connects to 5 volts, and a third that outputs a variable voltage to your Arduino, similar to the analog signal from a potentiometer.



E. Bluetooth module

The Bluetooth module introduces the wireless connectivity, which extends smartphone connectivity from and related devices to other physical devices or common objects and leverages from technologies such as embedded systems, wireless sensors, and automation.



VII.FLOW DIAGRAM




Fig. 3. Flow Diagram of system

The figure above illustrates a flowchart depicting the workflow of the automated monitoring system. Healthcare has gained paramount importance in today's world, especially in response to emerging global health challenges. In this context, a Bluetooth-based health monitoring system serves as an essential solution for real-time patient monitoring. The use of wearable sensors and wireless communication has significantly improved the accessibility and efficiency of remote healthcare monitoring.

Bluetooth-enabled health monitoring plays a crucial role in disease prevention and early diagnosis, even when healthcare providers are at a considerable distance. This paper presents a portable physiological monitoring framework capable of continuously tracking a patient's heartbeat, temperature, and oxygen levels, displaying the data on an LCD screen for instant access.

We propose a continuous monitoring and control mechanism to oversee the patient's condition, with data transmitted via Bluetooth communication for remote access by healthcare personnel. This system ensures timely medical assistance, enabling authorized individuals to remotely monitor patient health parameters and make informed decisions based on real-time data.

VIII. ADVANTAGES

- 1) Higher patient engagement.
- 2) Better patient outcomes.
- 3) A decrease in errors.
- 4) An enhanced patient experience.
- 5) Automation and Control
- 6) Time & Money
- 7) Automation of daily tasks leads to better monitoring of devices
- 8) Efficient and Saves Time.

IX. RESULT AND DISCUSSION



Fig. 4. Project model

Operating Function :

STEP 1: The Heartbeat and pulse oximeter sensor is fixed to the patient's finger. This contains an IR sensor in it. Every pumping we get pulse from that sensor. This sensor output is given to the arduino via Signal conditioning unit for amplification.



Fig.5. SPO2 sensor

STEP 2

NTC type thermistor is used as a temperature sensor. This temperature sensor output varies based on the temperature, this output is also given to Arduino.

STEP 3

All these values are transferred to LCD display and it is transferred to the mobile app created.



Fig.6. Output in LCD Display

The output is displayed in the form of string in a particular interval of time. The application is very simple as it just displays the analog values followed by a statement describing the kind of value displayed.

The proposed system of patient health monitoring can be highly used in emergency situations as it can be daily monitored, recorded and stored as a database. In future the Bluetooth module device can be combined with the cloud computing so that the database can be shared in all the hospitals for the intensive care and treatment.

X. CONCLUSION

The proposed patient health monitoring system holds significant promise for use in emergency situations, enabling daily monitoring, recording, and display of vital health data. The system utilizes Bluetooth communication for seamless real-time data transmission, allowing healthcare professionals or caregivers to monitor essential parameters such as SpO2 levels, body temperature, and pulse rate without requiring complex networking infrastructure.

During the implementation phase, the system demonstrated remarkable accuracy and efficiency in continuously gathering and analyzing crucial health parameters. The integration of Bluetooth-based connectivity, Arduino control, and sensor technology played a pivotal role in providing real-time insights, facilitating proactive healthcare interventions, and improving patient outcomes. A key achievement of this project is its ability to enhance patient engagement. The user-friendly interface, along with the compact design of the monitoring device, empowers patients to actively participate in managing their health. Real-time access to vital signs, on-device display, and wireless control via Bluetooth contribute to a more efficient, accessible, and patient-centered healthcare solution suitable for hospitals, clinics, and home healthcare applications.

REFERENCES

- [1] S. J. Jung and W. Y. Chung, "Flexible and scalable patient's health monitoring system in 6LoWPAN," *SensorLett.*, vol. 9, no. 2, pp. 778–785, Apr. 2011.
- [2] W. Y. Chung, C. Yau, K. S. Shin, and R. Myllylä, "A cell phone based health monitoring system with selfanalysisprocessor using wireless sensor network technology," in *Proc. 29th Annu. Int. Conf. Eng. Med. Biol. Soc.*, Lyon, France, 2007, pp.
- [3] G. Lawton, "Machine-to-machine technology gears up for growth," *Computer*, vol. 37, no. 9, pp. 12–15, Sep. 2004.
- [4] C. Kim, A. Soong, M. Tseng, and X. Zhixian, "Global wireless machineto- machine standardization," *IEEE Internet Comput.*, vol. 15, no. 2, pp. 64–69, Mar.–Apr. 2011.
- [5] Real time wireless health monitoring application using mobile devices, *International Journal of Computer Networks & Communications (IJCNC)* Vol.7, No.3, May 2015, Amna Abdullah, Asma Ismael, Aisha Rashid, Ali Abou-ElNour, and Mohammed Tarique.
- [6] Secured Smart Healthcare Monitoring System Based on Iot, *International Journal on Recent and Innovation Trends in Computing and Communication* Volume: 3 Issue: 7, Bhoomika.B.K, Dr. K N Muralidhara.
- [7] Real time wireless health monitoring application using mobile devices, *International Journal of Computer Networks & Communications (IJCNC)* Vol.7, No.3, May 2015, Amna Abdullah, Asma Ismael, Aisha Rashid, Ali Abou-ElNour, and Mohammed ,Tarique.
- [8] Secured Smart Healthcare Monitoring System Based on Iot, *International Journal on Recent and Innovation Trends in Computing and Communication* Volume: 3 Issue: 7, Bhoomika.B.K, Dr. K N Muralidhara.
- [9] Goutam Motika, Abinash Prusty, "Wireless FetalHeartbeat Monitoring System Using ZigBee & IEEE 802.15.4 Standard", 2011 Second International Conference on Emerging Applications of Information Technology, 978-0- 7695-4329-1/11, 2011
- [10] S. M. Mahalle, P. V. Ingole, "Design and Implementation of Wireless Body Area Sensor Network Based Health Monitoring System", *International Journal of Engineering Research & Technology*, Vol. 2 Issue 6, pp. 105- 113, June 2013.
- [11] M.Prakash, CJ Kavitha Priya, "An Analysis of Types of Protocol Implemented in Internet of Things Based on Packet Loss Ratio", *Proceedings of International Journal of Information and Communication Technology for Competitive Strategies*, ISBN: 978-1-4503-3962-9, 2016
- [12] M. Prakash, U. Gowshika, T. Ravichandran, "A Smart Device Integrated with an Android for Alerting a Person's Health Condition: Internet of Things" *Indian Journal of Science and Technology*, Vol 9 (6), February 2016.



- [13] Dr.A.Sabanayagam, G.Anish Giriya,” Design And Modeling Of Mobile Health Monitoring System”, International Journal of Innovations in Scientific and Engineering Research (IJISER),vol4,no 2,pp.63- 65,2017.
- [14] “Healthcare Monitoring System Using Wireless Sensor Network”, D. Mahesh Kumar, Department of Electronics, PSG College of Arts and Science, Coimbatore - 641 014.Volume 04, Issue 01 Pages:1497-1500 (2012), ISSN:0975-0290.
- [15] Polshettiwar, S., et al. (2022). An Overview on Cloud-Based Health Tracking and Monitoring System in Real-Time. Journal of Healthcare Engineering, 2022, 6615490.
- [16] Iranpak, S., Shahbahrani, A., & Shakeri, H. (2021). Remote patient monitoring and classifying using the internet of things platform combined with cloud computing. Journal of Ambient Intelligence and Humanized Computing, 12(3), 3385-3397.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)