iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** IV **Month of publication:** April 2025

DOI: https://doi.org/10.22214/ijraset.2025.62428

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue IV Apr 2025- Available at www.ijraset.com

Experience with Vicarious Trauma in Indian Clinical Psychologists

Uma R Bhat[1], Dr.Deepthi Vijayan[2]
Department of Psychology, Kristu Jayanthi College, Bengaluru North University

Abstract: ***This study investigates the experiences of vicarious trauma among Indian clinical psychologists, focusing on its impact on their professional practice and personal well-being. Vicarious trauma, also known as secondary traumatic stress or compassion fatigue, refers to the emotional and psychological toll on professionals exposed to clients' traumatic experiences. Despite extensive research in various cultural contexts, limited attention has been given to Indian clinical psychologists, who operate within a unique socio-cultural and professional landscape. Utilizing a phenomenological research design, this study explores the lived experiences of licensed clinical psychologists in India, examining their coping mechanisms and resilience factors. The findings highlight the profound cognitive and emotional effects of vicarious trauma, including shifts in self-identity, worldview, and professional efficacy. Additionally, the study identifies effective coping strategies and resilience-building practices adopted by Indian psychologists. By enhancing understanding of vicarious trauma within this specific cultural context, the research aims to improve the well-being and professional sustainability of mental health practitioners in India.***
Keywords: Vicarious Trauma, Indian Psychologists, Coping, Resilience, Phenomenology, Trauma Exposure.

I. INTRODUCTION

Clinical psychologists play a pivotal role in addressing mental health challenges and providing therapeutic interventions to individuals across diverse populations. In the course of their professional practice, they frequently encounter narratives of trauma and distress from their clients. However, while their primary focus is on aiding others, clinical psychologists themselves are not immune to the effects of the traumatic experiences they encounter vicariously. Vicarious trauma, also known as secondary traumatic stress or compassion fatigue, refers to the emotional and psychological impact that professionals may experience as a result of repeatedly hearing about or witnessing the traumatic experiences of their clients (McCann & Pearlman, 1990).The prevalence of vicarious trauma among clinical psychologists has garnered increasing attention in recent years due to its potential implications for both the well-being of professionals and the quality of care provided to clients. Studies conducted in various cultural contexts have highlighted the significant prevalence of vicarious trauma among mental health practitioners, including clinical psychologists. However, limited research has focused specifically on the experiences of vicarious trauma among Indian clinical psychologists, despite the unique sociocultural context and professional landscape within the country.The theoretical framework underpinning the concept of vicarious trauma draws upon elements from several psychological theories, including trauma theory, stress theory, constructivist self-development theory, and the framework of professional quality of life. Trauma theory posits that exposure to traumatic material, whether directly experienced or vicariously encountered, can have profound psychological effects on individuals, leading to symptoms such as intrusive thoughts, emotional numbing, and hyperarousal (Figley, 1995). According to constructivist self-development theory, the process of engaging with clients' trauma narratives can evoke cognitive and emotional responses that challenge and reshape the therapist's existing schemas and beliefs. As therapists bear witness to the suffering and resilience of their clients, they may undergo profound shifts in their understanding of themselves, others, and the world around them. The theory highlights the role of empathy and empathetic engagement in facilitating this transformational process. By empathizing with clients' experiences, therapists become deeply attuned to their emotional worlds, allowing for a more profound connection but also exposing themselves to the emotional weight of their clients' trauma. Importantly, constructivist self-development theory suggests that the experience of vicarious trauma is not solely characterized by negative outcomes. Instead, it recognizes the potential for personal growth and self-awareness to emerge from the process. As therapists navigate the complexities of vicarious trauma, they may develop greater resilience, empathy, and insight into their own vulnerabilities and strengths.Vicarious trauma, also referred to as secondary traumatization, secondary stress disorder, or insidious trauma, represents a significant concern within the field of mental health, particularly among clinical psychologists. Coined by prominent figure Charles R. Figley, vicarious trauma encompasses the emotional and psychological impact experienced by individuals who engage closely with trauma survivors, resulting in cognitive and affective disruptions (ACA, 2016).

©IJRASET: All Rights are Reserved

Distinguishing itself from secondary traumatic stress (STS), vicarious trauma is not exclusive to mental health professionals but extends to individuals in close contact with trauma survivors, driven by a desire to provide assistance (Bride, 2007). However, vicarious traumatization is specific to professionals directly working with trauma survivors, characterized by a gradual development and a profound, pervasive shift in inner experiences (Figley, 1995).Symptoms of vicarious trauma are multifaceted and challenging to identify due to their involvement in cognitive distortions and changes in core belief systems (McCann & Pearlman, 1992). Cognitive schemas play a central role in the development of vicarious trauma, impacting psychological needs, disruptions, and memory (Hernandez-Wolfe et al., 2015; Pearlman &Saakvitne, 1995). Intrusive imagery and other PTSD symptoms manifest as disruptions to the therapist's imagery system of memory, leading to painful experiences associated with clients' traumatic memories (McCann & Pearlman, 1990). These effects often extend to disruptions in safety, trust, esteem, intimacy, and control schemas, crucial for psychological well-being and professional efficacy (Guitar & Molinaro, 2017).Mental health professionals, particularly clinical psychologists, are susceptible to vicarious trauma due to their repeated exposure to clients' trauma experiences (Quitangon, 2019). This exposure can lead to changes in self and professional identity, worldview, spirituality, and psychological needs, affecting safety, trust, esteem, intimacy, and control (Saakvitne& Pearlman, 1996). Consequently, professionals may experience challenges in maintaining effective therapeutic relationships, emotion regulation, and personal relationships (Sodeke& Gregson, 2013). This study addresses an essential aspect of mental health practice by delving into the experiences of vicarious trauma among Indian clinical psychologists. Through a comprehensive exploration of coping mechanisms, contributing factors, and impact, this research aims to contribute to the development of evidence-based interventions and support systems, ultimately enhancing the resilience and well-being of mental health professionals.

II. REVIEW OF LITERATURE

The study by Jimenez et al. (2021) underscores the significant impact of vicarious trauma on mental health care providers, highlighting the critical need for intervention and support. This study contributes to existing research by employing the Vicarious Trauma Scale to assess symptoms among healthcare providers, revealing pervasive exposure to traumatic themes across professional roles. The findings emphasize the urgency of addressing vicarious trauma, as its negative effects can lead to long-lasting impairment for mental health care providers. Failure to address these repercussions not only jeopardizes the well-being of providers but also compromises the quality of care and patient satisfaction. Recognizing the importance of timely interventions, this study underscores the necessity for proactive measures to mitigate the adverse effects of vicarious trauma, ultimately ensuring the resilience and retention of mental health care providers in their vital roles.Barthelemy et al. (2023) delved into the phenomenon of vicarious traumatization (VT) among early career mental health professionals (MHPs) who have experienced personal trauma, examining the influence of shame and supervisory working alliance. Their study, involving early career MHPs within 10 years of completing their counseling education, revealed a significant correlation between the severity of personal childhood trauma and levels of VT. Importantly, they found that shame played a crucial role in mediating this relationship, suggesting that feelings of shame may exacerbate the impact of childhood trauma on VT experiences among these professionals. Interestingly, while the study did not find a significant moderating effect of supervisory working alliance on the relationship between personal childhood trauma and VT, it underscores the complex interplay of factors influencing the mental health of early career MHPs. These findings underscore the importance of addressing shame and personal trauma histories in supporting the well-being of early career MHPs as they navigate the challenges of their profession.Kim et al. (2022) conducted a scoping review aiming to fill the gap in knowledge regarding interventions addressing vicarious trauma (VT) among health and human service providers working with traumatized individuals. Muehlhausen et al. (2021) conducted a qualitative study to explore the role of spirituality in the context of vicarious trauma among trauma clinicians. Recognizing a gap in research on spirituality and trauma, the study employed hermeneutic phenomenological methodology, conducting individual interviews with 36 physicians, nurse practitioners, and physician assistants. Through thematic analysis, four overarching patterns emerged: (1) immersion in the world of trauma, (2) the influence of religious or spiritual beliefs on their work, (3) the significance of support systems, and (4) the utilization of coping mechanisms. These patterns transcended religious or spiritual affiliation and medical specialty, highlighting the universal relevance of spirituality in trauma work for underlying meaning-making and coping strategies.Padmanabhanunni et al. (2022) conducted a qualitative study investigating the lived experiences of female psychologists providing psychological treatment to women survivors of sexual assault in South Africa. Through semi-structured interviews with 15 participants, analyzed using an interpretative phenomenological approach, the study revealed experiences indicative of vicarious traumatization among the practitioners. Participants reported internalized feelings of helplessness experienced by the victims, leading to self-blame and appraisals of complicity in abuse.

©IJRASET: All Rights are Reserved

Additionally, practitioners experienced survivor guilt and exhibited symptoms of intrusive re-experiencing of client trauma, as well as cognitive and behavioral disengagement. These findings underscore the importance of clinicians cultivating self-protective practices and awareness of the impact of treating sexual trauma.

Based on the literature provided, the research gap lies in the exploration of coping strategies and resilience among Indian clinical psychologists experiencing vicarious trauma. While there is existing research on vicarious trauma and coping mechanisms among mental health care providers in general, there is limited specific focus on Indian clinical psychologists and their unique experiences in this regard. Therefore, there is a need for further research to understand how Indian clinical psychologists cope with vicarious trauma and what resilience factors contribute to their ability to manage it effectively within the cultural and professional context of India.

III. METHODOLOGY

A. *Statement of the Problem:*

The study explores the experiences of vicarious trauma among Indian licensed clinical psychologists, aiming to understand its impact on professional practice and personal well-being. Additionally, it seeks to identify coping mechanisms and resilience factors adopted by psychologists to manage vicarious trauma effectively.

B. *Research Design*

The current study adopts a qualitative research design, specifically employing a phenomenological approach to explore the lived experiences of licensed clinical psychologists regarding vicarious trauma. Phenomenology allows for an in-depth exploration of participants' subjective experiences and perspectives related to the phenomenon under investigation.

C. *Objectives*

1) To understand the coping mechanisms and resilience factors that are adopted by clinical psychologists to manage vicarious trauma.
2) To understand the factors contributing to the development of vicarious trauma among clinical psychologists.
3) Identify the impact of vicarious trauma on the professional practice and personal well-being of clinical psychologists.

D. *Sampling and Techniques:*

The population of the study comprises RCI Licensed Clinical Psychologists, with a minimum of 2 years of experience. The sample size in the study comprises 8 participants. Participants were recruited using a non-probability purposive sampling technique and also employed a snowball recruitment method. The potential participants who met the inclusion criteria were identified through professional networks and organizations. The participants were asked to refer other eligible colleagues, thus expanding the sample through a snowball effect.

E. *Procedure*

Data collection for the present study started by getting consent from the participants. A convenient time was decided to conduct the interviews. Basic socio-demographic details were collected during the interview. The questions were asked in a semi-structured format conducted with the participants online. Semi-structured interviews allow for flexibility and depth in exploring participants' experiences, perspectives, and insights related to vicarious trauma. With the participants' express consent, the research's interviews were documented utilizing audio recording equipment. By doing this, it was made sure that every conversation and interaction that took place during the interviews was precisely recorded. Following the recordings, each interview was transcribed for analysis.

F. *Analysis*

The interviews were recorded with the permission of the participants and then the audios were transcribed. Data analysis was conducted using thematic analysis, a qualitative method for identifying, analyzing, and reporting patterns or themes within the data.

Braun and Clarke (2006) define thematic analysis as: "A method for identifying, analyzing and reporting patterns within data." This method allows the researcher to take their theoretical framework and it provides a detailed description of the data. The process of thematic analysis involves a series of stages. First, the researcher should get familiarized with data, through the process of transcribing, reading, and re-reading it. Once the researcher gets familiarized with the data, its' major patterns, etc, the researcher can start generating initial codes.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

The next stage is, searching themes from the generated codes and reviewing the themes again and again to check if the themes are relevant and to generate a thematic map. The final stage is to define and name the generated themes and analyze the themes. The same technique was followed here.

IV. RESULTS AND DISCUSSION

Table:Basic Themes and Organizing themes that emerged from codes
Generating codes

Themes	Sub-themes	Codes
Challenging client cases	Impact on emotional and mental state	Feeling overwhelmed
		Difficulty concentrating and sleeping
		Feeling disconnected from oneself and clients
Factors contributing to vicarious trauma	Organizational challenges	High workload and caseload burden
		Insufficient time for personal well-being and lack of access to supportive resources
		Lack of support from management
	Personal factors	Personal trauma history
		Limited opportunities for verbalizing feelings
Professional growth and Sustained motivation	The improvement of coping strategies	Changes in better coping over time
		Formal training - Supervision during initial training
		Experience and skill acquisition
	Sense of fulfillment	Freedom to learn and the opportunity to promote compassion
		Positive impact on clients' lives
		Job satisfaction
Well-being and Resilience	Balancing ethical compassion and emotional resilience	Understanding professional boundaries
		Recognizing signs for prioritizing self-care
		Taking breaks and engaging in leisure activities.
		The importance of routine, sleep, and physical health
		Balancing empathy and emotional detachment
Positive Coping	Self-care practices	Journaling, stretching, walking, good

	food, music Practicing catharsis Engaging in joyful activities and hobbies Establishing Boundaries
Support systems	Seeking support through Peer Supervision Seeking support through colleagues, friends, and family Utilizing personal therapy and peer support Groups

A. Theme 1: Challenging client cases

The theme delves into the profound impact these cases have on the emotional and mental well-being of clinical psychologists. These cases often evoke intense emotional responses, leaving psychologists feeling overwhelmed and emotionally drained.

Sub-theme 1.1: Impact on Emotional and Mental State

The subtheme underscores the intensity of these emotional responses, including feelings of being overwhelmed, difficulty concentrating, disruptions in sleep patterns, and a sense of disconnection from both oneself and clients.

"I think what really impacted me was the fact that her demographics also matched mine so that's where the story became a little more personal than required, I suppose." (LF, 27 years, Bangalore)

This underscores the participant's identification with the client's demographics intensified their emotional response to the client's story, making it feel more personal. Previous research supports this notion, indicating that shared characteristics between therapists and clients, such as gender, ethnicity, or life experiences, can influence therapeutic dynamics and emotional reactions (Paradies et al., 2015). This finding underscores the importance of therapists' awareness of their own identities and biases in clinical practice.

B. Theme 2: Factors contributing to vicarious trauma

This theme explores the various factors that contribute to the development of vicarious trauma experienced by clinical psychologists.

Sub-theme 2.1: Organizational challenges

The subtheme organizational challenges such as high workload and caseload burden, inadequate time for personal well-being, and a lack of access to supportive resources, underscore the systemic factors that can exacerbate vicarious trauma.

"Maybe management which is not so understanding and management which loads you with cases without consideration. You get this extra added sense of responsibility that if they're not doing it, I have to do it even more. So, you unintentionally start over empathizing. Lack of sufficient holidays, and you're already on the verge of burnout, anything will affect me even more." (TS, 32 years, Bangalore)

The participant's statement underscores the significant impact of organizational challenges on the experience of vicarious trauma among clinical psychologists. Specifically, factors such as lack of understanding and support from management, excessive workload and caseload burden, and inadequate time off contribute to heightened stress and emotional strain. This suggests that when psychologists perceive a lack of organizational support or resources, they may feel compelled to shoulder additional responsibilities, leading to heightened empathic responses and increased vulnerability to burnout. Previous research corroborates these findings, indicating that organizational factors, such as workload, supervision, and organizational culture, significantly influence psychologists' well-being and the quality of care they provide (Probst et al., 2017).

Sub-theme 2.2:Personal factors

The subtheme personal factors includetheir histories of trauma and limited opportunities for verbalizing their own feelings, highlighting the individual-level vulnerabilities that can further amplify the risk of vicarious trauma.

Together, these subthemes shed light on the multifaceted nature of vicarious trauma, encompassing both external organizational factors and internal personal experiences.

"When you're exposed to traumatic events, there are two factors. Depersonalization or derealization happens with regards to society, countertransference happens where you see the world through the patient's world, When you do that, then it'll affect you a lot because now the client is gone, but that'll still remain with you." (AN, 31 years, Mumbai)

The participant's statement highlights the psychological phenomena of depersonalization, derealization, and countertransference experienced by mental health professionals when exposed to traumatic events. Depersonalization and derealization involve feelings of detachment from oneself and the external world, respectively, which can occur in response to the distressing nature of traumatic events. Countertransference, on the other hand, occurs when therapists internalize the experiences of their clients, leading to emotional resonance and potential distress. This suggests that clinicians may carry the emotional burden of their clients' experiences even after the therapeutic encounter has ended. Previous research by Figley (1995) underscores the significant impact of countertransference on mental health professionals' well-being and emphasizes the importance of addressing this phenomenon in clinical practice.

C. Theme 3: Professional growth and Sustained motivation

This theme underscores the importance of clinical psychologists' ongoing efforts to enhance their coping strategies, adapt to evolving challenges, and maintain their motivation in adversity.

Sub-theme 3.1: The Improvement of Coping Strategies

The subtheme highlights psychologists' continuous efforts to enhance coping strategies, evolving through formal training, supervision, and clinical experience. This ongoing growth underscores the importance of continuous learning and sustaining motivation in their professional journey, these elements underscore the ongoing process of growth and adaptation that characterizes psychologists' professional journey, highlighting the importance of continuous learning and development in maintaining the motivation.

"This is something that I've adapted it wasn't there before. I didn't know that I could do all these things. But I would have a lot breakdowns because of that. So because I didn't know what was happening. I didn't know what to feel and things, there was a lot of lashing out and you know, just screaming at people and all of that. With my close ones, not with everybody. And it would also lead to not taking up a lot of work also because it would be so tiresome and not know how to deal with it. When that would happen, it has been adapted, so that I can do these things now because of so many years of you know, practicing and figuring it out" (SM, 29 years old, Bangalore)

In response to the difficulties of their line of work, the participant's statement demonstrates a process of adaptive coping and personal development. They experienced breakdowns and emotional distress at first, leading to difficulties in managing their emotions and work responsibilities. However, over time, they developed adaptive coping strategies through practice and self-reflection, enabling them to better regulate their emotions and handle stressful situations more effectively.

Sub-theme 3.2: Sense of fulfillment

The subtheme sense of fulfillment encapsulates the rewarding aspects of psychologists' professional roles, contributing to their overall motivation and satisfaction. Psychologists derive a sense of fulfillment from various sources, including the freedom to learn and grow within their practice, which fosters personal and professional development. Moreover, the opportunity to promote compassion and positively impact clients' lives reinforces psychologists' sense of purpose and fulfillment in their work. This intrinsic motivation and job satisfaction derived from meaningful interactions with clients reinforces psychologists' commitment to their profession and enhances their overall well-being.

"In the time of treating Addiction, we used to have these conversations that if someone is suffering from addiction. It's not that only he's unwell, but the whole family is unwell. In the same way when you treat a patient suffering through addiction. It's not that only he is getting well but the whole family is getting well." (AN, 31 years, Mumbai)

This sense of fulfillment arises from the understanding that addressing the addiction of an individual not only benefits the patient but also positively affects the well-being of their entire family.

"There is a certain amount of satisfaction that you get once you know you are done with a client. You give them a certain amount of clarity or they have a breakthrough or they get a perspective, and something changes. Just that part of it is so satisfying that I keep wanting to do more. And there is this thing of how we are trying to change the perspective of the society without trying to gain more awareness and that might help people, to have better mental health. And so that you know, not many people have to go through all these things if there is right amount of help given. Anyway, the job satisfaction, part of it is what keeps me going back for it." (CM, 30 years old, Bangalore).

The participant expresses profound satisfaction derived from witnessing positive changes in their clients, such as gaining clarity, experiencing breakthroughs, or gaining new perspectives. This sense of fulfillment motivates them to continue their work and contribute to changing societal perspectives on mental health, ultimately aiming to reduce the prevalence of mental health challenges through increased awareness and support. This highlights the intrinsic rewards of their profession, driven by the tangible impact on clients' lives and the broader societal context. Previous research supports the link between job satisfaction and intrinsic motivation in mental health professionals, emphasizing the importance of personal fulfillment in sustaining commitment to the profession (Deci et al., 2017; Shanafelt et al., 2017).

"I like the profession because see, we can never be sure and you can never be in your comfort zone in this profession. We'll always have to keep learning. There's a lot of ambiguity, right? For example, if there's a tablet you give and you know the fever has gone down. Here we don't know what works and we don't know what doesn't work too. A lot of ambiguity. I like that. And there's no one single right answer there are various right answers. I like all this. It's so divergent. And also, I like how we can inculcate the value of compassion." (KS, 27 years old, Bangalore)

The appreciation of the dynamic and intellectually stimulating nature of their profession is expressed, appreciating the constant learning, ambiguity, and opportunity to cultivate compassion. They derive satisfaction from navigating the complexities of psychology, where multiple perspectives are valid, and from making a meaningful impact through their practice.

D. Theme 4: Well-being and Resilience

The theme delves into strategies adopted by clinical psychologists to maintain their emotional and mental well-being amidst the demands of their profession.

Sub-theme 4.1: Balancing ethical compassion and emotional resilience

The subtheme underscores the importance of navigating the delicate balance between empathizing with clients and safeguarding one's emotional well-being. Psychologists achieve this balance by understanding and maintaining professional boundaries, recognizing signs that indicate the need for prioritizing self-care, and engaging in activities that promote relaxation and leisure. Furthermore, psychologists emphasize the significance of establishing routines, prioritizing adequate sleep, and maintaining physical health to bolster their resilience. Central to this subtheme is the need to strike a balance between empathy for clients' experiences and emotional detachment to prevent emotional burnout, ensuring psychologists can continue to provide effective support while preserving their own well-being.

"When you can't stop the thought, the thoughts are there in your head all the time. You are a human being at the end of the day, but then when it comes to sitting in the seat and you know, seeing a client, there is a necessity to leave all your judgments outside the door and sit with the client." (NT, 31 years, Mumbai)

The participant acknowledges the persistent impact of traumatic experiences on personal thoughts and emotions, recognizing their humanity amidst professional responsibilities. Despite the constant presence of these thoughts, they emphasize the imperative to set aside personal judgments and maintain professional composure when interacting with clients. This underscores the delicate balance between providing compassionate support and maintaining emotional resilience, crucial for effective therapeutic engagement in the face of clients' trauma.

Previous research by Kleespies et al. (2011) highlights the challenges psychologists face in maintaining emotional resilience while providing compassionate care to clients with traumatic experiences. Their study underscores the importance of setting aside personal biases and judgments to effectively engage with clients, emphasizing the need for strategies to manage personal emotional responses while upholding ethical standards in therapeutic practice.

E. Theme 5: Positive Coping

This theme focuses on the adaptive coping mechanisms and support systems to effectively navigate the multifaceted challenges inherent in their profession. It underscores the proactive strategies and resources psychologists utilize to manage stress, maintain well-being, and cultivate resilience in their demanding roles.

Sub-theme 5.1: Self-care practices

The subtheme encompasses various strategies employed by psychologists to manage stress and promote well-being. Psychologists prioritize self-care by engaging in activities such as journaling, stretching, walking, consuming nutritious food, and listening to music, all aimed at nurturing their physical and emotional health. Additionally, practicing catharsis provides a means for psychologists to process and release pent-up emotions, contributing to their overall emotional resilience.

Engaging in joyful activities and hobbies serves as a source of relaxation and rejuvenation, offering psychologists moments of reprieve from work-related stressors. Moreover, establishing boundaries is emphasized as a crucial aspect of self-care, enabling psychologists to delineate their professional responsibilities and personal needs effectively, ultimately fostering a healthier work-life balance. Through these self-care practices, psychologists enhance their coping mechanisms and fortify their resilience, enabling them to navigate the challenges of their profession more effectively.

"My first way of coping is to perhaps get into reading about these disorders. So then helps me differentiate between what is objective and what is subjective. That is one way of getting clarity for me. The second one is also to seek supervision. I have supervisors who are my professors, discussing the case with them, helps me differentiate the two and also gives me ways I can intervene. Catharsis helps a lot. And on and off personal therapy also helps." (SV, 33 years old, Bangalore)

The participant's statement underscores the importance of utilizing various self-care practices to manage the emotional demands of their profession. Engaging in reading about disorders aids in maintaining objectivity and clarity, allowing psychologists to differentiate between objective facts and subjective experiences. Seeking supervision from experienced professionals provides valuable guidance on case management and intervention strategies, facilitating professional growth and skill development. Additionally, the practice of catharsis offers a therapeutic outlet for processing emotional experiences, promoting emotional well-being. Furthermore, the participant highlights the benefit of personal therapy, emphasizing the importance of prioritizing their own mental health to effectively support their clients. Previous research by Beinart et al. (2014) supports the effectiveness of supervision and personal therapy in enhancing therapists' self-awareness and emotional resilience, contributing to improved client outcomes.

Sub-theme 5.2: Support systems

The subtheme focuses light on the various ways clinical psychologists seek and receive support to cope with the demands of their profession. Peer supervision serves as a valuable resource, offering a structured platform for psychologists to reflect on their experiences, share insights, and gain perspectives from peers facing similar challenges. Additionally, psychologists draw on support from their professional network, including colleagues, friends, and family, for emotional validation, guidance, and encouragement. Furthermore, psychologists may engage in personal therapy and participate in peer support groups, providing opportunities for deeper self-reflection, emotional processing, and mutual support within a therapeutic context. Collectively, these support systems play a vital role in bolstering psychologists' resilience, promoting well-being, and mitigating the impact of vicarious trauma in their professional lives.

"I talk to my friends who are also clinicians. So they are my very, very good friends so I think on a personal and professional level I see them being able to relate to me." (KS, 29 years old, Bangalore)

The participant highlights the significance of social support systems, particularly among peers who share similar professional experiences. By engaging in conversations with friends who are also clinicians, the participant finds a valuable source of understanding and empathy, both personally and professionally. This exchange allows for mutual support and validation of experiences, fostering a sense of connection and belonging within the professional community.

Recent research by Krumm et al. (2022) highlights the positive attitudes of mental health workers toward peer support in various global settings. The study underscores the importance of social support networks, emphasizing the role of peer support workers as equal partners in mental health care.

V. CONCLUSION

The study provides valuable insights into the experiences of Indian clinical psychologists with vicarious trauma and coping strategies. The findings underscore the significant impact of challenging client cases, organizational challenges, and personal factors on psychologists' well-being, highlighting the importance of proactive interventions to support their mental health. Additionally, the identification of positive coping strategies and support systems emphasizes the resilience of clinical psychologists and points toward potential avenues for intervention. Overall, the study underscores the importance of addressing vicarious trauma and promoting well-being among mental health professionals to ensure the delivery of quality care and the retention of skilled professionals in the field.

VI. LIMITATIONS

Despite its contributions, this study has several limitations that should be acknowledged. Firstly, the sample size was relatively small, limiting the generalizability of the findings. Additionally, the study focused exclusively on Indian clinical psychologists, and the findings may not be applicable to other cultural or professional contexts.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

Furthermore, the use of semi-structured interviews may have introduced bias or influenced participants' responses. Finally, the study relied on self-reported data, which may be subject to social desirability bias.

VII. FURTHER SUGGESTIONS

Future research in this area should aim to address the limitations of this study by employing larger and more diverse samples to enhance the generalizability of the findings. Longitudinal studies could provide insights into the long-term impact of vicarious trauma and the effectiveness of interventions over time. Additionally, comparative studies across different cultural contexts could offer valuable insights into the cultural factors that influence coping mechanisms and support systems. Finally, experimental research could evaluate the effectiveness of specific interventions in promoting the well-being of mental health professionals and reducing the negative effects of vicarious trauma.

VIII. ACKNOWLEDGMENTS

The author appreciates all those who participated in the study and helped to facilitate the research process.

REFERENCES

[1] ALI, S., Harun, M., Wan Othman, W. N., & Engku Kamarudin, E. M. (2023). The Relationship between Vicarious Trauma and SelfEfficacy among Trainee Counsellors At A Public University. International Journal of Academic Research in Business and Social Sciences, 13. https://doi.org/10.6007/IJARBSS/v13-i8/17651

[2] Barros, A. J. S., Teche, S. P., Padoan, C., Laskoski, P., Hauck, S., & Eizirik, C. L. (2020). Countertransference, Defense Mechanisms, and Vicarious Trauma in Work With Sexual Offenders. Journal of the American Academy of Psychiatry and the Law Online. https://doi.org/10.29158/JAAPL.003925-20

[3] Bradford, J., & Chaimowitz, G. (2020). Vicarious trauma and occupational hazard for forensic mental health professionals. International Journal of Risk and Recovery, 3(1), 1–2. https://doi.org/10.15173/ijrr.v3i1.4533 Cohen, K., & Collens, P. (n.d.). The impact of trauma work – A meta-synthesis on vicarious trauma and vicarious trauma growth.

[4] Demchak-Buotte, M. (2013). Vicarious Traumatization and Vicarious Resilience in Mental Health Professionals: An Investigation of Group Differences. Clinical Psychology.

[5] Devilly, G., Wright, R., & Varker, T. (2009). Vicarious Trauma, Secondary Traumatic Stress or Simply Burnout? Effect of Trauma Therapy on Mental Health Professionals. The Australian and New Zealand Journal of Psychiatry, 43, 373–385. https://doi.org/10.1080/00048670902721079

[6] Felt, M. (2021). Vicarious Trauma as Experienced by Male Therapists. Walden Dissertations and Doctoral Studies. https://scholarworks.waldenu.edu/dissertations/10383

[7] Isobel, S., & Thomas, M. (2022). Vicarious trauma and nursing: An integrative review. International Journal of Mental Health Nursing, 31(2), 247–259. https://doi.org/10.1111/inm.12953

[8] Jenkins, S. R., & Baird, S. (2002). Secondary Traumatic Stress and Vicarious Trauma: A Validational Study. Journal of Traumatic Stress, 15(5), 423–432. https://doi.org/10.1023/A:1020193526843

[9] Jimenez, R. R., Andersen, S., Song, H., & Townsend, C. (2021). Vicarious trauma in mental health care providers. Journal of Interprofessional Education & Practice, 24, 100451. https://doi.org/10.1016/j.xjep.2021.100451

[10] Kim, J., Chesworth, B., Franchino-Olsen, H., & Macy, R. J. (2022). A Scoping Review of Vicarious Trauma Interventions for Service Providers Working With People Who Have Experienced Traumatic Events. Trauma, Violence & Abuse, 23(5), 1437–1460. https://doi.org/10.1177/1524838021991310

[11] Kounenou, K., Kalamatianos, A., Nikoltsiou, P., & Kourmousi, N. (2023). The Interplay among Empathy, Vicarious Trauma, and Burnout in Greek Mental Health Practitioners. International Journal of Environmental Research and Public Health, 20(4), 3503. https://doi.org/10.3390/ijerph20043503

[12] Moran, R. J., & Asquith, N. L. (2020). Understanding the vicarious trauma and emotional labour of criminological research. Methodological Innovations, 13(2), 2059799120926085. https://doi.org/10.1177/2059799120926085 Muehlhausen, B. L. (2021). Spirituality and Vicarious Trauma Among Trauma Clinicians: A Qualitative Study. Journal of Trauma Nursing, 28(6), 367–377. https://doi.org/10.1097/JTN.0000000000000616

[13] Newell, J. M., & MacNeil, G. A. (n.d.). Professional Burnout, Vicarious Trauma, Secondary Traumatic Stress, and Compassion Fatigue: A Review of Theoretical Terms, Risk Factors, and Preventive Methods for Clinicians and Researchers.

[14] Norhayati, M. N., Yusof, R. C., & Azman, M. Y. (2021). Vicarious traumatization in healthcare providers in response to COVID-19 pandemic in Kelantan, Malaysia. PLOS ONE, 16(6), e0252603. https://doi.org/10.1371/journal.pone.0252603

[15] Padmanabhanunni, A., &Gqomfa, N. (2022). "The Ugliness of It Seeps into Me": Experiences of Vicarious Trauma among Female Psychologists Treating Survivors of Sexual Assault. International Journal of Environmental Research and Public Health, 19(7), 3925. https://doi.org/10.3390/ijerph19073925

[16] Pearlman, L. A., & Ian, P. S. M. (n.d.). Vicarious Traumatization: An Empirical Study of the Effects of Trauma Work on Trauma Therapists.

[17] Raunick, C. B., Lindell, D. F., Morris, D. L., & Backman, T. (2015). Vicarious Trauma Among Sexual Assault Nurse Examiners. Journal of Forensic Nursing, 11(3), 123. https://doi.org/10.1097/JFN.0000000000000085 Reducing burnout, vicarious trauma, and secondary traumatic stress through investigating purpose in life in social workers—Jonathan Singer, Caroline Cummings, Sarah A Moody, Lorraine T Benuto, 2020. (n.d.). Retrieved February 22, 2024, from https://journals.sagepub.com/doi/abs/10.1177/1468017319853057

[18] Roberts, C., Darroch, F., Giles, A., & van Bruggen, R. (n.d.). You're carrying so many people's stories: Vicarious trauma among fly-in fly-out mental health service providers in Canada. International Journal of Qualitative Studies on Health and Well-Being, 17(1), 2040089. https://doi.org/10.1080/17482631.2022.2040089

[19] Sabin-Farrell, R., & Turpin, G. (2003). Vicarious traumatization: Implications for the mental health of health workers? Clinical Psychology Review, 23(3), 449–480. https://doi.org/10.1016/S0272-7358(03)00030-8 Sartor, T. A. (2016). Vicarious Trauma and Its Influence on Self-Efficacy.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |


[20] Smith, E., Pooley, J., Holmes, L., Gebbie, K., & Gershon, R. (2021). Vicarious Trauma: Exploring the Experiences of Qualitative Researchers Who Study Traumatized Populations. Disaster Medicine and Public Health Preparedness, 17, 1–6. https://doi.org/10.1017/dmp.2021.333

[21] Sutton, L., Rowe, S., Hammerton, G., & Billings, J. (n.d.). The contribution of organisational factors to vicarious trauma in mental health professionals: A systematic review and narrative synthesis. European Journal of Psychotraumatology, 13(1), 2022278. https://doi.org/10.1080/20008198.2021.2022278

[22] Trippany, R. L., Kress, V. E. W., & Wilcoxon, S. A. (2004). Preventing Vicarious Trauma: What Counselors Should Know When Working With Trauma Survivors. Journal of Counseling & Development, 82(1), 31–37. https://doi.org/10.1002/j.1556-6678.2004.tb00283.x

[23] Way, I., VanDeusen, K. M., MartIn, G., Applegate, B., & Jandle, D. (2004). Vicarious Trauma: A Comparison of Clinicians Who Treat Survivors of Sexual Abuse and Sexual Offenders. Journal of Interpersonal Violence, 19(1), 49–71. https://doi.org/10.1177/0886260503259050

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)