iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 11 **Issue:** XII **Month of publication:** December 2023

DOI: https://doi.org/10.22214/ijraset.2023.57682

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 11 Issue XII Dec 2023- Available at www.ijraset.com

FeRAM: A Paradigm of Advanced Data Storage Technology

Zainab Ali[1], Sandipta Paul[2], Sagnika Mukhopadhyay[3], Sahil Kumar Shaw[4], Shuvhojit Deb[5], Dr. Soumik Podder[6]
[1, 2, 3, 4, 5]*Department of Electronics andCommunication Engineering,* Guru Nanak Institute of TechnologyKolkata, India
[6]*IEEE, Assistant ProfessorDepartment of Electronics and Communication Engineering, Guru Nanak Institute of Technology Kolkata, India*

Abstract: ***FeRAM, or Ferroelectric Random Access Memory, is a memory technology that combines the benefits of flash memory and RAM. It uses a ferroelectric substance that remains polarized even when electricity is switched off, allowing it to store data without constant power. The goal of FeRAM study is to comprehend its fundamental concepts, identify its distinctive features, and investigate its possible uses in ferroelectric material analysis, polarization dynamics, and system integration, among other areas of electrical equipment. FeRAM's potential is constrained by density and production costs, which has led to research into developing more advancedmanufacturing techniques and materials to increase storagecapacity and affordability. With potential applications in energy-efficient storage and Internet of Things devices, ferroelectric RAM, or FeRAM, is becoming more and more popular as a means of bridging the gap between non-volatile memory and traditional RAM.***
Keywords: FeRAM, Low power consumption, high durability, Internet of Things, smartphones and tablets.

I. INTRODUCTION

A. Background

Ferroelectric Random Access Memory, abbreviated as FeRAM, is an innovative memory technology that amalgamates the advantageous features of both volatile RAM and non-volatile memory. It leverages the unique characteristics of ferroelectric materials, which reveal spontaneous electric polarization that can be overthrown by a superficial electric field. The Tokyo Institute of Technology pioneered the use of ferroelectric materials for memory in the 1980s, which led to the emergence of ferroelectric random- access memory (FeRAM). It attracted commercial interest in the 1990s due to its quick access speeds, low power consumption, and non-volatile data retention This distinctive characteristic allows FeRAM to retain stored data even in the absence of power, akin to non-volatile memory.[1]

FeRAM stands out due to its exceptional performance attributes. It offers rapid read and write speeds, comparable to conventional RAM, enabling swift access to stored data. This high-speed operation is facilitated by the ferroelectric material's ability to switch polarization states swiftly, resulting in efficient data manipulation. Moreover, FeRAM boasts low power consumption, making it an energy-efficient choice for various applications. The ferroelectric material's ability to maintain polarization without continuous power supply reduces the energy requirements for data retention, contributing to enhanced battery life and reduced power consumption in portable devices.

The non-volatile nature of FeRAM makes certain that data remains unscathed even during power intrusions or system shutdowns. This feature is particularly valuable in scenarios where data integrity and reliability are paramount, such as critical embedded systems, smart cards, and automotive electronics. FeRAM's ability to retain information without relying on continuous power sources offers an added layer of data security and resilience.[2]

In summary, FeRAM is a cutting-edge memory technology that combines the best attributes of volatile and non-volatile memory. FeRAM is ready to transform numeroussectors by offering dependable and effective data storage solutions thanks to its expeditious read and write speeds, lowpower expenditure, and data procurement capabilities.

B. Objectives And Scope

The objectives of studying FeRAM include understanding its fundamental principles, exploring its unique characteristics, and investigating its potential applications in various electronic devices. The scope of FeRAM research encompasses the analysis of ferroelectric materials, their polarization dynamics, FeRAM cell architecture, performance characteristics, integration into different systems, and addressing the challenges and future directions in this field.

©IJRASET: All Rights are Reserved

II. FUNDAMENTALS OF FERAM

The basics of ferroelectric materials, which allowpolarization to be switched in the absence of an external electric field, are the basis for FeRAM technology. FeRAM isa desirable option for many applications because of thisfeature, which enables it to combine the speed of volatile memory with the non-volatility of conventional flashmemory.[0]

III. FERROELECTRIC MATERIALS

A. *Ferroectricity: Concepts And Phenomena*

Ferroelectricity is an intriguing phenomenon observed in certain materials, characterized by their ability to exhibit spontaneous polarization that can be switched by a superficial electric field. This idiosyncratic property arises from the existence of spontaneous dipoles within the material, which can align in different directions under the impact of an electricfield. The polarization dynamics in ferroelectric materials aregoverned by complex interactions between lattice distortions,domain structures, and the energy landscape. Understanding these intricate mechanisms is crucial for harnessing the potential of ferroelectric materials in technologies such as FeRAM. [3]

B. *Types Of Ferroelectric Materials*

Ferroelectric materials can be classified into profuse types based on their crystal structures and properties. Some of the ubiquitous recognized types include

1) *Perovskite Ferroelectrics*

Perovskite ferroelectrics are a class of ferroelectric substances that resemble the mineral perovskite in terms of their distinctive crystal structures. These substances are acclaimed for having ferroelectric characteristics that can beobserved at room temperature. Lead zirconate titanate (PZT),which is frequently employed in numerous applications, including FeRAM, as a result of its superior ferroelectric characteristics, is one example of a perovskite ferroelectric. Because of their special atomic configuration, perovskite ferroelectrics are capable of spontaneous polarization and reversible switching in the presence of an external electric field. Their remarkable qualities and peculiar crystal structuremake them appealing in the field of electronic devices and memory technology.[1-3]

2) *Relaxor Ferroelectrics*

A intriguing type of ferroelectric materials known as relaxor ferroelectrics has a more disordered structure than conventional ferroelectrics. A wide and frequency-dependentdielectric response, strong electromechanical coupling, and improved piezoelectricity are just a few of the distinctive qualities they display. Lead magnesium niobate-lead titanate (PMN-PT), which is extensively researched and used in a bunch of applications, such as transducers, actuators, and sensors, is one example of a relaxor ferroelectric. Relaxor ferroelectrics' extraordinary qualities, which result from their disordered structure, make them useful in a variousness of technical domains.[3]

3) *Organic Ferroelectrics*

A fascinating class of ferroelectric materials made of carbon-based compounds is known as organic ferroelectrics. Similar to inorganic ferroelectrics, these materials show ferroelectric characteristics such spontaneous polarization and reversible switching. Since their molecular structure allows for flexibility and tunability in their ferroelectric activity, organic ferroelectrics are special in this regard. Because of their adaptability, organic ferroelectrics are enchanting candidates for a range of applications, including organic electronics, memory technology, and energy storage systems. Exploring the potential of organic materials in the field of ferroelectricity is made possible by the research of organic ferroelectrics.[4]

C. *Ferroelectric Domains And Domain Walls*

Ferroelectric domains are like different neighborhoods within a ferroelectric material, where the electric dipoles all point in the same direction. These domains can have different orientations, creating a cool mosaic pattern.

Now, imagine the boundaries between these domains as walls. These walls are called domain walls. They're like the borders between countries, but instead of passports, they mark the spots where the polarization direction changes.

The interesting thing about domain walls is that they can have idiosyncratic properties and behaviors. Scientists are studying them to understand how they affect the overall material's performance and how we can control them.

By understanding and manipulating these domains and domain walls, we can unlock exciting possibilities for memory devices, sensors, and other cool applications![5]

IV. FERAM ARCHITECTURE AND OPERATION

The polarization reversal of ferroelectric domains, which mayrepresent binary data, is the fundamental process by which FeRAM functions. FeRAM differs from other memory systems in that it uses an electric field to accomplish its reversible switching operation. Data may be accessed without affecting the information that has been stored thanks to the non-destructive readout procedure.

A. FeRAM Cell Structure




Figure 1: FeRAM Cell Structure.

The FeRAM cell structure consists of a ferroelectric material, which is sandwiched between two electrodes. This structure allows for the polarization of the ferroelectric material to be manipulated and stored as data.[1]




Figure 2: Conventional FeRAM memory cell.

B. Read And Write Operations

The memory type known as FeRAM, or ferroelectric random-access memory, supports both read and write operations. It makes use of a ferroelectric substance whose polarization property may be changed by the application of an electric field.

The FeRAM cell is accessed during a read operation by delivering a voltage to the cell's transistor. The stored datacan then be read by measuring the ferroelectric material'spolarization state.

The desired polarization state of the ferroelectric materialis set for a write operation by applying a voltage to the cell's transistor. This modifies the cell's data that has beenstored.

FeRAM is a promising technology for countless applications because it offers quick read and write speeds,low power exhaustion, and non-volatile storagecharacteristics.[6]

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 11 Issue XII Dec 2023- Available at www.ijraset.com

C. Ferroelectric Hysteresis And Retention

The phenomenon known as ferroelectric hysteresis occurs when a ferroelectric material's polarization exhibits a lag or delay in response to an applied electric field. A loop-shaped graph known as a hysteresis loop is produced by this lag.




Figure 3: Hysteresis Loop FeRAM [8]

On the other side, retention describes FeRAM's capacity to hold onto stored information over time. Remanent polarization is a feature of the ferroelectric material used in FeRAM that enables it to maintain its polarization state longafter the electric field has been withdrawn. FeRAM can nowstore data for protracted periods of time without having to constantly refresh it.[6]

Lead zirconate titanate (PZT) is a common ferroelectric material used as the store medium in ferroelectric random access memory (FeRAM). This material's primary characteristic is its spontaneous polarization, which responds to an electric field by flipping between two stable states. Theferroelectric material is subjected to an electric field during writing, which polarizes the material and stores data as a particular arrangement of electrical charges. Because ferroelectric materials have an intrinsic ability to sustain polarization in the absence of an external field, FeRAM is unique in that it can maintain this polarization even after power is switched off. FeRAM's non-volatile property makes it appropriate for applications that need low-power, quick, and dependable data storage. FeRAM's overall stability and dependability as a memorydevice are largely attributed to its essential ferroelectric hysteresis and retention properties.[6]

V. FERAM PERFORMANCE CHARACTERISTICS

The utilization of ferroelectric materials for data storage, non-volatile nature with fast speed, high durability, low power consumption, no refresh required, radiation resistance, and predictable read/write durations are some of FeRAM's distinctive features. Because it works with conventional CMOS technology, it can be used in a wide rangeof applications.

Advantages of FeRAM	Description
Swift Read and Write Speeds	FeRAM is similar to RAM in that it makes data stored there quickly accessible through fast read and write operations.
High Endurance	Comparable to flash memory, exhibits resilience over a large number of read and write cycles.
Low Power Consumption	FeRAM is energy-efficient sinceit bears the low power consumption trait of flashmemory.

©IJRASET: All Rights are Reserved

Non-Volatile Storage	Maintains data persistence by keeping recorded information even when the power is turned off, much like flash memory.
Compatibility with RAM	Combines the non-volatility of RAM with its speed, making it appropriate for applications that need dependable and fast data access.
Byte Addressable Access	By enabling direct access to individual bytes of data, FeRAM's byte-addressable access feature is helpful in a variety of computing contexts.
Latency	Because FeRAM has short access latency, it improves system performance overall, particularly for applications thatneed to retrieve data quickly.
Versatility in Applications	Its blend of non-volatility and speed makes it appropriate for awide range of applications, suchas embedded systems, Internet of Things devices, and battery-operated gadgets.

VI. FERAM COMBINATION OF FEATURES

Ferroelectric Random Access Memory (FeRAM) inheritsfrom both flash memory and RAM.

1) *Non-Volatility (Flash Memory):* FeRAM is non-volatile, like flash memory, which meansit keeps its stored data even after the power is switched off.
2) *Fast Read and Write Operations (RAM):* FeRAM provides fast access to stored data by havingsimilar fast read and write speeds to RAM.
3) *Endurance (Flash Memory):* FeRAM has good durability, same like flash memory; itcan withstand a large number of read and write cycles without experiencing any degradation.
4) *Low Power Consumption (Flash Memory):* Because FeRAM inherited flash memory's low powerconsumption characteristic, it can be used in energy- efficient applications.
5) *Random Access (RAM):* FeRAM is a form of RAM that, in contrast to some non-volatile memories that only provide sequential access, enables random access to any memory region.




Figure 4: Combined features of FeRAM.

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 11 Issue XII Dec 2023- Available at www.ijraset.com

VII. FERAM INTEGRATION AND APPLICATIONS

A. FeRam in Embedded System

An innovative memory device called ferroelectric RAM (FeRAM) is employed in embedded systems to store critical data. Its non-volatile characteristics guarantee data preservation even when power is interrupted, providing quick and reliable access at system startup and obviating the need for laborious data restoration methods.

FeRAM's speed and durability make it a fantastic option for cache memory in embedded systems. FeRAM can be utilized as cache memory, which reduces latency and improves system performance by allowing processors to access frequently used data more quickly. FeRAM is an ideal material for caching applications because it can withstand a large number of read and write cycles without degrading, guaranteeing consistent responsiveness over time.

Flash memory management is an important supplementary application. Wear-leveling algorithms, which distribute write and erase cycles consistently among flash memory cells, can utilize FeRAM. This extends the lifespan of flash storage devices by preventing some cells from deteriorating faster than others. Because of FeRAM's fast write speeds, it is feasible to effectively level out wear, which maximizes the utilization of flash memory and extends the lifespan of storage components in embedded systems.[9]

B. FeRam in Smart Cards and Security Applications

FeRAM enhances smart card security by enabling quick access to critical data while preserving sensitive data during power outages. Because of its resistance to a wide range of hazards, including power outages and electromagnetic interference, FeRAM is a dependable solution for safe data storage. Because of its low power usage, it helps smart card batteries last longer.

FeRAM is being integrated into security applications such as secure tokens, authentication modules, and cryptographic hardware in addition to smart cards.

Its ability to securely store sensitive information and perform cryptographic operations quickly makes it an intriguing choice for increasing the security of many systems.

Finally, because of its combination of speed, non-volatility, and resistance to attacks, FeRAM is an interesting technology for smart card and security applications. It is an essential component of modern security-focused systems because it meets the demand for safe data storage, quick access, and resistance to various threats. [8,9]

C. FeRam in Automotive Electronics

Engine control units (ECUs), advanced driver assistance systems (ADAS), and airbag deployment systems are just a few examples of key FeRAM uses in the automotive industry. FeRAM's fast read and write rates make it ideal for storing frequently requested data, allowing for quick responses in life-or-death circumstances. Because of its resistance to intense temperatures and harsh environments, FeRAM is ideal for automotive applications.

The non-volatile nature of FeRAM ensures that critical data like fault codes, calibration settings, and configuration data are kept safe even in the event of a power outage or system shutdown. This is essential for ensuring vehicle dependability and effectively identifying problems.

Automobiles use less energy overall, have higher fuel efficiency in conventional cars, and have longer battery lives in electric cars due to FeRAM's low power usage.[9,10]

D. FeRam in Next-Generation Computing

The properties of FeRAM satisfy the criteria for neuromorphic computing, a discipline whose design was informed by the architecture of the brain, which intimately combines memory and processing. The non-volatility, low power requirements, and rapid access times of FeRAM may aid in the effective implementation of neuromorphic systems and enable high-performance, energy-efficient artificial intelligence (AI) processing.

A number of challenges must be resolved before FeRAM's potential in next-generation computing can be completely realized. Scaling down FeRAM cells while retaining their ferroelectric properties is a significant challenge. Although shrinking cells are prime for increasing memory density, it may diminish the ferroelectric effect. To overcome this constraint, researchers are continuously researching materials and designs.

Memory controllers and interfaces must adapt to accommodate FeRAM's unique features, ensuring seamless integration without sacrificing performance. Despite scaling and integration issues, FeRAM could significantly increase performance, energy efficiency, and reliability in future computer systems.[10]

©IJRASET: All Rights are Reserved

VIII. ADVANCEMENTS IN FERAM TECHNOLOGY

FeRAM technology has recently made strides toward improving important aspects like scalability, endurance, and speed. The creation of FeRAM with enhanced performance characteristics is facilitated by the integration of cutting-edge materials, creative device topologies, and inventiveproduction techniques. In addition, in order to satisfy the demanding specifications of contemporary computer systems, research efforts are focused on lowering powerconsumption and improving dependability.[7]

IX. CHALLENGES AND FUTURE DIRECTIONS

A. Technological Limitations AndManufacturing Challenges

Ferroelectric RAM (FeRAM) is a promising memory technology, however it has inherent technological restrictions and manufacturing issues. Data retention is a serious limitation. In this way, FeRAM beats dynamic RAM (DRAM), but falls short of flash memory. Polarization fatigue in ferroelectric materials can occur over time, leadingto data corruption and loss. Furthermore, because FeRAM consumes more power than other types of memory, it is less energy-efficient, particularly in battery-powered devices.

FeRAM production necessitates specialized equipment and proprietary procedures, which might impede scalability and competitiveness. Despite these obstacles, continuous research and development initiatives aim to overcome them. Advanced ferroelectric materials, polarization fatigue mitigation, and manufacturing process simplification are all being investigated. As these obstacles are overcome, FeRAMhas the potential to become a viable and competitive memorytechnology, offering non-volatility, speed, and energy efficiency.[9]

B. Emerging Trends And ResearchOpportunities

Ferroelectric RAM (FeRAM) is a potential memory technology that is gaining traction because of its ability to bridge the gap between traditional RAM and non-volatile memory. As researchers and industry professionals delve deeper into its potential, several emerging trends and researchopportunities have come to the forefront.

Ferroelectric RAM (FeRAM) is a new technology that combines the benefits of traditional RAM and nonvolatile memory. Optimizing write endurance, boosting data retention, improving energy economy, and investigating innovative materials for improved performance are some current trends and research possibilities in the FeRAM sector. FeRAM's potential uses in neuromorphic computing, Internet of Things (IoT) devices, and energy-efficient data storage solutions are also being probed by researchers. Exploration of integration strategies with existing memory technologies, as well as development of scalable production processes, arealso topics of focus for expanding FeRAM technology.[10]

X. CONCLUSION

A. Summary Of Findings

In the research on "FeRAM: A Paradigm of Advanced Data Storage Technology," it was found that FeRAM has several notable features. Firstly, it exhibits low power consumption and energy efficiency, making it a sustainable choice for devices. Additionally, FeRAM offers fast access times, enabling quick read and write operations. It also demonstratesreliable data retention, thanks to its ferroelectric hysteresis properties. Overall, FeRAM proves to be a promising technology for advanced data storage needs.

B. Implications And Future Prospects

FeRAM's potential is mitigated by challenges like restricted density and higher production costs, spurring research and development efforts to improve its storage capacity and cost-effectiveness through advances in materials, devicearchitectures, and manufacturing processes. To summarize, the properties of FeRAM have potential implications forefficient and responsive memory solutions. Its futureprospects include resolving obstacles through continued research, which might lead to widespread acceptance in a variety of technologies requiring high-speed, low-power, andnon-volatile memory characteristics.


XI. ACKNOWLEDGMENT

We are grateful to everyone who assisted in making this research study a success. First and foremost, we would like tothank Prof. Dr. Soumik Podder, our primary supervisor, for his direction, support, and encouragement throughout the entire process. His counsel and skills were vital in steering thecourse of our research and bringing our ideas to fruition.

We also want to express our gratitude to the members of ourresearch team for their essential input, ideas, and aid throughout the study. Their endeavors were crucial to the success of this research, and we are grateful for their hard work and dedication. We hope that our findings will be beneficial to the field.

REFERENCES

[1] https://www.geeksforgeeks.org/ferro-electric-random-access-memory/
[2] https://www.wikipedia.org/
[3] sci-hub.hkvisa.net
[4] https://Bscholar.google.com [4]https://www.infineon.com/cms/en/product/memories/f-ram-ferroelectric-ram/
[5] https://www.apogeeweb.net/electron/ferroelectricram-technique.html#:~:text=However%2C%20because%20it%20can%20store,is%20faster%20than%20flash%20memory.
[6] R. Patriarcaa,∗ , G. Di Gravioa , R. Woltjerb , F. Costantinoa , G. Praetoriusc,d , P. Ferreirae , E. Hollnagel, Framing the FRAM: A literature review on the functional resonance analysis method, Safety Science, Vol. 129, pp.104827, September 2020.
[7] J. Laguerre; M. Bocquet; O. Billoint; S. Martin; J. Coignus; C. Carabasse; T. Magis; T. Dewolf; F. Andrieu; L. Grenouillet, Memory Window in Si:HfO2 FeRAM arrays: Performance Improvement and Extrapolation at Advanced Nodes, 2023 IEEE International Memory Workshop (IMW),DOI: https://doi.org/10.1109/IMW56887.2023.10145972, 12 June 2023
[8] Physics XI &XII, NCERT, ISBN:9788174505668,2019
[9] Ferroelectrics: Principles and Applications by Ashim Kumar Bain, Prem Chand., ISBN: 978-3527342143, 2020
[10] Ferroelectric-Gate Field Effect Transistor Memories– Springer Publications., DOIhttps://doi.org/10.1007/978-981-15-1212-4, ISBN: 978-981-15-1212-4, 2020



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)