



# IJRASET

International Journal For Research in  
Applied Science and Engineering Technology



---

# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume:** 12    **Issue:** V    **Month of publication:** May 2024

**DOI:** <https://doi.org/10.22214/ijraset.2024.62557>

[www.ijraset.com](http://www.ijraset.com)

Call:  08813907089

E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)

# Handwritten Digit Recognition

Vijay Mane<sup>1</sup>, Ruta Sapate<sup>2</sup>, Samruddhi Raut<sup>3</sup>, Rohan Sonji<sup>4</sup>, Arya Khairnar<sup>5</sup>

Department of Electronics & Telecommunication Vishwakarma Institute of Technology, Pune, 411037, Maharashtra, India

**Abstract:** This paper presents a powerful Handwritten Digit Recognition System that combines a Graphical User Interface (GUI) based on Tkinter with Convolutional Neural Networks (CNNs). Our approach, which makes use of the MNIST dataset, includes careful data pretreatment to facilitate efficient CNN model training. Convolutional and pooling layers are included in the design of the model, and they are optimized with the Adam optimizer for higher learning rates. The evaluation's findings demonstrate excellent memory, accuracy, and precision. Furthermore, real-time digit drawing is made possible via an intuitive Tkinter GUI, which confirms the model's applicability. By showing the effectiveness of CNNs and offering an interactive platform for natural user interaction, the research provides a holistic solution to handwritten digit recognition. This method is promising for various uses in digit recognition scenarios, highlighting its flexibility and usefulness in real-world situations.

**Keywords:** Handwritten Digit Recognition, Convolutional Neural Networks, Tkinter GUI, MNIST Dataset, Data Preprocessing, Adam Optimizer, Model Evaluation, Real-time Digit Drawing.

## I. INTRODUCTION

Handwritten digit recognition is a key challenge in the realm of computer vision, with far-reaching implications in banking, automation, and digital communication. This study aims to give a thorough solution to this problem by combining Convolutional Neural Networks (CNNs) with a simple Tkinter-based Graphical User Interface (GUI). Given the increasing reliance on digital data and the pervasiveness of handwritten digits, the impetus for this project derives from the crucial need for accurate, efficient, and accessible digit recognition systems.

Accurate digit recognition is critical because it underlies many technologies, including optical character recognition (OCR), automated document processing, and signature verification. Handwritten digit recognition has become a benchmark problem in machine learning, propelling advances in neural network topologies and approaches. The MNIST dataset, a curated collection of handwritten digits, is widely available, making it a suitable starting point for training and assessing models, with applications ranging from academic research to real-world scenarios.

Creating a highly accurate and effective system for handwritten digit recognition is the main goal of this project. Taking advantage of CNNs' impressive performance in image classification tasks, the model is designed to identify complex patterns and features in handwritten numbers. By using the Adam optimizer, adaptive learning rate issues are resolved and the model's robustness and ability to generalize to new data are guaranteed.

In addition to adding functionality to the model, a Tkinter-based graphical user interface (GUI) adds interactive capability to the system. The digit recognition system's usability and accessibility are improved when users may draw numbers in real-time and get immediate predictions. This research is moving toward bridging the gap between complex machine learning models and intuitive, practical applications by combining advanced neural network designs with user-friendly interfaces.

As this research progresses, it will benefit not only the growth of handwritten digit recognition technologies, but also the larger landscape of human-computer interaction. The next sections explore into the technique, findings, and consequences of this combined CNN and Tkinter-based GUI approach, giving light on its potential to transform the landscape of digit recognition in a variety of scenarios.

## II. LITERATURE REVIEW

The abstract outlines a project focused on handwritten digit recognition using Convolutional Neural Networks (CNNs) and delves into the literature review, examining the evolution of digit recognition methods. It covers traditional approaches, challenges faced, and the transformative impact of deep learning, particularly CNNs. The review highlights the significance of accurate digit recognition in practical applications such as postal sorting and check processing.

It underscores the importance of robust feature extraction and discusses the limitations of existing systems. The proposed project aims to address these challenges and improve the effectiveness of handwritten digit recognition. The literature review sets the stage for the project by providing a comprehensive overview of the state-of-the-art methodologies and contextualizing the significance of advancements in deep learning for this specific problem domain.

[1] The paper introduces an Optical Character Recognition (OCR) system for handwritten character recognition, combining Convolutional Neural Network (CNN) with Error Correcting Output Code (ECOC) classifier. It addresses the challenges in recognizing handwritten characters, emphasizing the importance of feature extraction and classification in OCR systems. The proposed CNN-ECOC hybridization replaces the soft-max layer in traditional CNN with ECOC for improved classification. The study explores popular CNN classifiers and evaluates their performance using the NIST handwritten character image dataset. Results demonstrate that CNN-ECOC achieves higher accuracy compared to traditional CNN classifiers. The paper contributes to advancing OCR technology by leveraging deep learning techniques for enhanced handwritten character recognition.[2] This paper focuses on handwritten digit recognition using Support Vector Machines (SVM), Multi-Layer Perceptron (MLP), and Convolutional Neural Network (CNN) models with the MNIST dataset.

The study aims to compare the accuracy and execution time of these models, addressing the challenges posed by diverse writing styles. The accuracy of digit recognition is crucial for real-world applications, such as automated bank cheque processing. Through a comprehensive comparison, the paper provides insights into the efficiency of SVM, CNN, and MLP algorithms for handwritten digit recognition, guiding the selection of the most accurate and error-resistant algorithm for practical applications. The literature review sets the stage for understanding the significance of accurate digit recognition in diverse domains.[3] The paper addresses the challenging task of recognizing handwritten characters with diverse writing styles, particularly focusing on automatic processing of handwritten answers in educational assessments. Four machine learning algorithms (K-Nearest Neighbors, Deep Neural Network, Decision Tree, and Support Vector Machine) are compared for predicting handwritten digits using the MNIST data-set. The study evaluates classification performance based on accuracy, sensitivity, and specificity, revealing that deep neural networks achieve the highest accuracy compared to other classifiers. The research aims to contribute to automated assessment methods in educational environments, acknowledging the limitations of closed-question assessments and advocating for the utilization of machine learning for handwritten question processing.[4] This paper presents DIGITNET, a novel deep learning architecture, and DIDA, a large-scale digit dataset, for the detection and recognition of handwritten digits in historical documents from the nineteenth century. The DIDA dataset, comprising single digits, large-scale bounding box annotated multi-digits, and digit strings, is generated from 100,000 Swedish historical document images. DIGITNET consists of two architectures, DIGITNET-dect for digit detection and DIGITNET-rec for digit recognition. The proposed model, trained with DIDA, outperforms state-of-the-art methods, demonstrating its effectiveness in digit string detection and recognition in historical handwritten documents. The paper addresses challenges in digit recognition for efficient information retrieval from historical manuscripts.[5]

This paper proposes an adaptive deep Q-learning strategy, called Q-ADBN, for improving accuracy and reducing running time in handwritten digit recognition. Q-ADBN combines deep learning's feature extraction with reinforcement learning's decision-making, forming an adaptive Q-learning deep belief network. The model employs an adaptive deep auto-encoder for feature extraction and a Q-learning algorithm for decision-making during recognition. Experimental results on the MNIST dataset demonstrate Q-ADBN's superiority in terms of accuracy and running time compared to other similar methods. The paper addresses the challenges of nonstandard writing habits in digit recognition and introduces a promising approach using adaptive deep Q-learning.[6] This study addresses handwritten digit recognition using Convolutional Neural Networks (CNNs), focusing on optimizing design options and evaluating stochastic gradient descent (SGD) optimization algorithms. The goal is to achieve high accuracy without resorting to ensemble architectures, which introduce computational costs. The proposed CNN architecture aims to surpass ensemble accuracy while reducing operational complexity and costs. Extensive experiments on the MNIST dataset resulted in a recognition accuracy of 99.87%, showcasing the effectiveness of the CNN model. The paper emphasizes the advantages of CNNs in feature extraction and recognition tasks, highlighting their superiority over shallow neural architectures.[7] This paper proposes a hybrid model integrating Convolutional Neural Networks (CNN) and Support Vector Machine (SVM) for handwritten digit recognition using the MNIST dataset. The hybrid model leverages CNN as an automatic feature extractor and SVM as a binary classifier, combining the strengths of both classifiers. Experimental results demonstrate the effectiveness of the framework, achieving a recognition accuracy of 99.28% on the MNIST dataset. The paper emphasizes the challenges posed by diverse and distorted handwritten digits and highlights the advantages of CNN in automatic feature extraction. The proposed hybrid model aims to enhance recognition accuracy, running time, and computational complexity in handwritten digit recognition.[8] The paper introduces a hybrid model integrating Convolutional Neural Network (CNN) and Support Vector Machine (SVM) for handwritten digit recognition. CNN serves as a trainable feature extractor, while SVM acts as a recognizer.

Experiments on the MNIST digit database demonstrate superior results, achieving a recognition rate of 99.81% without rejection and 94.40% with 5.60% rejection. Noteworthy is the emphasis on reliability, crucial in practical applications. The study addresses the gap in existing research, which often prioritizes recognition rate over reliability.

Experiments on the MNIST digit database demonstrate superior results, achieving a recognition rate of 99.81% without rejection and 94.40% with 5.60% rejection. Noteworthy is the emphasis on reliability, crucial in practical applications. The study addresses the gap in existing research, which often prioritizes recognition rate over reliability.

The proposed hybrid model enhances both recognition performance and reliability, showcasing promising potential for handwritten digit recognition systems.[9] The paper explores the impact of hidden layer patterns in Convolutional Neural Networks (CNNs) on overall performance, particularly in handwritten digit recognition using the Modified National Institute of Standards and Technology (MNIST) dataset. The study involves applying neural networks with varying layers and observing accuracies, variations for different numbers of hidden layers and epochs, and comparisons. The CNN model is trained using stochastic gradient and backpropagation algorithms and tested with a feedforward algorithm. The work aims to contribute insights into the influence of hidden layer configurations on CNN performance, providing valuable information for optimizing handwritten digit recognition systems.[10] The paper addresses Bangla handwritten digit recognition, a crucial aspect for Optical Character Recognition (OCR) in the Bengali language. Utilizing the NumtaDB dataset, which poses challenges due to unprocessed and augmented images, the study employs various preprocessing techniques and a deep Convolutional Neural Network (CNN) for classification. The CNN model achieves notable performance, ranking 13th with a 92.72% testing accuracy in the Bengali handwritten digit recognition challenge 2018. Comparative analyses with the MNIST and EMNIST datasets further validate the network's effectiveness. The work contributes to overcoming challenges in recognizing Bangla digits from large, unbiased, and augmented datasets in the context of computer vision applications.[11]

### III. METHODOLOGY/EXPERIMENTAL

#### A. Block Diagram




Fig. 1. Block Diagram

#### B. Handwritten digit recognition implementation:

##### 1) Software Development:

##### a) Import Libraries and Datasets:

The project initiates by importing necessary libraries to aid in the development process. The Keras library is chosen because of its high-level neural network APIs and interoperability with TensorFlow. Its ease of use and powerful capabilities make it ideal for quick model prototyping. In Keras, the `mnist.load_data()` function is used to access the MNIST dataset, a standard benchmark for handwritten digit recognition. This dataset contains 60,000 training and 10,000 testing images, each of which represents a handwritten digit from 0 to 9.

##### b) Data Preprocessing:

Preparing data effectively is essential to maximize model performance. The original 28x28 grayscale images that make up the MNIST data-set are reshaped into a four-dimensional array of shape (60000, 28, 28, 1), where the extra dimension stands for the single-channel (grayscale) images. Normalizing pixel values to fall between 0 and 1 improves convergence when training the model. It is now possible to include this preprocessed data-set into a convolutional neural network (CNN).

*c) Model Architecture:*

The CNN architecture is intended to extract hierarchical information from handwritten numbers. To introduce non-linearity, the model includes convolutional layers followed by rectified linear unit (ReLU) activation functions. Max-pooling layers are intentionally placed to down-sample feature maps while retaining important information. The final layers consist of completely connected layers that eventually lead to a softmax output layer for digit categorization. The Adam optimizer is chosen for model compilation because of its adaptive learning rate mechanism, which alleviates the difficulties involved with manually picking a global learning rate.

*d) Training:*

The fit() method in Keras is used to train the model using the training data-set. The length and precision of the training process are controlled by parameters like the batch size, validation split, and number of epochs. In order to minimize the categorical cross-entropy loss function, the backpropagation algorithm modifies the model's weights during training depending on the calculated gradients. The CNN can discover and generalize patterns seen in handwritten digits thanks to this iterative method.

*e) Evaluation:*

To evaluate the model's performance, a separate testing data-set that was not used in the training procedure is used. To assess the system's effectiveness, performance metrics such as accuracy, precision, recall, and F1-score are generated. This rigorous examination assures that the model can generalize to previously unexplored data, providing insights into its practical utility.

*f) User Interface Development:*

A Tkinter-based GUI is created in parallel with model development to improve user interaction. Users can utilize the GUI to draw numerals directly on a canvas using mouse input. The drawn digit is then recognized in real time by the trained CNN. The Tkinter package, which is incorporated into the core Python environment, makes it easier to create an intuitive and interactive platform. The GUI not only allows users to test the model, but it also demonstrates the combination of advanced neural networks and user-friendly interfaces. This interactive feature improves the Handwritten Digit Recognition System's usability and accessibility in a variety of applications.

#### IV. RESULTS AND DISCUSSIONS

The experimental setup included GPU-enabled hardware, splitting data into training and testing sets, and rigorous preprocessing. A CNN model was trained, real-time testing in the Tkinter GUI was carried out, and statistical analysis were carried out for complete verification. User interactions were taken into account, which added a valuable dimension to the verification process.

The statistical analysis includes rigorous functional verification and validation of the Handwritten Digit Recognition system that was built. Standard performance criteria such as accuracy, precision, recall, and F1 score were computed and evaluated critically. In addition, measurements like Area Under the Curve (AUC) and Receiver Operating Characteristic (ROC) were used to evaluate the model's discriminative capabilities. The results validated the solution's efficacy by giving a quantitative basis for its performance across many evaluation criteria. The success of the project can be attributed to the synergistic employment of Convolutional Neural Networks (CNNs) and a user-friendly Tkinter GUI, which resulted in high accuracy and real-time recognition. The model's efficacy is based on its ability to recognize complicated patterns in handwritten numerals. Limitations include occasional difficulties with different writing styles and the possibility of overfitting. Future enhancements will focus on increasing the training dataset and improving hyperparameters to ensure a more robust and adaptable Handwritten Digit Recognition system.

#### V. FUTURE SCOPE

The Handwritten Digit Recognition project establishes a solid basis for a number of potential future directions. Initially, the application area might be expanded to include more instructional contexts through the combination of sophisticated neural network structures with approachable interfaces. The technology could help students with digit-based activities by personalizing recognition capabilities through the use of adaptive learning features. Furthermore, utilizing transfer learning strategies and investigating bigger and more varied datasets may improve the model's generalization and its capacity to identify different writing styles. With seamless and secure user experiences, the project's real-time recognition functionality opens doors to applications in interactive digital platforms and authentication systems.

Furthermore, the system might be expanded to recognize full handwritten characters, which would help with language processing applications. Collaboration with handwriting analysis fields could be used to investigate the possibility for forensic handwriting recognition. The project can evolve to accommodate increasingly more complicated recognition tasks by embracing ongoing advancements in neural network structures and hardware. To optimize the project's effect and relevance, the future scope includes increasing applications across fields, refining identification skills, and staying up to date on technology breakthroughs.

## VI. CONCLUSION

The journey from the initial problem statement to the Handwritten Digit Recognition solution has been marked by remarkable strides. The unique feature of the system is its smooth integration of Convolutional Neural Networks (CNNs) with an intuitive Tkinter graphical user interface (GUI), which allows precise real-time digit recognition. This special combination provides access to interactive digital platforms and authentication methods in addition to improving educational applications. The approach has three noteworthy advantages: strong real-time recognition, high accuracy, and flexibility to different user interfaces. Nevertheless, it is accepted that there are occasionally issues with different writing styles and that there may be overfitting.

The future scope of the solution includes fine-tuning hyperparameters and increasing data-set diversity in order to extend recognition capabilities. This proactive strategy guarantees the system's adaptability and durability in rapidly changing technical environments. The Handwritten Digit Recognition system promises to be a flexible and significant tool for a variety of applications, demonstrating the confluence of sophisticated neural networks and user-friendly interfaces.

## REFERENCES

- [1] Dutt, A., & Dutt, A. (2017). Handwritten digit recognition using deep learning. *International Journal of Advanced Research in Computer Engineering & Technology (IJARCET)*, 6(7), 990-997.
- [2] Bora, M. B., Daimary, D., Amitab, K., & Kandari, D. (2020). Handwritten character recognition from images using CNN-ECOC. *Procedia Computer Science*, 167, 2403-2409.
- [3] Pashine, S., Dixit, R., & Kushwah, R. (2021). Handwritten digit recognition using machine and deep learning algorithms. *arXiv preprint arXiv:2106.12614*.
- [4] Hamida, S., Cherradi, B., Raihani, A., & Ouajji, H. (2019, October). Performance Evaluation of Machine Learning Algorithms in Handwritten Digits Recognition. In *2019 1st International Conference on Smart Systems and Data Science (ICSSD)* (pp. 1-6). IEEE.
- [5] Kusetogullari, H., Yavariabdi, A., Hall, J., & Lavesson, N. (2021). DIGITNET: A deep handwritten digit detection and recognition method using a new historical handwritten digit data-set. *Big Data Research*, 23, 100182.
- [6] Qiao, J., Wang, G., Li, W., & Chen, M. (2018). An adaptive deep Q-learning strategy for handwritten digit recognition. *Neural Networks*, 107, 61-71.
- [7] Ahlawat, S., Choudhary, A., Nayyar, A., Singh, S., & Yoon, B. (2020). Improved handwritten digit recognition using convolutional neural networks (CNN). *Sensors*, 20(12), 3344.
- [8] Jain, M., Kaur, G., Quamar, M. P., & Gupta, H. (2021, February). Handwritten digit recognition using CNN. In *2021 International Conference on Innovative Practices in Technology and Management (ICIPTM)* (pp. 211-215). IEEE.
- [9] Niu, X. X., & Suen, C. Y. (2012). A novel hybrid CNN-SVM classifier for recognizing handwritten digits. *Pattern Recognition*, 45(4), 1318-1325.
- [10] Arif, R. B., Siddique, M. A. B., Khan, M. M. R., & Oishe, M. R. (2018, September). Study and observation of the variations of accuracies for handwritten digits recognition with various hidden layers and epochs using convolutional neural network. In *2018 4th International Conference on Electrical Engineering and Information & Communication Technology (iCEEICT)* (pp. 112-117). IEEE.
- [11] Shawon, A., Rahman, M. J. U., Mahmud, F., & Zaman, M. A. (2018, September). Bangla handwritten digit recognition using deep cnn for large and unbiased data-set. In *2018 international conference on Bangla speech and language processing (ICBSLP)* (pp. 1-6). IEEE.



10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)