iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 12 **Issue:** IV **Month of publication:** April 2024

DOI: https://doi.org/10.22214/ijraset.2024.60656

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 12 Issue IV Apr 2024- Available at www.ijraset.com

IoT Based Street Light Fault Detection and Location Tracking

Mr. Shirish M Kumthekar[1], Mr. Tushar A Khot[2], Mr. Akash K lande[3], Mr. Pavan B pawar[4], Mr. R S Dalvi[5]
[1, 2, 3, 4]*Electrical Department, JSPM's Jayawantrao Sawant College of Engineering, Hadapsar, Pune, Maharashtra, India*
[5]*Professor, Electrical Department, JSPM's Jayawantrao Sawant College of Engineering, Hadapsar, Pune, Maharashtra, India*

Abstract: ***In the era of smart cities, efficient management of public infrastructure is paramount. Street lighting is a fundamental component of urban infrastructure, ensuring safety and security for citizens. However, the conventional methods of monitoring street lights are often inefficient and labor-intensive, leading to delayed detection and resolution of faults. This paper proposes a novel approach for street light fault detection and location tracking leveraging advanced technologies such as Internet of Things (IoT), machine learning, and geographic information systems (GIS). The proposed system consists of a network of IoT-enabled sensors installed on street lights, capable of monitoring various parameters such as luminosity, power consumption, and operational status in real-time, voltage drop, current loss. Through machine learning algorithms, the system intelligently analyzes the sensor data to detect anomalies and potential faults in the street lights. Upon detection of a fault, the system employs location tracking techniques, to precisely pinpoint the faulty street light's location***
Keywords: power consumption, sensors, public safety, rapid response, cost effective, quick service

I. INTRODUCTION

Train travel is well-known for its comfort and efficiency, but ensuring safety inside railway networks remains critical, particularly in heavily populated areas like India. The Indian Railways, with its large network, has several safety concerns, including fire incidents and ageing infrastructure. To address these issues, there is an increased interest in using IoT technology to automate safety activities. This study presents an Internet of Things-based approach that uses infrared sensors to detect collisions and automate railway barrier functioning. This study attempts to improve railway safety through creative technical developments by investigating the historical background and particular problems encountered by Indian Railways.

II. LITERATURE REVIEW

In the wake of rapid urbanization and the burgeoning adoption of smart city technologies, the efficient management of public infrastructure has emerged as a critical priority for municipal authorities worldwide. Among the key components of urban infrastructure, street lighting plays a pivotal role in ensuring safety, security, and enhanced livability for residents and visitors alike. However, the conventional methods of monitoring and maintaining street lights often suffer from inefficiencies, leading to delayed detection and resolution of faults, which can result in increased energy consumption, safety hazards, and unnecessary expenditure.

To address these challenges, there is a pressing need for innovative solutions that leverage cutting-edge technologies to streamline the monitoring and maintenance processes of street lighting infrastructure. In this context, the integration of Internet of Things (IoT) technologies holds immense promise, offering a scalable and cost-effective means of real-time monitoring, data analytics, and proactive management of street lights.

This paper focuses on the development and implementation of a comprehensive system for street light fault detection and location tracking utilizing IoT technology. By deploying a network of IoT-enabled sensors on street lights, we aim to harness the power of data-driven insights and automation to revolutionize the way street lighting infrastructure is managed and maintained.

The primary objective of this research is to design a robust and scalable solution that can accurately detect various types of faults in street lights, ranging from bulb failures and power outages to wiring issues and physical damage. Furthermore, the system aims to provide precise location tracking capabilities, enabling municipal authorities to swiftly identify the exact location of faulty street lights for prompt remediation.

Through the integration of advanced sensor technologies, wireless communication protocols, and cloud-based analytics platforms, our proposed system offers a proactive approach to street light management, facilitating early detection of faults and minimizing downtime. By leveraging real-time data insights, city authorities can optimize maintenance schedules, allocate resources more efficiently, and enhance the overall reliability and performance of the street lighting infrastructure.

©IJRASET: All Rights are Reserved

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 12 Issue IV Apr 2024- Available at www.ijraset.com

In the subsequent sections of this paper, we will delve into the technical details of our proposed solution, including the architecture, sensor deployment strategies, data analytics algorithms, and visualization tools. Additionally, we will discuss the potential benefits of our approach, such as reduced maintenance costs, improved energy efficiency, and enhanced safety for urban communities.
Overall, we believe that the integration of IoT technologies for street light fault detection and location tracking represents a significant step towards building smarter, more sustainable cities, where infrastructure is not only intelligent but also responsive to the needs of citizens and the environment.

III. METHODOLOGY

A. *System Architecture Design*

1) Define the overall architecture of the system, including hardware components (IoT sensors, microcontrollers, gateways), communication protocols (such as MQTT, LoRaWAN, or cellular), and software components (data processing algorithms, cloud services).
2) Determine the deployment strategy for IoT sensors on street lights, considering factors such as coverage area, sensor placement, and power source.

B. *Sensor Selection and Deployment*

1) Select appropriate sensors capable of measuring relevant parameters for fault detection, such as luminosity, power consumption, temperature, and motion.
2) Install IoT sensors on street lights according to the predetermined deployment strategy, ensuring proper alignment and connectivity.

C. *Data Acquisition and Transmission*

1) Develop firmware for IoT devices to collect sensor data at regular intervals.
2) Implement data transmission protocols to securely transmit sensor data to the cloud or a centralized server for further analysis.

D. *Data Preprocessing and Filtering*

1) Preprocess raw sensor data to remove noise and outliers using techniques such as smoothing filters and outlier detection algorithms.
2) Aggregate sensor data over time intervals to reduce data volume and optimize storage and processing resources.

E. *Fault Detection Algorithms*

1) Develop machine learning or statistical algorithms to analyze sensor data and detect anomalies indicative of street light faults.
2) Train and fine-tune the fault detection models using labeled datasets containing examples of normal and faulty operating conditions.
3) Implement threshold-based rules or anomaly detection techniques to trigger alerts when deviations from expected behavior are detected.

F. *Location Tracking and Mapping*

1) Incorporate GPS modules or triangulation algorithms to determine the geographic coordinates of each street light.
2) Integrate geographical information systems (GIS) to map the locations of street lights and visualize fault information in a spatial context.
3) Develop algorithms to correlate fault data with street light locations and accurately pinpoint the geographic coordinates of faulty street lights.

G. *Alert Generation and Notification*

1) Implement a notification system to generate alerts when street light faults are detected, including details such as the type of fault, severity level, and location.
2) Configure alert delivery mechanisms, such as email notifications, SMS messages, or mobile app notifications, to notify relevant stakeholders, such as maintenance crews or city authorities.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

H. System Evaluation and Testing

1) Conduct rigorous testing and validation of the system under various operating conditions, including different weather conditions, traffic patterns, and environmental factors.

2) Evaluate the accuracy, reliability, and efficiency of fault detection and location tracking algorithms through real-world deployments and simulation studies.

3) Collect feedback from end-users and stakeholders to identify areas for improvement and optimization

IV. CIRCUIT DIAGRAM AND WORKING




Figure1. Circuit Diagram

A. Parts Employed

1) GSM Module: Stands for Global System for Mobile Communication. GSM is an open and digital cellular technology used for mobile communication

2) LDR Sensor: An LDR (Light-Dependent Resistor) sensor, also known as a photoresistor, is a commonly used component in IoT-based streetlight fault detection systems. These sensors are used to detect changes in light levels and can be integrated into such systems to monitor and detect various conditions related to street lighting. Here is some information about LDR sensors in the context of IoT-based streetlight fault detection

3) Voltage Sensor: Voltage sensors are essential components in street light fault detection systems. They are used to monitor the electrical voltage supplied to streetlights and can play a critical role in identifying faults, malfunctions, and electrical irregularities in the lighting infrastructure.

4) Power Supply 12V 2AMP: IoT devices, including microcontrollers (e.g., ESP32,GSM Module), sensors, and communication modules, typically require a stable and regulated power supply. A 12V, 2A power supply can provide up to 24 watts of power, which is often sufficient for many IoT applications. Temperature Sensor (LM35): This device senses unusual temperature increases and flags possible fire breakouts.

5) Relay Model: Relays are commonly used in street light fault detection systems to control the power supply to streetlights, perform remote switching, and isolate faulty lights.

V. FLOW CHART

1) Initialization: The system starts with the initialization phase where all components are initialized, and the sensors are activated.

2) Data Collection: IoT sensors collect data from street lights, including parameters like luminosity, power consumption, and operational status.

3) *Data Transmission:* Collected data is transmitted to the cloud or centralized server via wireless communication protocols like GSM module
4) *Data Preprocessing:* Raw sensor data is preprocessed to remove noise and outliers using filtering techniques. Data may also be aggregated over time intervals to reduce volume and optimize storage.
5) *Fault Detection:* Preprocessed data is analyzed using fault detection algorithms to identify anomalies indicative of street light faults. Machine learning or statistical models may be employed to detect deviations from normal operating conditions.
6) *Location Tracking:* GPS modules or triangulation algorithms are utilized to determine the geographic coordinates of each street light. GIS mapping is used to correlate fault data with street light locations and pinpoint the geographic coordinates of faulty street lights.
7) *Alert Generation:* When a fault is detected, an alert is generated indicating the type of fault, severity level, and location of the faulty street light.
8) *Notification:* Alerts are delivered to relevant stakeholders, such as maintenance crews or city authorities, via email, SMS, or mobile app notifications.
9) *Maintenance Action:* Maintenance crews receive the alert and take necessary actions to rectify the fault, such as replacing bulbs, repairing wiring, or addressing electrical issues.
10) *Feedback Loop:* The system continuously collects feedback from maintenance actions and updates its fault detection algorithms to improve accuracy and efficiency over time.
11) *End:* The process continues to run, ensuring continuous monitoring and maintenance of street lights to enhance safety and efficiency in urban environments.

VI. RESULTS




Figure 1.Hardware photo




Figure . Live Image




Figure.Implementation photo

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

In this the image if vehicle moved passed the IR sensor which is installed to detect the vehicles. After the vehicle is sensed the lights are switched on by the relay. After the specific time delay(which we have set to 6sec) the lights will go off.




Figure.Implementation photo

In this the first lamp is faulty so it is not switched on after the vehicle passed.
The LED under the that lamp is on which is installed to detect the fault. After that the message will be sent to the server and further action



Figure.characterstics of fault detection

VII. ADVANTAGES

1) *Early Fault Detection:* IoT sensors enable real-time monitoring of street lights, allowing for early detection of faults such as bulb failures, power outages, or wiring issues. This proactive approach helps minimize downtime and ensures timely maintenance interventions.
2) *Improved Maintenance Efficiency:* By precisely pinpointing the location of faulty street lights, maintenance crews can efficiently prioritize their activities and deploy resources more effectively. This reduces response times and enhances overall maintenance efficiency.
3) *Reduced Operational Costs:* IoT-based fault detection and location tracking minimize the need for manual inspection and troubleshooting, resulting in lower operational costs associated with maintenance personnel, vehicle usage, and administrative overheads.
4) *Enhanced Energy Efficiency:* Timely detection and repair of faulty street lights prevent energy wastage associated with malfunctioning or non-operational fixtures. This contributes to overall energy conservation efforts and reduces the environmental impact of street lighting infrastructure.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

5) *Enhanced Public Safety:* Ensuring that street lights are operational and well-maintained enhances visibility and safety for pedestrians, cyclists, and motorists, particularly during nighttime hours. By promptly addressing faults, the system helps mitigate safety hazards and improve overall urban security.
6) *Scalability and Flexibility:* IoT-based solutions are highly scalable and adaptable to diverse urban environments. They can be deployed incrementally, allowing municipalities to start with pilot projects and gradually expand coverage as needed. Additionally, the system can accommodate future technological advancements and integration with other smart city initiatives.
7) *Enhanced Citizen Satisfaction:* Reliable street lighting enhances the overall quality of life for residents and visitors by fostering a sense of security and well-being. By ensuring that street lights are consistently operational and well-maintained, municipalities can improve citizen satisfaction and promote a positive perception of urban governance.
8) *Compliance and Accountability:* IoT-based monitoring provides municipalities with detailed records of street light performance and maintenance activities. This facilitates compliance with regulatory requirements and enables authorities to demonstrate accountability in managing public infrastructure assets.
9) *Contribution to Smart City Initiatives:* Implementing IoT-enabled street light fault detection and location tracking aligns with the objectives of smart city initiatives aimed at leveraging technology to enhance urban livability, sustainability, and resilience. It positions municipalities as leaders in adopting innovative solutions for efficient infrastructure management.

VIII. FUTURE EXTENSION

Future extensions for Street Light Fault Detection and Location Tracking using IoT involve enhancing predictive maintenance capabilities, integrating sustainable energy sources like energy harvesting, and developing self-healing networks for continuous operation. Additionally, there's potential for integrating environmental monitoring sensors, traffic management systems, and mobile app interfaces for citizen engagement. Smart grid integration can optimize energy usage, while advanced data analytics and visualization tools enable better decision-making. Autonomous maintenance vehicles could automate repair tasks, and integration with emergency response systems could prioritize maintenance during crises. These extensions aim to create a more intelligent, adaptive, and integrated system that contributes to safer, more sustainable, and resilient cities


IX. CONCLUSION

In conclusion, the implementation of Street Light Fault Detection and Location Tracking using IoT represents a significant advancement in urban infrastructure management. By harnessing the power of IoT sensors, data analytics, and automation, this system offers proactive monitoring, early fault detection, and precise location tracking for street lights. The advantages of such a system include improved maintenance efficiency, reduced operational costs, enhanced energy efficiency, and enhanced public safety. Moreover, future extensions such as predictive maintenance, energy harvesting, and integration with other urban systems hold promise for further enhancing the system's capabilities. Overall, Street Light Fault Detection and Location Tracking using IoT not only contributes to the creation of smarter and more sustainable cities but also fosters a safer and more efficient urban environment for residents and visitors alike.

REFERENCES

[1] Gupta, S., Singh, S., & Chakraborty, S. (2020). "Smart Street Light Monitoring and Control System using IoT". International Journal of Advanced Research in Computer Science, 11(3), 197-202.
[2] Baccour, N., & Haddaji, F. (2019). "Smart Street Light System Using IoT". International Journal of Advanced Computer Science and Applications, 10(5), 88-93.
[3] Alzahrani, M. S., Alomary, M. N., & Sharif, M. (2020). "Smart street lighting system based on IoT". International Journal of Advanced Computer Science and Applications, 11(2), 190-198.
[4] Tandel, A. G., & Shah, N. S. (2017). "A Survey on Smart Street Lighting System using IOT". International Journal of Computer Applications, 167(5), 16-20.
[5] Siddique, M. A., & Ahmed, N. (2021). "Smart Street Lighting System Based on IoT". In 2021 4th International Conference on Power Electronics and Their Applications (ICPEA) (pp. 1-4). IEEE.
[6] Chauhan, K., & Pandey, A. K. (2018). "Smart Street Light System for Smart City Based on IoT". In 2018 Second International Conference on Electronics, Communication and Aerospace Technology (ICECA) (pp. 558-563). IEEE.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)