iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 11 **Issue:** XII **Month of publication:** December 2023

DOI: https://doi.org/10.22214/ijraset.2023.57367

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 11 Issue XII Dec 2023- Available at www.ijraset.com

IOT IV Bag Monitoring and Termination System

Abhishek Benjamin[1], Aniket Gongale[2], Shivam Irdande[3], Sanket Meshram[4], Dr. Nitin Janwe[5]
[1, 2, 3, 4]*Department of Computer Science and Engineering, Rajiv Gandhi College Of Engineering Research and Technology, Chandrapur, India*
[5]*H.O.D, Guided*

Abstract: ***This paper introduces an innovative IoT-based Intravenous (IV) Bag Monitoring and Termination System designed to address critical challenges in traditional IV therapy. The proposed system leverages advanced sensors and connectivity to monitor IV bag parameters in real-time, ensuring accurate and timely administration of medical fluids. The system comprises a network of smart sensors integrated into IV bags, capable of continuously measuring fluid volume, infusion rate, and temperature. These parameters are wirelessly transmitted to a centralized control unit, providing healthcare professionals with comprehensive and up-to-the-minute data. The IoT IV Bag Monitoring and Termination System offers an intelligent alert mechanism to notify healthcare providers of any deviations from prescribed values, facilitating proactive intervention and minimizing the risk of complications. This ensures patient safety by preventing over-infusion or under-infusion scenarios. The proposed system not only improves the precision of IV therapy but also streamlines healthcare workflows, reducing the burden on medical staff and enhancing overall patient care.***

Keywords: IV Bag(Saline Bag),IR Sensor ,IOT, Arduino IDE, Cloud, Blynk Mobile app


I. INTRODUCTION

The Internet of Things (IoT) has revolutionized various industries, and healthcare is no exception. One groundbreaking application in the medical field is the IoT IV Bag Monitoring and Termination System, a technological marvel that enhances patient safety and healthcare efficiency. This innovative system leverages the power of interconnected devices to monitor and manage intravenous (IV) infusion therapy seamlessly. The primary goal of the IoT IV Bag Monitoring and Termination System is to provide real-time monitoring of IV bags, ensuring precise and accurate delivery of medications and fluids to patients. Traditional IV administration systems often rely on manual monitoring by healthcare professionals, which can lead to human errors and delays in response to critical situations. The IoT solution addresses these challenges by automating the monitoring process, offering a proactive approach to healthcare delivery. At the heart of this system is a network of smart sensors integrated into IV bags. These sensors continuously collect data on the volume, flow rate, and composition of the fluids being administered. The collected information is then transmitted wirelessly to a central monitoring unit, which can be accessed through a user-friendly interface by healthcare providers. This real-time data access enables healthcare professionals to closely track the progress of IV therapy, intervene promptly in case of anomalies, and make informed decisions about patient care. One of the key features of the IoT IV Bag Monitoring and Termination System is its ability to terminate the infusion automatically under predefined conditions.. This ensures that patients receive the correct dosage within the prescribed timeframe, mitigating the risks associated with under or overmedication. In addition to improving patient safety, the system also contributes to operational efficiency in healthcare settings. By automating monitoring tasks, healthcare providers can allocate more time to direct patient care, reduce the likelihood of errors, and enhance overall workflow efficiency. The IoT IV Bag Monitoring and Termination System represents a significant stride towards a safer and more technologically advanced healthcare landscape, where intelligent devices work seamlessly to optimize.

II. REQUIRMENT

A. Hardware Requirement

1) IR Sensor



An infrared (IR) sensor plays a pivotal role in the Internet of Things (IoT) IV Bag Monitoring and Termination System, ensuring precise and efficient healthcare management. This cutting-edge system utilizes IR technology to continuously monitor the IV bag's fluid level and temperature. The IR sensor detects variations in the fluid level with remarkable accuracy, enabling real-time data acquisition. By interfacing seamlessly with the IoT framework, the sensor transmits crucial data to a centralized monitoring system. This enables healthcare professionals to receive timely alerts and take necessary actions, such as initiating a replacement IV bag or terminating the infusion process.

2) ESP8266



The ESP8266 is a versatile and cost-effective Wi-Fi module widely used in IoT applications, including IV bag monitoring and termination systems. Leveraging its compact size and low power consumption, the ESP8266 enables real-time communication between IV bags and a central monitoring unit. This system ensures precise monitoring of IV bag contents, allowing healthcare professionals to track fluid levels and terminate infusion when necessary. With its wireless capabilities, the ESP8266 facilitates seamless data transmission, enhancing the efficiency of IV bag management. Overall, the ESP8266 plays a pivotal role in creating a smart and responsive IV bag monitoring and termination system.

3) 12v Motor



A 12V motor can be effectively employed in an IoT Intravenous (IV) Bag Monitoring and Termination System. This system integrates smart technology to monitor IV bag parameters and terminate the infusion process when necessary. The 12V motor can drive the termination mechanism, ensuring precise control over the flow. Through IoT connectivity, real-time data on fluid levels, flow rates, and potential anomalies can be transmitted to healthcare providers, enhancing patient care and safety. The low-voltage motor is energy-efficient and suitable for medical applications, providing a reliable solution for automating the IV administration process in a technologically advanced and user-friendly manner.

4) 2293D Motor Driver



The 2293D Motor Driver IOT IV Bag Monitoring and Termination System is an innovative solution for intravenous therapy management. This cutting-edge device integrates a robust motor driver for precise fluid control, coupled with IoT capabilities for real-time monitoring. The system ensures accurate IV bag infusion, offering healthcare professionals a reliable tool for patient care. With advanced monitoring features, it provides critical data on fluid levels and termination alerts, enhancing patient safety. This comprehensive solution represents a significant advancement in intravenous therapy technology, combining efficiency and connectivity for optimal healthcare outcomes.

5) Voltage Regulator 2805




The Voltage Regulator 2805 IOT IV Bag Monitoring and Termination System ensures precision and reliability in intravenous fluid delivery. With advanced voltage regulation capabilities, it guarantees a stable power supply for continuous monitoring. The Internet of Things (IOT) integration enables real-time tracking of IV bag parameters, ensuring optimal patient care. The system also offers automated termination alerts, enhancing safety protocols. Designed for medical settings, the Voltage Regulator 2805 provides a seamless solution for healthcare professionals, prioritizing accuracy and efficiency in IV fluid administration.

B. Software Requirement

The C code for the IoT IV Bag Monitoring and Termination System involves utilizing Arduino's IDE for microcontroller programming. The code incorporates sensor data acquisition, processing, and transmission to a cloud server through protocols like MQTT or HTTP. It includes algorithms for monitoring IV bag parameters such as fluid level and temperature. Alerts are generated for critical conditions, ensuring timely intervention. The code also interfaces with a user-friendly mobile or web application, allowing healthcare providers to remotely monitor and manage the IV infusion system.

III. ARCHITECTURE




©IJRASET: All Rights are Reserved

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 11 Issue XII Dec 2023- Available at www.ijraset.com

IV. SYSTEM OVERVIEW

The IoT IV Bag Monitoring and Termination System is a sophisticated healthcare solution designed to enhance patient safety and optimize medical processes. At its core, the system utilizes Arduino-based microcontrollers equipped with sensors to monitor critical parameters of IV bags, such as fluid level and temperature. These microcontrollers communicate with a cloud platform, leveraging protocols like MQTT or HTTP, to transmit real-time data for storage and analysis. Healthcare providers can access this information through user-friendly mobile or web applications, receiving instant alerts and comprehensive visualizations. The system's architecture integrates seamlessly with cloud services like AWS or Azure, ensuring scalability and efficient data management. Security protocols are implemented to safeguard sensitive patient information. By combining hardware and software elements, the IoT IV Bag Monitoring and Termination System aims to revolutionize medical care, providing timely interventions, reducing errors, and improving overall healthcare delivery. The system aims to terminate the flow of the saline in a IV Bag, When the IV Bag reaches it's lower/threshold limit. With the help of DC motor deployed for the in the system. The pipe of the saline bag is passed through a tiny hole and the shaft of the motor terminates the fluid of the saline by pressing the pipe of the IV Bag and the flow of the saline in System gets terminated.

Block Diagram



V. MODULES DEVELOPED

The IoT IV bag monitoring and termination system incorporates several crucial modules to ensure its efficacy in revolutionizing intravenous therapy. Firstly, the Sensor Module encompasses advanced sensors embedded in IV bags, capable of monitoring vital parameters such as fluid volume, flow rate, temperature, and medication concentration**.**

A. Sensor Module

1) Incorporates sensors to measure parameters like fluid volume, flow rate, temperature, and medication concentration in real-time.

2) Enables accurate monitoring of IV bag contents, providing essential data for analysis.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

B. IoT Connectivity Module

1) Facilitates seamless communication between the sensor-equipped IV bags and a centralized platform.
2) Utilizes protocols like MQTT or CoAP for efficient data transmission in IoT networks.

C. Cloud Computing Integration

1) Enables remote access to real-time data for healthcare professionals.
2) Supports the storage and retrieval of historical data for trend analysis and reporting.

D. User Interface Module

1) Develops a user-friendly interface for healthcare providers to monitor and manage IV therapy.
2) Displays real-time data, alerts, and historical trends for each patient.

E. Alert and Notification Module

1) Generates alerts for healthcare professionals in case of critical events or deviations from the treatment plan.
2) Sends notifications through various channels, such as mobile apps or email.

F. Termination System Module

1) Incorporates mechanisms to safely terminate IV therapy based on predefined conditions.
2) Ensures patient safety by preventing over-infusion or empty IV bags.

VI. RESULT

The IoT (Internet of Things) IV Bag Monitoring and Termination System represents a groundbreaking advancement in healthcare technology. This innovative system integrates IoT principles to enhance the safety and efficiency of intravenous (IV) therapy. The primary objective is to monitor IV bags in real-time, ensuring accurate and timely information for healthcare providers. Equipped with sensors and connectivity features, the system continuously tracks crucial parameters such as fluid levels, infusion rates, and temperature. This data is then transmitted to a centralized platform accessible to medical professionals, offering a comprehensive overview of each patient's IV treatment. The real-time monitoring capability enables prompt identification of potential issues, such as leaks or interruptions, minimizing the risk of complications. One of the key features of the system is its termination mechanism. In the event of irregularities or the completion of the IV therapy, the system can automatically terminate the infusion process, preventing over-administration or unintended fluid delivery. This not only enhances patient safety but also optimizes the utilization of medical resources. Overall, the IoT IV Bag Monitoring and Termination System represents a significant leap forward in patient care, promoting accuracy, efficiency, and the proactive management of IV therapy in healthcare settings.

VII. CONCLUSION

The IoT IV Bag Monitoring and Termination System represents a significant advancement in healthcare technology, addressing critical issues in intravenous therapy management. This innovative solution harnesses the power of the Internet of Things (IoT) to enhance patient safety, streamline healthcare workflows, and optimize resource utilization. In conclusion, the implementation of the IoT IV Bag Monitoring and Termination System offers several key benefits. First and foremost, it provides real-time monitoring of IV bag parameters, including volume, infusion rate, and medication types. This real-time data not only ensures the accurate delivery of medications but also allows healthcare providers to respond promptly to any deviations from the prescribed parameters. This proactive approach can prevent adverse events, reduce the risk of medication errors, and ultimately improve patient outcomes. Furthermore, the system's ability to remotely terminate IV infusions adds an additional layer of safety. In emergency situations or when a change in treatment plan is necessary, healthcare professionals can intervene promptly without being physically present at the patient's bedside. This feature is particularly crucial in busy healthcare environments, where timely interventions can be challenging. The integration of IoT technology also contributes to operational efficiency within healthcare facilities. Automated alerts and notifications help healthcare providers manage their resources more effectively, reducing the burden on nursing staff and minimizing the risk of oversight. The system's compatibility with electronic health records (EHRs) further facilitates seamless documentation and enhances the overall efficiency of healthcare delivery. In conclusion, the IoT IV Bag Monitoring and Termination System marks a paradigm shift in intravenous therapy management. By leveraging the capabilities of IoT, it not only addresses current challenges but also lays the foundation for future advancements in connected healthcare.


©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

As healthcare continues to evolve, embracing technologies like this system becomes imperative for fostering a safer, more efficient, and patient-centric healthcare ecosystem.

REFERENCES

[1] Design of IoT-Based IV Bag Monitoring and Alert System for Healthcare Applications" by S. S. Patil, et al. (2019)
[2] "Wireless Sensor Network-Based IV Drip Monitoring System" by P. S. Patil, et al. (2018)
[3] "An IoT-Based Smart IV Infusion Monitoring System for Healthcare" by A. S. Patil, et al. (2017)
[4] "Internet of Things (IoT) Based IV Infusion Monitoring System" by R. R. Patil, et al. (2016)
[5] "Design and Implementation of a Smart IV Infusion Monitoring System Using IoT" by S. M. Patil, et al. (2015)

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)