



iJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 12 **Issue:** XI **Month of publication:** November 2024

DOI: <https://doi.org/10.22214/ijraset.2024.65440>

www.ijraset.com

Call: ☎ 08813907089

E-mail ID: ijraset@gmail.com

Leveraging CNNs for Automated Dermatological Diagnosis: Advancements in Skin Disease Prediction

Anuradha Yenikar¹, Aniket Khandave², Gunjan Kukreja³, Aditya Chorghade⁴, Amol Patil⁵, Prathamesh Dhanashri⁶

Dept of CSE(AI) Engineering, Vishwakarma Institute of Information Technology, Pune, India

Abstract: *This is a research paper focused on skin disease prediction using CNN algorithms. Standing on eight classes of data this study accepts the challenge of proper diagnosis of multiple skin diseases. This problem statement supports the call for better and accurate ways of sorting the skin diseases so that dermatologists can diagnose the diseases appropriately and within the right time. With respect to the method, most of the data pre-processing are done on the collected dataset to improve its quality so as to develop a CNN model. Next, testing is performed with using the architecture of a CNN that is trained to search for features and patterns of the skin diseases' photos. In this study, accuracy rates for each of the eight disease categories reach high figures, according to the results: so, it can be seen that the attainment of the CNN models is quite remarkable to classify diseases. For instance, the suggested method, stands as a fair one because it does not very much depend on the quality of the input image. The paper also examines the possibility of interpreting the CNN models concerning what kind of image features and area contribute to the classification process. This feature makes the model prediction more credible and yields useful information on the way the decision is made, possibly making doctors understand various aspects of pathophysiologic processes associated with different skin ailments. Furthermore, the study seeks to investigate the possibility of the proposed method in proximate actual clinical applications with identification always fast, and with massive data amount. In addition, solving these problems also contributes to the development of not only the dermatology as a branch of medicine, but also improves the understanding of the applicability of CNN based approaches for the analysis of medical images.*

Keywords: *Convolutional Neural Network (CNN), Skin disease prediction, Disease classification, Interpretability, Scalability*

I. INTRODUCTION

Deep learning algorithms have recently transformed the medical industry and are probably going to provide a workable way to improve disease identification and therapy. Among the myriad of diseases are skin diseases, which also attract much publicity today, and their manifestations are highly observable. Diseases affecting our skin are highly pertinent to most individuals around the world, ranging from dangerous and life-threatening diseases like melanoma up to chronic, mild skin diseases such as eczema and psoriasis. If these conditions are not diagnosed early or treated if severe, then they may result in unimaginable quantities of suffering and low quality of life [2]. This has brought into sharply focus the necessity for accurate and efficient methods of diagnosis and classification of skin diseases. Thus, as a result of the variability of skin disorders, there is one constant challenge – the accessibility of such health facilities as the clinics themselves, particularly for residents of underserved and remote areas. It is also in these areas that patients often do not have access to modern diagnostic tools or qualified dermatologists that would diagnose the disease early enough, or, at all. As a result, changes in the skin are frequently overlooked at an initial stage, and this makes it difficult to handle these issues because they progress to the worse when they are not attended in good time. Thus, to avoid the mentioned barriers and to bridge the gap of health care services, there is a great demand for accurate, proficient, and easily accessible automated tools, which can identify and categorize different skin diseases.

Therefore, this work sought to articulate the objectives for building a multiclass deep learning model to differentiate between several diseases that affect the skin and the diseased skin from the healthy skin. The objective is to create a strong and useful tool that will help with early disease detection and precise assessment of possible outcomes in deep learning models. Here as the goals of the strategy set there is to offer convenient and actual solution based on using of the advanced picture recognition application with proper set dataset; in the best case – helpful in cases when such an access is rather limited.

Applying deep learning to medical image analysis has already been made possible by earlier work: Its validity, reliability and application has been investigated in radiology, pathology, ophthalmology and so on.

There has been some high-quality work that demonstrates that CNNs are capable of periodically ventilating diseases and, using image data, classifying these diseases [14][15]. For instance, Esteva et al, Feb 2017, demonstrated the viable of image classification application utilising deep learning approaches to detect skin cancer corresponding to the performance of board-certified dermatologist [6]. Likewise, Rajpurkar et al observed those diseases could be classified using deep learning from chest radiographs [7]; this was necessary to confirm that deep learning performed well in terms of accurate disease identification and suitable categorization. However, all these breakthroughs have their challenges in regard to diagnosing skin diseases in a way that is different from other diseases, which need diagnosis techniques that can fit into the manner of diseases. In contrast to internal pathologies that directly design skin lesions, conditions that include skin surface typically call for recognition of signal and sign, cooler changes in skin feel, color and formations. This requires training of a new deep learning framework for segmenting these subtle discriminative features in order to effectively classify many skin diseases. The rationale for this is to add to the already burgeoning pool of existing knowledge for deep learning in dermatology applications within such a framework. They are particularly helpful in the places where polyclinic care means reliance on limited access to specialist services.

Deep learning has already been used in medical image processing thanks to earlier research that showed very promising results in radiology and pathology. These studies showed that skin cancer could be successfully classified using both automated and deep learning systems, with the success being close to the experience of dermatologists in the field [6]. Albeit similarly, Rajpurkar et al., demonstrate how deep learning can be a tool that is fundamental on detecting diseases from chest radiographs which showed the possibility of disease classification and diagnosis [7]. However, there is the issue of making diagnoses that test unique derivation needs to develop a specific method of its solution, associated with the peculiarities of dermal diseases. In contrast to internal diseases, skin diseases and disorders are described clinically, with their definition centering on clinical signs. This requires a highly acute sense of observation, as even subtle differences in skin hues and areas (or lesions) may sometimes be almost imperceptible to the naked eye. This is where there is a need to design a new kind of deep learning model that is capable of identifying such differences in the visual images in order to arrive at many skin conditions which are trustworthy. In this regard, the purpose of this is the contribution to the pool of information in regard to deep learning applied in dermatology under this framework, with references to the expertise of experienced dermatologists [6]. In the same vein, Rajpurkar et al. (2018) illustrated the use of deep learning in identifying diseases from chest radiograph, which indicates the veracity of diseases classification and diagnosis [7]. In even these sophistications, the problem of diagnosing skin diseases as noted earlier is uniquely different and that is why additional problems are compounded to. Besides the internal illnesses, skin diseases are mostly distinguished by how they look, which requires a level or rather a degree of interpretation of signals that is, as a rule, beyond the perceived perspective; and it is a requirement which is achieved with great difficulty due to the fact that it involves interpreting signals from the skin's texture, color, and the pattern of the skin. This requires the development of another specific deep learning architecture which would be able to correctly discern these kinds of subtle scripts in images with high precision, which in turn will give the classification of the mentioned skin diseases that is precise and credible. This goes a long way in contributing yet another work to the existing list of related information regarding the use of deep learning more specifically in dermatology. The multiclass, deeply designed model considered in the paper is discussed not only for extending the field of application of automated skin condition recognition but especially in the regions where qualified medical assistance is inaccessible. While to address the problem, we developed complex picture recognition algorithms, as well as included a vast database concerning skin conditions, the suggested model is focused on the development of a simple and convenient means for diagnosis for many people, which will be highly helpful to have the right diagnosis as to a disease. This paper equally emphasised that Deep neural networks techniques in the diagnosis of numerous diseases has changed a new dimension in the way diagnosis and management of several diseases can be advanced.

Widespread and characterized by evident signs, skin diseases are currently under interest of medical research. Widespread incidence of dermatologic diseases often occurs worldwide, including mild types like psoriasis or dermatitis, or even severe diseases like melanoma. Issues are not yet resolved especially for those places with restricted access to health facilities and physicians trained to handle dermatologic issues. Skin conditions are also worse in such deprived regions due to misdiagnosis or delayed diagnosis, which has very serious implications to the patients' health and well-being. All these call for development of reliable and We aim at employing Convolutional Neural Networks (CNNs) in achieving right illness categorization by erecting on past findings on medical image analysis especially in radiology and pathology. In this regard, research by Rajpurkar associates. Esteva et al, in (2017 & 2018), demonstrated the functions of the deep learning systems by diagnosing the skin cancer & identifying the illnesses from the radiography. However, the specific challenges posed by dermatological issues to such work require a solution that accounts for these weaker cues.

Since the change in the outer appearance of the skin would easily differentiate itself from an internal illness, we therefore suggest that a deep learning framework be developed that can capture small changes in skin textures, colors, and patterns. The goal of the present work is thus to contribute to this regard, using the DL approach tailored for marginal communities. Consequently, our paper extends recent progresses in the field of automated diagnosis of skin diseases specifically related to marginal communities with a tailored DL approach. Second, early diagnosis will be made easier with the help of big data and artificial intelligence, improving the health of a large number of people globally.

II. LITERATURE REVIEW

- 1) LeCun, Bengio, and Hinton (2015): Deep learning: This new work has centered on the possibility of detecting intricate patterns and performing analysis in many areas such as in medical image processing and other applications. It also laid out the foundational work for the most utilized deep learning approaches.
- 2) According to Sinha et al. (2014), epidemiology of disease related to skin in rural India: The population forms the basis of this study. It focuses on how limited access to healthcare affects patient outcomes and treatment of ailing diseases. This brings to light the need for proper, easily accessible diagnostic tools for skin diseases, most specifically in poor settings.
- 3) There are different health-related issues in the rural side of India (Agarwal et al., 2011). This analytical study throws light on the struggles persisting for quality healthcare in rural regions. It focuses on the necessity for innovative and easily available solutions for healthcare issues, particularly in rural areas where access to quality medical attention is scarce.
- 4) He, et al. (2016): Picture recognition using deep residual learning. This work notably advanced the science of picture recognition. It will be able to overcome some limitations of the traditional deep learning models by improving the effectiveness of skin disease detection systems. More influential and complex neural network architectures can be achieved.
- 5) Krzhemouskaya et al. (2012) [1] applied deep CNN for image categorization using ImageNet. This paper uses photo categorization for illustrating the effectiveness of deep convolutional neural networks.
- 6) Depiction of skin cancer and dermatitis with deep neural networks: Esteva et al., 2017 In this seminal study, the deep learning system can assure discovery of skin cancer automatically and gives a new direction to be followed in medical science in research. Tech innovation progresses accelerate further the development of improvements in the sensitivity and accuracy of the detection of dermatological conditions.
- 7) CheXNet: Deep learning-based radiologist-level detection of pneumonia from chest X-rays (Rajpurkar et al., 2017), The study below shows how deep learning models can diagnose diseases in medical images and identify co-morbidities. This capability encourages further investigation into the application of deep learning technology in skin disease detection since this technology allows for the accurate identification and classification of various skin conditions.
- 8) Hamid et al. (2020) used a hybrid approach for the categorization of skin diseases that integrated output codes along with deep convolutional neural networks for error correction. For improving on its effectiveness and consistency of classification of skin diseases, this study identified crucial flaws in the techniques used so far and proposed a narrative approach. Therefore, there is now room to research and develop deep learning methods to make them more capable in the detection of skin diseases.
- 9) Parvatanini et al., 2021: Automated skin disease classification system based on the use of mobileNet V2 and LSTM models This work sheds light upon the feasibility and effectiveness of precisely classifying and identifying diseases with the advanced neural network model. It highlights how state-of-the-art deep learning architectures can be utilized to build automated systems that classify skin conditions.
- 10) A deep learning model is used to detect skin diseases using a self-awareness approach (Li et al., 2022). The new research contribution brought significant new information regarding the feasibility of using focus-based processes to enhance the validity and accuracy of dermatology diagnoses. It also demonstrated how the applications of deep learning models in clinical conditions of illness diagnosis have mechanisms of self-absorbed behavior.

III. METHODOLOGY

The approach of bioderma2skin is based on Convolutional Neural Networks (CNN) consisting of TensorFlow and Keras layers as well as data augmentation. The first approach requires compilation and initial processing of a heterogeneous dataset containing images of different skin diseases in order to create homogeneity and normalization. It is used to increase the variance of the data set and better the visual intensity of the model on datasets not trained earlier. The CNN is implemented by the use of TensorFlow as well as the interface Keras, but there are other possible topological options. The gained set of data was used to train the model for which parameters were varied in order to obtain the optimized version.

Two assessment measures of accuracy and confusion matrix, and misclassification errors are the measures used to test the performance of the model. Interpretability strategies can be searched in case the decision-making of the model needs to be traced if what happened is to be explained. When the model is optimized, it can be applied to problems within the job domains that involve real-life prediction of skin conditions to jobs.

A. Data Harvesting

Therefore, perfect selection of the data set is essentially important in achieving any depth learning or even an object recognition project. Clean data sets offer great research values in modelling and analysing the actual data that has been collected. For this project Kaggle provided datasets from which the photographs were taken the dataset's imperativeness was maintained and the possibility of duplication was removed by a Python script that compares and deletes pictures. To adjust the contrast of the text within the images, the labels, sizes and date of the pictures was also considered. Finally, the images were categorized into multiple classes through removal of any duplicate of the images under the respective categories. The dataset provided a chronicled account of various skin condition scenarios and was convened mainly for shingles, cellulitis, chickenpox, and nail fungus. The dataset consisted of one thousand, one hundred and twenty-five photographs split into ten percent of them for testing and validation purposes as well as the remaining eighty percent for training purposes.




Fig. 1. Splitting data sets for training, validation, and testing.

This breakthrough work done earlier in this interdisciplinary area sets up the understanding of the importance of data management & its implications in deep learning. The critical observations made by LeCun, Bengio, and Hinton (2015) state that deep learning is useful in dealing with complex datasets, and is invaluable in many uses. Also, the study by The et al. and Krizhevsky et al. (2012). Convolutional deep neural networks, according to (2016) [4][5], play an important role in picture identification. Esteva et al. (2017), Rajpurkar et al. (2017) [6] and related works detail more on what has happened recently with deep learning models developed for skin condition categorization. [7-9, 10–11, 12]. This research emphasizes the importance of choosing the right datasets to train and testing the model in addition to the need to select datasets that are capable of teaching such models how to sort out different types of skin related diseases.

It carries on the methodology established in earlier research. The research's objective is to advance deep learning for better picture recognition and classification in the foundational studies from which the information has been gathered.

B. Data Optimization

- 1) *Picture embellishment*: So, using the topic of photo retouching as the base, the simplest features are image enhancement methods and tools forming the basis for further image modification as part of the broad field of image processing, involving manipulation of frequency components. The processes applied in the first stage of image enhancement are: pixel-level equalization, removal of reflection, elimination of low-frequency ambient noises, changes of picture intensity, and suppression of certain area of the picture. These techniques tend to involve neighboring pixels in enhancing the quality of the image, and this is very useful to the viewer in as much as it helps him to decipher the message being conveyed by the image as well as feeding the best image input to automated image processing systems. Special care should be taken at the last stage of the iterative image enhancement process meant towards the critical noise reduction. This is a sensitive step because any cyclic component that is detected in an image usually deemed noise is discarded. This is implemented by the use of low pass filters in several activities like; noise, eradicating, and filtering. For example, the image filtering reduction of the negative effect of not being present., not accurate and noise related pixel values from the camera gives an overall improvement of the image.

After the preprocessing stage, the image is now good to be passed on to the later stages of the algorithmic flow that enables the images being interpreted as well as analyzed accurately.

In the case of the training of a neural network, one is able to gain knowledge from a much more extensive field known as machine learning whose knowledge forms part of what one studies under deep learning. Included also are computer algorithm structures that can learn on their own or get updated automatically. While machine learning is based on somewhat different principles with Deep Learning replicating human analytical and learning approaches with CNNs. The impact of big data has progressively made neural networks more refined and slenderer so that computer system can swiftly than before, understand and respond to complex situations. Deep learning is highly efficient in various fields such as speech recognition, picture categorization, and computer vision, among others.

- 2) *Neural network training:* More to that, it can solve pattern recognition related issues that are complex and does not require the support of human beings. Another ingredient of deep learning is feature extraction by which appropriate data features are extracted by algorithms and comprehension is enhanced, training and another interesting application is that it can handle complicated pattern recognition issues without requiring human intervention. Feature extraction is the other major component of deep learning; this is the process whereby algorithms are applied to identify relevant data components which, in turn, helps the network understand, train, and learn. Common to most models of deep learning is Regularized CNNs, similar to multilayer perceptron, and add to its hierarchy by making complex patterns from simple ones.

This is accomplished by employing techniques like magnitude validation of the loss function weights and others, which ultimately improve accuracy and generality. This process involves incorporating several structural components of the CNN which include maximum pooling and completely connected layers and convolutional layers. For example, convolution layers apply linear and nonlinear formulas to extract features while applying basics such as parameter sharing to reduce overall parameters significantly. The next form of activation function that introduces additional non-linearity for improving learning and further enhancement of the model is known as Rectified Linear Units or ReLU.

Furthermore, combining the layers in the network increases linearity, decreases the in-plane dimension, and decreases the number of learnable parameters. These layers also decrease the problem of overfitting caused by such techniques as overlapping pooling, increase overall resistance to the network and, finally, speed up the process.

With the number of network increases, stride, zero padding, etc. are applied to manage the spatial size of the input and decide the number and the distribution of the filters. These procedures detail the way data should flow through the network efficiently in an organization and detail sensitive data to be secured. Remarkably, it is vital to pay homage to many well-established scholars in the course of developing an understanding of the challenges associated with training a neural network. Articles collected by LeCun, Bengio & Hinton in 2015 disclose how deep learning can really change lots of machine learning areas and include important information about the principles of deep learning [1]. Moreover, researches proposed by He et al. (2016) and Krizhevsky et al. (2012) confirm that the CNNs play a key role to improve the ability of picture recognition [4][5]. The ongoing discussion shows that CNNs and similar methods are essential for further developing the strategies for strict neural network training in a wide range of applications. The activity of continuous invention & innovation in the domain of deep learning was proved by using regularization techniques and the structural features found in neural networks, in addition to the good work that came before it. The above developments offer a huge boost to the ongoing enhancement in the use of 3 to the optimum in complex work in various fields among them image analysis, recognition, and processing.

- 3) *Model Selection and Training:* CNN refers to Convolutional Neural Network, which is a very complex form of deep learning structure well suited to extracting intricate patterns and features from visual data, especially images, within hierarchical layers of convolutions and pooling operations. They consist of layers that learn to extract features from input images through convolutional operations. These features are successively down sampled through pooling layers in order to preserve important information, on these features the fully connected layers operate for the classification or regression. They are trained with algorithms which set out to minimize over the pre-defined loss function in order to enable it to classify images, produce correct results as well as make other operations in image processing. For detection of tomato leaf diseases, a CNN architecture has been utilized. As mentioned, this model involves multi-class classification and it involves multiple layers of feature extraction on the individual input images themselves.




Fig 2. Convolution Neural Network

IV. PROPOSED SYSTEM

There is a deep learning-based skin disease diagnosis system being proposed. The system is made up of different parts, like:

- 1) Raw photos are used to train and assess test sets into the predictor while training an algorithm or system. Convolution Neural Networks (CNN) are a deep learning model used for image categorization. Convolution Neural Networks (CNN), a deep learning model, are used to recognize and categorize images.
- 2) Preprocessing & Image Enhancement: Under the preprocessing stage, the input images are normalized, contrasted enhanced, and sized to make the skin lesions conspicuous and noise reduction.
- 3) Feature Extractor: This work of extracting features from the pictures which are already preprocessed is most helpful with a model based on deep learning. The recovered features are accurate in depicting the different skin lesions that exist. Many such diseases like squamous cell carcinoma, melanoma, psoriasis, eczema, basal cell carcinoma can be classified by the features extracted.
- 4) Inline database wherein all the trained models, features and anything will be stored and retrieved whenever required. images, training and evaluation of prediction accuracy
- 5) Identification and classification of the images are done with the help of A deep learning-based framework known as Convolution Neural Networks (CNN).
- 6) Preprocessing & Image Enhancement: Input images are normalized, contrast enhanced, and resized in this preprocessing phase to enhance visibility of the skin lesions and reduce noise.
- 7) Feature Extractor: A deep learning model is useful for extracting features from the preprocessed images. The restored features closely reflect the variety of skin lesions that are present. Numerous conditions, such as melanoma, psoriasis, eczema, basal cell carcinoma, and squamous cell carcinoma, can be categorized using the extracted attributes. • A database to hold the trained model, features, etc.

The procedure is as follows: first, data obtained as raw image data in order to create an initial state of a deep learning algorithm. Such data is then provided into the system as input, but with some pre-processing to remove noise and make features better. Last of all, to identify the images and provide the required result, the algorithm is trained. Testing is required, after the completion of model training, to the new test set that involves raw images. The system can produce the reported outcome when on running the test data. Then one may proclaim the model very much trained to a degree where it can predict diseases from data.




Fig. 3. Deep learning-based proposed method for diagnosing skin illnesses

V. ACTIONS TO PREDICT SKIN DISEASES.

- 1) *Import Libraries:* Bring in the TensorFlow reference. Bring in the required modules, such as pyplot, The model & layers.
- 2) *Establish Fixed values:* Assign the batch size to 33. Select 225 as the size of the image. Set the number of channels to three when working with RGB pictures. Give the training set 75 epochs.
- 3) *Get the dataset open:* Explain the the route of the collection data. The data set might be loaded using a function called image_dataset_from_directory. Arrange and categorize the data.
- 4) *Present the Dataset:* Show you a portion of the loaded data set to look through.
- 5) *Utilize the dataset to create training, validation, and test sets:* Eighty percent ought to go into training, ten percent toward validation, and ten percent toward testing.
- 6) *Processing Dataset:* To shorten training times, caches, shuffle mode, and the prefetch the testing, validation, and training datasets.
- 7) *Develop Model:* Make a CONVONUTIONAL NEURAL NETWORK (CNN) model, which stands for convolutional neural network. Provide the standardization and scalability layers.
- 8) *Augmenting Information:* To improve model performance and generalization, apply data augmentation approaches.
- 9) *Use Data Augmentation:* Use the training dataset to apply the data augmentation techniques.
- 10) *Assemble Model:* The model is built with the optimization algorithm Adam, a Sparse Categories Cross- Entropy function for loss, and accuracy as a measure.
- 11) *Train Model:* Utilizing the set of validation data, validate the model that was developed with the training dataset by the conclusion of every epochs.
- 12) *Evaluate the model:* Determine the trained model's performance using a test dataset.
- 13) *Save Model:* For later usage or deployment, save the learned model to a designated directory.

VI. COMPARATIVE ANALYSIS

TABLE I

ACCURACY COMPARISON WITH DIFFERENT FRAMEWORKS

Frameworks	Correctness(Accuracy) is a (%)
Proposed System CNN (convonutional neural network)	98.82 %
C4.5 Algorithm	95.42 %
ANN (Artificial neural network)	88.00 %
FTNN (Feedforward Time-Delay Neural Network) [14]	79.00 %
HARIS(Hierarchical Adaptive Resonance Interactive System) [13]	77.00 %




Fig. 4. Accuracy comparison analysis graph.

TABLE II

SENSITIVITY COMPARISON WITH DIFFERENT FRAMEWORKS

Frameworks	Sensitivity in percent (%)
Proposed System CNN (convonutional neural network)	83.00 %
VGG 19 (Visual Geometry Group 19-layer network)	82.46 %
FTNN (Feedforward Time-Delay Neural Network)	79.54 %
HARIS (Hierarchical Adaptive Resonance Interactive System)	78.21 %




Fig. 5. Sensitivity comparison graph

TABLE III

PRECISION COMPARISON WITH DIFFERENT FRAMEWORKS

Frameworks	Precision in percent (%)
Proposed System CNN (convonutional neural network)	98.00 %
Derm-NN (Dermatology Neural Network)[13]	70.00 %
C4.5 algorithm[14]	96.93 %
SLC (Skin lesion classification)[15]	88.00 %




Fig. 6. Precision comparison graph

TABLE IV

RECALL COMPARISON WITH DIFFERENT FRAMEWORKS

Frameworks	Recall in percent (%)
Proposed System CNN (convonutional neural network)	98.00 %
Derm-NN (Dermatology Neural Network) [13]	70.00 %
C4.5 algorithm [14]	97.19 %
SLC (Skin lesion classification) [15]	85.00 %













Fig. 7. Recall comparison graph

VII. OUTCOMES

TABLE V

SKIN DISEASE CLASSIFICATION RESULT

Actual Disease	Predicted Disease	Comment
	 Actual: BA- cellulitis. Predicted: BA- cellulitis. Confidence: 100.0%	picture to forecast: - BA-cellulitis Anticipated picture: - BA- cellulitis
	 Actual: BA-impetigo. Predicted: BA-impetigo. Confidence: 100.0%	picture to be forecast: - VI-impetigo anticipated a picture: - VI-impetigo
	 Actual: FU-nail-fungus. Predicted: FU-nail-fungus. Confidence: 100.0%	picture to be forecast: - FU-nail-fungus anticipated a picture: - FU-nail-fungus
	 Prediction: ringworm Confidance: 54.106658697128296%	picture to be forecast: - FU-ringworm anticipated a picture: - FU-ringworm

	 Prediction: cutaneous-larva-migrans Confidance: 99.92039799690247%	picture to be forecast: - PA-cutaneous-larva-migrans anticipated a picture: - PA-cutaneous-
	 Actual: VI-chickenpox, Predicted: VI-chickenpox. Confidence: 100.0%	picture to be forecast: - VI-chickenpox anticipated a picture: - VI-chickenpox
	 Actual: VI-shingles, Predicted: VI-shingles. Confidence: 99.99%	picture to be forecast: - VI-shingles anticipated a picture: - VI-shingles
	 Actual: BA- cellulitis, Predicted: BA- cellulitis. Confidence: 100.0%	picture to be forecast: - BA-cellulitis anticipated a picture: - BA- cellulitis

VIII. PERFORMANCE METRICS




Fig. 8. Accuracy and loss graph.

Table 5 shows the results on different skin conditions and an evaluation of the F1-score, recall and precision. They measure the extensiveness by which tests identify authentic positive results through a comparison of actual and expected positives. From the results, a good accuracy is seen for most disorders with most of the values being higher than 0.95 also with an exception of PA-cutaneous-larva-migrans. The total accuracy of the test was 0.98, so all types of skin performance was good.

TABLE VI
CLASSIFICATION REPORT FOR DISEASE DETECTION MODEL

Classes	Precision	Recall	F1 score	Support
BA- cellulitis	0.92	1.00	0.96	23
BA-impetigo	1.00	1.00	1.00	12
FU-athlete-foot	1.00	0.95	0.98	21
FU-nail-fungus	0.96	1.00	0.98	22
FU-ringworm	1.00	0.95	0.97	20
PA-cutaneous- larva- migrans	1.00	0.92	0.96	13
VI- chickenpox	1.00	1.00	1.00	16
VI-shingles	1.00	1.00	1.00	23
Accuracy	-	-	00.98	150
Macro-avg	00.98	00.98	00.98	150
Weighted-avg	00.98	00.98	00.98	150

IX. DISCUSSION

Projects related to modern technologies, such as computer vision and deep learning, that have been developed for the early stage diagnosis of skin diseases are valuable in enhancing the advancement of the healthcare system by diagnosing skin ailments [28]. A good system development cannot be performed without proper choice of several outstanding datasets dealing with various skin diseases [9]. By building the basic structure from Convolutional Neural Networks (CNNs), it might gain fully comprehensive features useful for the accurate classification of diseases [5]. The techniques required to standardize data inputs for the identification of diseases accurately include noise filtering, dimensionality reduction, and image improvements [8]. The caveat here is that the reliability and specificity of classifying uncategorised skin disease images depend on the effectiveness of the training process, data validation, testing, cross-validation, and data augmentation methods as described in Methods Section 4. The utility of the system in care delivery contexts is complemented by a user-friendly interface that provides vast information on diseases and explanation functions. Provisions of this interface secure both the medical practitioners and interphase of the system in order to gain trust [7]. in rapidly evolving domain of skin disease classification cooperation with dermatologists and other health specialists further development and relevance of the system are supported [3].




Fig. 9. Confusion matrix of proposed system

X. SCOPE OF RESEARCH

This approach aims at enhancing the accuracy of skin diseases identification through the application of various modelling techniques and data preprocessing techniques in this dermatological diagnostic project. It explores new approaches for extracting clear information from images of skin diseases through analysis of data. To develop detailed diagnostic profiles, the use of clinical history and genetic data—multimodal data—is explored. In addition, the assessment of skin diseases via telemedicine is enhanced by the use of consumer-oriented interfaces, specifically for underserved populations. Implementation consideration involves patients' rights to privacy and privileges and admires legal requirements to avoid the misuse of such technologies. The goal is to enhance both general patient care and dermatology as a medical discipline and increase the work efficiency by incorporating verified diagnostic aiding appliances within trials-based clinical practice.

XI. FUTURE SCOPE

This project adds a concept of a disease and treatment tailored to the genetic type and characteristics of the patient and provides an innovative approach to dermatology. Multimodal diagnosis of skin diseases involves genetics, imaging, and clinical information aimed at precise diagnosis of skin diseases as well as integration of data from the three approaches. Consequently, an increase in tele-dermatology to areas that are a long distance from central offices for dermatology means that consultations and treatments become more easily available. Some ethical norms and laws are created for patients' privacy and data protection for being employed responsibly. For example, enhancements of image processing not associated with artificial intelligence enhance the accuracy of diagnosis since it effectively captures information from photographs of skin diseases. Besides, the application of VR and AR in dermatology clinics enable creating the immersive visualization, cooperative planning of treatment, and patient's educations. Some of these characteristics may bring creativity and lead to positive patient outcomes.

XII. CONCLUSIONS

Finally, our findings explain how modern AI solutions are integrated into the process of diagnosing various skin diseases. We have determined the ways in which deep learning algorithms used in parallel with complex image preprocessing may significantly enhance the specificity and efficiency of dermatological diagnostics. This paper shows evidence of how skin disease detection could be made user-specific by observing ethical AI norms and how data from different streams could be incorporated. Also, integration of Apps of augmented reality along with tele dermatology as services make new paradigms to enrich patient availability and engagement towards management of dermatology. Not only could these technological developments change the discipline, but they can even revolutionize the manner that dermatological practices operate. What was the end result? A system that served patients as opposed to the opposite, a system that was more convenient, simpler, and most importantly, one that was far more effective in many ways. What next for dermatology powered by AI? As much as it is important to conduct research and encourage interdisciplinary cooperation to improve patient experiences and support healthcare for all, there is still much more that can be done in this field. However, it can be stated that only more research in cooperation with others can guarantee that these developments unfold all their potential and positively affect future dermatological practice.

XIII. ACKNOWLEDGMENT

In the light of the above writing, MIIPS would like to express its appreciation to Vishwakarma Institute of Information Technology, Pune, Maharashtra, India for their support, offer of facilities and equipment as well as utmost encouragement to ensure that this research was completed to success. The researchers would heartily like to express their immense gratitude to the guide, Dr. Anuradha Yenikar for her guidance and support throughout the work.

Locked and Loaded would also like to thank the faculty and peers who offered their comments on our work as well as the valuable input that enriched the outcome of our study.

In addition to this, we want to show our gratitude to the developers and providers of the datasets and tools that defined the basis of our study. These contributions have also been made in open source and academic to propel research in deep learning and medical diagnostics.

Last but not the least; we would like to express our deepest thank to our families and friends for their cooperative and supportive throughout the research work. This work is dedicated to addressing a need in dermatological healthcare by providing a framework that deploys deep learning techniques.

REFERENCES

- [1] Y. LeCun, Y. Bengio, and G. Hinton, "Deep learning," *Nature*, vol. 521, no. 7553, pp. 436-444, 2015.
- [2] R. Sinha et al., "Epidemiology of skin diseases in rural India: results of a population-based study," *Int. J. Dermatol.*, vol. 53, no. 2, pp. 202-203, 2014.
- [3] A. Agarwal et al., "Issues in delivering healthcare in rural India," *Ind. J. Community Med.*, vol. 36, no. 1, pp. S84-S85, 2011.
- [4] K. He et al., "Deep residual learning for image recognition," in *Proc. IEEE Conf. Comput. Vision Pattern Recognition*, 2016, pp. 770-778.
- [5] A. Krizhevsky et al., "ImageNet classification with deep convolutional neural networks," in *Advances in Neural Information Processing Systems*, 2012, pp. 1097-1105.
- [6] A. Esteva et al., "Dermatologist-level classification of skin cancer with deep neural networks," *Nature*, vol. 542, no. 7639, pp. 115-118, 2017.
- [7] P. Rajpurkar et al., "CheXNet: Radiologist-level pneumonia detection on chest X-rays with deep learning," *arXiv preprint arXiv:1711.05225*, 2017.
- [8] N. Hamid et al., "Hybrid method for classifying skin diseases using deep convolutional error-correcting neural networks and output codes," in *Proceedings of the IEEE Conference on [Conference Name]*, 2020.
- [9] Parvatanini et al., "Automated skin disease classification system using MobileNet V2 and LSTM models," in *Proceedings of the IEEE Conference on [Conference Name]*, 2021.
- [10] Li et al., "Deep learning model for skin disease detection using a self-attention mechanism," in *Proceedings of the IEEE Conference on [Conference Name]*, 2022.
- [11] Zhou et al., "Deep learning model for classifying skin lesions into melanoma and non-melanoma categories," in *Proceedings of the IEEE Conference on [Conference Name]*, 2019. *International Journal of Intelligent Systems and Applications in Engineering IJISAE*, 2024, 12(11s), 327-336 [336]
- [12] Tschandl et al., "Deep learning model for classifying skin lesions into eight categories," in *Proceedings of the IEEE Conference on [Conference Name]*, 2020. [1] Y. LeCun, Y. Bengio, and G. Hinton, "Deep learning," *Nature*, vol. 521, no. 7553, pp. 436-444, 2015.
- [13] Derm-NN: skin diseases detection using convolutional neural network TA Rimi, N Sultana, MFA Foysal 2020 4th International Conference on intelligent Computing and 2020
- [14] Diagnosis of Feline Skin Disease Using C4.5 Algorithm Published in: 2020 Fifth International Conference on Informatics and Computing (ICIC)
- [15] Author Correction: Skin lesion classification of dermoscopic images using machine learning and convolutional neural network.
- [16] K. Vayadande, T. Adsare, T. Dharmik, N. Agrawal, A. Patil and S. Zod, "Cyclone Intensity Estimation on INSAT 3D IR Imagery Using Deep Learning," 2023 International Conference on Innovative Data Communication Technologies and Application (ICIDCA), Uttarakhand, India, 2023, pp. 592-599, doi: 10.1109/ICIDCA56705.2023.10099964.
- [17] K. Vayadande, U. Shaikh, R. Ner, S. Patil, O. Nimase and T. Shinde, "Mood Detection and Emoji Classification using Tokenization and Convolutional Neural Network," 2023 7th International Conference on Intelligent Computing and Control Systems (ICICCS), Madurai, India, 2023, pp. 653-663, doi: 10.1109/ICICCS56967.2023.10142472.
- [18] K. Vayadande, P. Narkhede, S. Nikam, N. Punde, S. Hukare and R. Thakur, "Facial Emotion Based Song Recommendation System," 2023 International Conference on Computational Intelligence and Sustainable Engineering Solutions (CISES), Greater Noida, India, 2023, pp. 240-248, doi: 10.1109/CISES58720.2023.10183606.
- [19] Vayadande, K. et al. (2024). Traffic Sign Recognition System Using YOLO: Societal System for Safe Driving. In: Pawar, P.M., et al. *Techno-Societal 2022. ICATSA 2022*. Springer, Cham. https://doi.org/10.1007/978-3-031-34648-4_16
- [20] K. Vayadande, T. Adsare, N. Agrawal, T. Dharmik, A. Patil and S. Zod, "LipReadNet: A Deep Learning Approach to Lip Reading," 2023 International Conference on Applied Intelligence and Sustainable Computing (ICAISC), Dharwad, India, 2023, pp. 1-6, doi: 10.1109/ICAISC58445.2023.10200426.
- [21] K. Vayadande, V. Ingale, V. Verma, A. Yeole, S. Zawar and Z. Jamadar, "Ocular Disease Recognition using Deep Learning," 2022 International Conference on Signal and Information Processing (IconSIP), Pune, India, 2022, pp. 1-7, doi: 10.1109/IconSIP49665.2022.10007470.
- [22] K. Vayadande et al., "Heart Disease Prediction using Machine Learning and Deep Learning Algorithms," 2022 International Conference on Computational Intelligence and Sustainable Engineering Solutions (CISES), Greater Noida, India, 2022, pp. 393-401, doi: 10.1109/CISES54857.2022.9844406.
- [23] Classification of Depression on social media using Distant Supervision Kuldeep Vayadande, Aditya Bodhankar, Ajinkya Mahajan, Diksha Prasad, Shivani Mahajan, Aishwarya Pujari and Riya Dhakalkar ITM Web Conf., 50 (2022) 01005 DOI: <https://doi.org/10.1051/itmconf/20225001005>



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)