



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 11 **Issue:** IV **Month of publication:** April 2023

DOI: <https://doi.org/10.22214/ijraset.2023.50067>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Methods to Reduce the Noise and Vibration of Engine

Pankaj Kumar

M.TECH Mechanical Engineering, Faridabad College of Engineering and Management, Faridabad (Maharshi Dayanand University, Rohtak)

Abstract: Engine vibration and noise are crucial features that impact a vehicle's overall driving experience. The purpose of this research paper is to look into methods for reducing an engine's noise and vibration levels. The research looks at a number of methods, including dynamic balance, material selection, and design analysis. A noise level and a vibration analyzer were used to measure the engine's noise and vibration levels. The results showed that by putting these methods into action, levels of noise and vibration were significantly reduced.

I. INTRODUCTION

Noise and vibration are important factors that affect the overall driving experience of a vehicle. Engine noise and vibration are particularly significant as they directly affect the comfort of the driver and passengers. High levels of noise and vibration can lead to driver fatigue, discomfort, and even health problems. In addition, excessive engine noise and vibration can also affect the performance of other vehicle components such as the transmission, suspension, and steering system.

The aim of this research paper is to investigate the methods of reducing the noise and vibration levels of an engine. The study examines various approaches, including material selection, structural optimization, and dynamic balancing. The noise and vibration levels of the engine were measured using a sound level meter and a vibration analyzer. The results were compared with the baseline engine design to determine the effectiveness of the methods used.

II. METHODOLOGY

The research methodology consisted of the following steps:

- 1) *Baseline Engine Design:* The baseline engine design was established by selecting an existing engine model and testing it for noise and vibration levels. The engine model selected for this study was a four-cylinder gasoline engine commonly used in passenger vehicles.
- 2) *Material Selection:* The material selection process involved identifying materials with low noise and vibration characteristics. The engine components that were replaced with alternative materials included the pistons, connecting rods, and engine block.
- 3) *Structural Optimization:* The structural optimization process involved modifying the design of engine components to reduce noise and vibration levels. The engine components that were optimized included the engine block, cylinder head, and crankshaft.
- 4) *Dynamic Balancing:* The dynamic balancing process involved balancing the rotating components of the engine to reduce vibration levels. The components that were balanced included the crankshaft, flywheel, and pulleys.
- 5) *Noise and Vibration Measurements:* The noise and vibration levels were measured using a sound level meter and a vibration analyzer. The measurements were taken at various engine speeds and loads to determine the effect of the modified engine components on noise and vibration levels.
- 6) *Data Analysis:* The data obtained from the noise and vibration measurements were analyzed using statistical methods. The noise and vibration levels for each modified engine component were compared with the baseline engine design to determine the effectiveness of the methods used.

III. RESULTS

The results showed that by implementing these methods, a significant reduction in noise and vibration levels was achieved. The following table summarizes the noise and vibration levels for the baseline engine design and the modified engine design:

Engine design	Noise level dB	Vibration level mm/s
Baseline	90	1.8
Modified	80	1.2



The modified engine design resulted in a 10 dB reduction in noise level and a 0.6 mm/s reduction in vibration level. The results indicate that the methods used were effective in reducing noise and vibration levels.

IV. CONCLUSION

Reducing the noise and vibration levels of an engine is an important consideration in vehicle development. The results of this study show that by implementing material selection, structural optimization, and dynamic balancing, significant reductions in noise and vibration levels can be achieved. The findings of this study can be used as a guideline for future engine development projects aimed at reducing noise and vibration levels.

REFERENCES

- [1] Lin, C. C., & Chen, T. C. (2019). The Optimization of Engine Mounts for Reducing Noise and Vibration. *Journal of Vibration and Control*, 25(1), 79-90.
- [2] Fan, X., Wang, Q., Liu, H., & Guo, X. (2019). Research on NVH Optimization of Engine Block based on Multi-objective Optimization Algorithm. *SAE Technical Paper*, 2019-01-1562.
- [3] Nafis, W., Wibowo, T. A., & Abdillah, M. A. (2020). Design optimization of the engine block structure to reduce noise, vibration and harshness (NVH) using finite element analysis (FEA) and Taguchi method. *Advances in Mechanical Engineering*, 12(6), 1-10.
- [4] Liu, C., Liu, Z., & Lu, X. (2020). Noise and vibration reduction of engine mounts based on material optimization. *Journal of Vibration and Shock*, 39(4), 15-22.
- [5] Zhang, X., Li, Q., Chen, X., & Chen, H. (2021). Study on Reducing Engine Vibration and Noise by Optimization of Crankshaft Design. *SAE Technical Paper*, 2021-01-0886



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)