



iJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 Issue: III Month of publication: March 2025

DOI: <https://doi.org/10.22214/ijraset.2025.68153>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Real-Time Heart Disease Prediction

T. Raghul Balaji, H.Pranav Chandran, P. Naga Guravaiah, Raushan Kumar

Bharath Institute Of Higher Education And Research

Abstract: Heart disease is a leading cause of death worldwide, emphasizing the need for early detection to improve patient care. This study explores the use of machine learning (ML) techniques to develop a predictive model for heart disease. Feature selection was performed using statistical methods to identify the most relevant attributes. Four ML classifiers—K-Nearest Neighbors (KNN), XGBoost, Decision Tree, and Random Forest were evaluated. The Synthetic Minority Oversampling Technique (SMOTE) was applied to address class imbalance and improve model performance. The models were trained and tested using cross-validation techniques. Performance was measured based on accuracy and precision to ensure reliability. Comparative analysis was conducted to assess the effectiveness of different classifiers. The findings demonstrate the ability of ML models to assist in early diagnosis. This approach can support healthcare professionals in making informed decisions. The study highlights the importance of data-driven methods in Medicare search. Machine learning techniques can enhance disease prediction and risk assessment. The results indicate potential improvements in early intervention strategies.

I. INTRODUCTION

Heart disease, including conditions such as coronary artery disease, heart failure, and arrhythmias, is a leading cause of morbidity and mortality worldwide. Current models often provide general predictions but struggle to accurately categorize specific heart diseases. Accurate classification is essential for timely diagnosis and effective treatment. This research proposes a custom machine learning model to classify multiple heart disease categories with higher precision than existing models, enabling better diagnosis and more personalized treatment plans. Heart disease encompasses a wide range of cardiovascular conditions, including coronary artery disease (CAD), heart failure, arrhythmias, valvular heart disease, and cardiomyopathy, making it one of the leading causes of morbidity and mortality worldwide. According to the World Health Organization (WHO), cardiovascular diseases account for approximately 32% of global deaths, with a significant proportion attributed to heart-related conditions. Early diagnosis and accurate classification of heart disease are crucial for improving patient outcomes, reducing mortality rates, and enabling timely and effective treatment interventions.

II. BASIC CONCEPT

The overall idea behind the application of machine learning in heart disease prediction is to develop a system that can analyze patient data and accurately predict the likelihood of heart disease. By leveraging various machine learning algorithms, the system identifies critical patterns in patient data to differentiate between individuals with heart disease and those without.

A. Here is the Explanation:

1) Data Acquisition

The first step is to gather a comprehensive dataset containing clinical and diagnostic data related to heart disease. The dataset should be diverse, including information on multiple risk factors, demographic details, and medical history. The most commonly used dataset for this task is the UCI Heart Disease Dataset, which contains records with attributes such as:

- Age, Gender, and Smoking History
- Chest Pain Type (CP)
- Resting Blood Pressure (restbtps)
- Serum Cholesterol Level (chol)
- Fasting Blood Sugar (fbs)
- Resting Electrocardiographic Results (restecg)
- Maximum Heart Rate Achieved (thalach)
- Exercise-Induced Angina (exang)
- Oldpeak (ST Depression Induced by Exercise)

- Number of Major Vessels Colored by Fluoroscopy (ca)
- Thalassemia Indicator (thal)

2) Importance:

The quality, size, and diversity of the dataset determine the performance and generalizability of the model.

3) Data Preprocessing

To prepare the data for machine learning models, several preprocessing techniques are applied to improve data quality and make it suitable for analysis. The steps include:

- Handling Missing Values: Fill or drop missing data to ensure data integrity.
- Feature Encoding: Convert categorical variables into numerical formats using encoding techniques like One-Hot Encoding or Label Encoding.
- Data Normalization/Standardization: Scale numerical features to ensure that they contribute equally to model performance.
- Splitting Data: Split the dataset into training and testing sets, ensuring that the model learns from one part and evaluates on unseen data.

4) Feature Selection and Extraction

Feature selection plays a crucial role in the success of heart disease prediction models. The system extracts the most relevant features from the dataset that contribute to the classification of heart disease. Key features include:

- Age and Gender: Basic demographic information contributing to risk factors.
- Clinical Parameters: Blood pressure, cholesterol levels, and maximum heart rate.
- Techniques Used:
- Correlation Analysis: Identify highly correlated features to avoid redundancy.
- Feature Importance Techniques: Use Random Forest or XGBoost to rank feature importance.

5) Machine Learning Model Training

The extracted features are used to train multiple machine learning models to recognize patterns and relationships between the data and heart disease presence. The goal is to identify the most effective model for predicting heart disease accurately.

Popular Machine Learning Models for Heart Disease Prediction:

- K-Nearest Neighbors (KNN): Classifies data based on the similarity to the nearest neighbors.
 - Decision Tree (DT): Constructs decision paths to classify patients based on feature values.
 - Random Forest (RF): An ensemble technique that aggregates multiple decision trees for robust classification.
 - XGBoost (Extreme Gradient Boosting): Optimizes model performance by minimizing classification errors and handling #
- Example of Model Training

6) Model Evaluation and Performance Testing

After training, the models are tested on a new set of data that was not used during the training phase. This ensures that the model generalizes well to unseen data.

Evaluation Metrics:

- Accuracy: Measures the overall correctness of predictions.
- Precision: Identifies how many of the predicted positives are actually positive.
- Recall (Sensitivity): Determines how many actual positives were correctly predicted.
- F1-Score: Provides a balance between precision and recall, especially for imbalanced datasets.
- ROC-AUC Curve: Assesses the model's ability to distinguish between positive and negative cases.

7) Deployment of the Web Application

Once the model achieves a satisfactory performance level, it can be deployed as a web application for real-time predictions. The Streamlit framework is used to develop a user-friendly interface that allows users to enter patient data and receive predictions.

Deployment Process:

- Model Serialization: Save the trained model using pickle or joblib for future use.
- Web Interface: Design an interactive web application using Streamlit with input forms and result sections.
- Backend Integration: Connect the machine learning model with the web application to receive user inputs and generate predictions dynamically.

8) *System Working Process:*

The system becomes familiar with the "patterns" of heart disease through feature analysis. By comparing the input patient data with learned patterns, the model can determine the likelihood of heart disease.

III. LITERATURE REVIEW

Application of Machine Learning for Heart Disease Prediction

This section explores the application of various machine learning (ML) algorithms for predicting heart disease by analyzing key clinical parameters. Traditional machine learning models such as Decision Trees (DT), K-Nearest Neighbors (KNN), Random Forests (RF), and XGBoost have been extensively used to predict heart disease based on patient data, including age, cholesterol levels, blood pressure, heart rate, and other risk factors. The study highlights that machine learning models can accurately predict the likelihood of heart disease, enabling early diagnosis and preventive intervention, thereby reducing the risk of life-threatening complications. The findings emphasize the potential of automating diagnostic procedures to assist healthcare providers and improve patient outcomes.

1) *A Comprehensive Review of Machine Learning Models for Heart Disease Prediction*

This study examines the performance of various machine learning algorithms, including K-Nearest Neighbors (KNN), Random Forests (RF), Decision Trees (DT), and Support Vector Machines (SVM), in predicting heart disease. The models were trained on datasets comprising patient attributes such as age, cholesterol, resting blood pressure, and exercise-induced angina. The results demonstrated that Random Forest and SVM achieved higher accuracy compared to other models. The study concludes that ensemble methods enhance classification accuracy and improve prediction reliability in clinical settings.

2) *Enhancing Heart Disease Diagnosis with Feature Selection*

The study highlights that optimized models with relevant features show improved accuracy and precision, making them more reliable for early diagnosis and classification of heart disease.

3) *Application of XGBoost for Predictive Analysis in Heart Disease Diagnosis*

This study explores the use of XGBoost (Extreme Gradient Boosting) to develop a predictive model for heart disease diagnosis. XGBoost, known for its efficiency and accuracy in handling structured data, was applied to classify heart disease cases based on multiple clinical features. The results demonstrated that XGBoost outperformed traditional models such as KNN and Decision Tree, achieving superior accuracy and reduced overfitting. The study highlights the potential of gradient boosting techniques for enhancing the predictive power of heart disease models.

4) *Addressing Class Imbalance in Heart Disease Prediction Using SMOTE*

This research focuses on addressing the issue of class imbalance in heart disease datasets by applying the Synthetic Minority Oversampling Technique (SMOTE). Class imbalance, where positive cases (patients with heart disease) are significantly fewer than negative cases, can lead to biased predictions. The application of SMOTE effectively balanced the dataset by generating synthetic samples, improving the model's ability to correctly predict minority class outcomes. The study demonstrates that incorporating SMOTE enhances the sensitivity and recall of machine learning models, making them more effective in identifying heart disease.

5) *Comparative Analysis of Machine Learning Algorithms for Heart Disease Classification*

This study conducts a comparative analysis of machine learning classifiers to evaluate their effectiveness in heart disease classification. Models such as K-Nearest Neighbors (KNN), Decision Trees (DT), Random Forests (RF), and XGBoost were evaluated based on metrics such as accuracy, precision, recall, and F1-score.

The results highlighted that Random Forest and XGBoost consistently outperformed other models, offering higher accuracy and better generalization. The research emphasizes the importance of selecting appropriate classification algorithms to ensure reliable predictions in real-world clinical applications.

6) *Deep Learning for Heart Disease Prediction: A Convolutional Neural Network Approach*

This work explores the application of Convolutional Neural Networks (CNNs) for heart disease prediction by analyzing ECG images and other visual data. CNNs were trained to automatically extract important features and distinguish between normal and abnormal heart activity. The results demonstrated that CNN models achieved high accuracy, making them suitable for detecting patterns that are often missed by traditional models. The study highlights the potential of deep learning models to enhance diagnostic capabilities by incorporating medical imaging into predictive systems.

7) *Evaluation of Cross-Validation Techniques in Heart Disease Prediction*

This study evaluates the impact of different cross-validation techniques, such as k-fold cross-validation and stratified cross-validation, on the performance of heart disease prediction models. Cross-validation ensures that models are evaluated on multiple subsets of the data, preventing overfitting and improving model generalization. The study concludes that stratified k-fold cross-validation provides more reliable performance estimates, leading to more robust and dependable models for heart disease classification.

8) *Role of Ensemble Methods in Improving Heart Disease Prediction*

This research explores the impact of ensemble methods such as Bagging, Boosting, and Stacking in improving the accuracy and robustness of heart disease prediction models. By combining multiple base models, ensemble methods reduce variability and enhance prediction accuracy. The study demonstrates that stacked ensemble models combining Decision Trees, Random Forests, and XGBoost achieved the highest classification accuracy, highlighting the effectiveness of ensemble learning in complex medical datasets.

9) *Automated Diagnosis of Heart Disease Using Streamlit-Based Web Application*

This work highlights the development of a Streamlit-based web application that allows users to input their clinical data and receive real-time predictions for heart disease risk. The web application integrates the machine learning model with an intuitive interface, making it accessible to healthcare professionals and patients. The system provides detailed predictions and visualization of results, ensuring a user-friendly experience and facilitating early intervention and informed decision-making.

IV. EXISTING SYSTEM

The current methods used for diagnosing and predicting heart disease can be broadly classified into traditional clinical approaches and advanced machine learning-based techniques. The following is a breakdown of these approaches:

A. *Traditional Methods*

1) *Manual Diagnosis:*

Traditionally, heart disease diagnosis has relied on clinical evaluation and interpretation by medical professionals, which involves:

- **Electrocardiogram (ECG) Analysis:** Physicians analyze ECG readings to detect abnormalities in heart rhythms.
- **Blood Test Evaluation:** Identifying abnormal levels of cholesterol, blood sugar, and other biomarkers that indicate heart-related risks.
- **Echocardiography:** Using ultrasound to visualize the heart's structure and assess its function.
- **Stress Test:** Monitoring the heart's response to physical exertion to identify abnormalities.
- **Patient History & Physical Examination:** Evaluating lifestyle factors, genetic predisposition, and clinical history to assess heart disease risk.

2) *Risk Scoring Models:*

Healthcare practitioners often use statistical models such as Framingham Risk Score (FRS), SCORE (Systematic Coronary Risk Evaluation), and American College of Cardiology (ACC)/American Heart Association (AHA) Risk Calculator to estimate the likelihood of heart disease. However, these models are based on predefined parameters and may not account for complex interactions between multiple risk factors.

- 3) *Holter Monitoring:* Continuous monitoring of ECG signals using a Holter monitor detects arrhythmias or abnormal heart activity that may not be captured during routine tests.

B. Shortcomings of Conventional Methods

- 1) *Subjectivity and Human Error:* Manual interpretation of medical data is prone to subjectivity, leading to inconsistent results depending on the expertise of the clinician.
- 2) *Limited Feature Analysis:* Conventional risk models are often constrained to analyzing a limited number of features, ignoring complex interactions between clinical parameters.
- 3) *Time-Consuming and Labor-Intensive:* Manual data analysis and traditional diagnostic methods require significant time and effort, leading to delays in early intervention.
- 4) *Inconsistent Accuracy:* Traditional approaches may lack the accuracy required for identifying subtle patterns or predicting future cardiac events.
- 5) *Inability to Handle Large Datasets:* Traditional approaches struggle with large-scale patient data, limiting their effectiveness in identifying trends and patterns over time.


C. New Technological Solutions

- 1) *Machine Learning and Predictive Analytics:* Advanced machine learning (ML) algorithms have revolutionized heart disease prediction by learning from large datasets and identifying hidden patterns. The key steps include:
 - 2) *Data Collection and Preprocessing:* Gathering clinical data, ECG signals, and patient history followed by cleaning and normalization to prepare it for analysis.
 - *Feature Selection and Engineering:* Identifying the most relevant attributes, such as cholesterol levels, blood pressure, ECG patterns, and demographic information.
 - *Model Training and Classification:* Training machine learning models such as K-Nearest Neighbors (KNN), Decision Trees (DT), Random Forests (RF), and XGBoost to classify patients as having heart disease or not based on extracted features.
- 3) *Deep Learning for ECG Analysis:* Convolutional Neural Networks (CNNs) and other deep learning models are employed for automated feature extraction and classification from raw ECG images, enhancing diagnostic accuracy.
- 4) *Synthetic Minority Oversampling Technique (SMOTE):* To address class imbalance in datasets, SMOTE generates synthetic samples to ensure that models correctly identify both positive and negative cases, improving overall model performance.
- 5) *Cross-Validation Techniques:* Cross-validation ensures that models generalize well by testing them on different subsets of data, preventing overfitting and enhancing prediction reliability.

D. Benefits of Technological Methods

- 1) *Automation and Efficiency:* Machine learning models automate the diagnostic process, significantly reducing the time required for data analysis and prediction.
- 2) *High Accuracy and Consistency:* ML models can achieve higher accuracy and precision in detecting heart disease by analyzing complex patterns that traditional models often overlook.
- 3) *Early Detection and Preventive Care:* Advanced models enable early diagnosis, risk stratification, and timely intervention, thereby reducing the likelihood of severe cardiac events.
- 4) *Scalability and Adaptability:* Machine learning models can be easily updated to incorporate new clinical guidelines and evolving risk factors, making them adaptable for future developments in cardiology.
- 5) *Reduction of Human Error:* Automation minimizes subjective biases and inconsistencies, improving diagnostic precision and reducing false positives and false negatives.

V. PROPOSED SYSTEM ARCHITECTURE



(a) System Architecture

VI. MODULES AND THEIR FUNCTIONALITY

A. Data Collection and Preprocessing:

The process begins with acquiring clinical and demographic data from patients, including parameters data from patients, including parameters such as Age, Gender, Chest Pain Type, Blood Pressure, Serum Cholesterol Level, Fasting Blood Sugar, Maximum Heart Rate Achieved, Exercise Induced Angina, ST Depression Induced by Exercise, Number of Major Vessels Colored by Fluoroscopy. Data Preprocessing is an essential step in preparing raw data for machine learning. First, we handle missing values by either removing or filling them in. Next, outliers are identified and dealt with to prevent them from affecting the model. The data is then normalized or scaled to ensure that all features have the same range. We perform feature selection to eliminate unnecessary or redundant features. If there's class imbalance, we may balance the classes by oversampling or undersampling. The dataset is then split into training and testing set to assess model performance. Finally, The data is ready for use in training the machine learning model.

B. Model Training and Evaluation:

In this stage, the preprocessed data is used to train multiple machine learning models, including, K-Nearest Neighbors, Decision Tree, Random Forest, XGBoost. The models learn to recognize patterns and relationships in the data to distinguish between patients with and without heart disease. Cross validation techniques are applied to ensure that the models generalize well to unseen data, minimizing the risk of overfitting or underfitting.

C. Web Application for Real-Time Prediction Hand:

The trained model is integrated into a Streamlit-powered web application, allowing users to enter patient data and receive predictions in real-time.

The web interface ensures that predictions are accessible to healthcare professionals and patients, enabling easy interpretation of results.

D. Prediction and Classification of Heart Disease:

The trained model analyze new patient data due to classify individuals as:

0: "No Heart Disease", 1: "Mild Heart Disease", 2: "Moderate Heart Disease", 3: "High Heart Disease", 4: "Very High Heart Disease".

VII. ADVANTAGES OF PROPOSED SYSTEM

The proposed machine learning-based system for heart disease prediction offers numerous advantages over conventional diagnostic methods and traditional statistical models. These benefits ensure improved accuracy, efficiency, and scalability in predicting and classifying heart disease severity levels.

1) Enhanced Accuracy and Objectivity

Machine learning models, such as K-Nearest Neighbors (KNN), Decision Tree (DT), Random Forest (RF), and XGBoost, significantly outperform traditional diagnostic models by learning complex patterns and relationships from data.

- These models reduce subjectivity and human error by relying on objective data-driven predictions.
- Advanced models can detect subtle correlations between features that manual analysis may overlook, improving overall prediction accuracy.

2) Early Detection and Timely Intervention

The system facilitates early diagnosis by identifying high-risk individuals before the onset of severe symptoms.

- Early prediction of heart disease allows healthcare providers to take preventive measures and implement timely interventions, reducing the risk of fatal outcomes.
- Timely detection can improve patient prognosis and reduce long-term healthcare costs.

3) Automated and Faster Processing

The system automates the process of analyzing large datasets, providing results much faster than manual evaluations.

- Machine learning algorithms process vast amounts of data quickly and efficiently, making it feasible to handle large-scale datasets from healthcare institutions.
- Automated analysis reduces the burden on healthcare professionals, enabling them to focus on critical cases.

4) Multiclass Classification for Precise Diagnosis

Unlike traditional binary classification models, the proposed system offers multiclass classification to predict different levels of heart disease severity:

- 0: "No Heart Disease"
- 1: "Mild Heart Disease"
- 2: "Moderate Heart Disease"
- 3: "High Heart Disease"
- 4: "Very High Heart Disease"

This granularity allows for more precise diagnosis and personalized treatment recommendations.

5) Handling Class Imbalance with SMOTE

By applying the Synthetic Minority Oversampling Technique (SMOTE), the system addresses class imbalance in the dataset.

- This ensures that the model does not favor majority classes, improving prediction performance for minority (high-risk) groups.
- Balanced data distribution enhances model robustness and reduces bias.

6) Consistent and Reliable Performance

Unlike human analysis, which may vary depending on expertise, fatigue, or subjective factors, the system provides consistent results across different scenarios.

- Machine learning models ensure reliable performance by consistently applying learned patterns to new data.
- This reduces variability in diagnosis and minimizes the risk of misclassification.

7) Scalability and Flexibility

The system can easily scale to analyze large datasets from multiple healthcare institutions.

- As more patient data becomes available, the model can be retrained to incorporate new patterns and evolving risk factors.
- The system can be seamlessly integrated into healthcare information systems (HIS) and electronic health records (EHR), making it adaptable to various clinical settings.

8) Reduction in Manual Effort and Cost

By automating the prediction and classification process, the system minimizes the need for manual effort and clinical supervision.

- Reduced workload for healthcare professionals allows them to allocate more time to patient care.
- Long-term cost-effectiveness is achieved by reducing diagnostic errors, minimizing hospitalization, and preventing complications.

9) Real-Time Prediction and Decision Support

The integration of the model with a Streamlit-based web application allows for real-time prediction based on user-provided data.

- Healthcare professionals can obtain predictions instantly, enhancing decision-making and enabling personalized patient care.
- The user-friendly web interface ensures accessibility and ease of use for non-technical users.

10) Adaptability to Evolving Healthcare Needs

The system can be continuously refined and updated with new data and evolving medical knowledge.

- As new risk factors and diagnostic parameters emerge, the machine learning models can be retrained to maintain high accuracy.
- This adaptability ensures that the system remains relevant and effective over time.

11) Robust Feature Selection and Model Fine-Tuning

Feature selection techniques ensure that only the most relevant attributes (such as age, cholesterol, and blood pressure) are used in the model.

- Fine-tuning the models using hyperparameter optimization improves prediction accuracy and reduces errors.
- The system dynamically adapts to new clinical datasets, maintaining optimal performance.

12) Reduced Risk of False Positives and False Negatives

Cross-validation and model evaluation ensure that the system minimizes false positive and false negative rates.

- False positives lead to unnecessary treatments and anxiety, while false negatives can result in missed diagnoses.
- Rigorous model testing ensures that the system maintains an optimal balance between sensitivity and specificity.

13) Improved Patient Outcomes and Quality of Care

By enabling accurate and timely diagnosis, the system significantly contributes to improved patient outcomes.

- Early detection and appropriate intervention reduce the risk of cardiac events and enhance overall survival rates.
- Improved accuracy in classification leads to better treatment decisions, ultimately enhancing the quality of care.

14) Integration with Existing Healthcare Systems


The system can be seamlessly integrated with existing healthcare infrastructure, including electronic medical record (EMR) systems.

- This facilitates streamlined workflows and enhances overall healthcare delivery by providing physicians with data-driven insights.

VIII. RESULT

- 1) The real-time heart disease prediction system, developed using machine learning models such as K-Nearest Neighbors, Random Forest, Decision Tree, and XGBoost, demonstrates a high level of accuracy in predicting the presence of heart disease.

- 2) The system effectively analyzes clinical and diagnostic data to generate reliable predictions, supporting timely medical intervention.
- 3) The heart disease prediction system achieves high accuracy, real-time prediction, data reliability, and seamless user interaction through advanced machine learning techniques. The web application using Streamlit.



```

(base) C:\Users\User>cd C:\Users\User\OneDrive\Desktop\real time heart disease prediction\real time heart disease prediction M3
(base) C:\Users\User\OneDrive\Desktop\real time heart disease prediction\real time heart disease prediction M3>streamlit run appl.py
  
```

Fig.1.command activation



Fig.2.web user interface (streamlit app)

IX. CONCLUSION

The custom machine learning model for multiclass heart disease classification offers significant improvements over existing models. It accurately classifies heart disease categories with an accuracy, surpassing K-Nearest Neighbors, Decision Tree, and Random Forest. By incorporating data preprocessing, feature selection, and model fine-tuning, this system ensures reliable and precise predictions. It has the potential to revolutionize healthcare by enabling early detection and timely intervention for heart diseases.

Data preprocessing techniques, including handling missing values, normalization, and class balancing using SMOTE, have ensured that the input data is clean, consistent, and well-structured. Feature selection further optimized the performance by identifying the most relevant attributes, minimizing noise, and focusing on features that have higher correlation with heart disease outcomes. The system's scalability and adaptability ensure that it can easily be integrated with electrocardiogram (ECG) which can help diagnose heart conditions like arrhythmias, heart attacks, and coronary artery narrowing, this opens the door for continuous monitoring of high-risk patients and timely alerts for healthcare providers, paving the way for preventive care and long-term patient management.

REFERENCES

- [1] F.A.Latifah, I. Slamet and Sugiyanto, "Comparison of heart disease classification with logistic regression algorithm and random forest algorithm," AIP Conference Proceedings 2296, 0200021 (2020), Nov. 2020, Volume 2296, Issuw 1, doi: 10.1063/5.0030579.
- [2] M. G. El-Shafiey, A. Hagag, E. -S. A. El-Dahshan, and M. A. Ismail, "Heart-Disease Prediction Method Using Random Forest and Genetic Algorithms," in 2021 International Conference on Electronic Engineering (ICEEM), Jul. 2021, pp. 1–6. doi: 10.1109/ICEEM52022.2021.9480625.
- [3] L. KN, N. R, N. K, R. Kumari, S. N, and V. K, "Heart Disease Detection using Machine Learning Technique," in 2021 Second International Conference on Electronics and Sustainable Communication Systems (ICESC), Aug. 2021, pp. 1738–1743. doi: 10.1109/ICESC51422.2021.9532705.
- [4] K. Battula, R. Durgadinesh, K. Suryapratap, and G. Vinaykumar, "Use of Machine Learning Techniques in the Prediction of Heart Disease," in 2021 International Conference on Electrical, Computer, Communications and Mechatronics Engineering (ICECCME), Oct. 2021, pp. 1–5. doi: 10.1109/ICECCME52200.2021.9591026.
- [5] S. Kusuma and K. R. Jothi, "Cardiovascular Disease Prediction and Comparative Analysis of Varied Classifier Techniques," in 2021 2nd Global Conference for Advancement in Technology (GCAT), Oct. 2021, pp. 1–7. doi: 10.1109/GCAT52182.2021.9587734.
- [6] A. Sharma, R. Kumar, and V. Jaiswal, "Classification of Heart Disease from MRI Images Using Convolutional Neural Network," in 2021 6th International Conference on Signal Processing, Computing and Control (ISPCC), Oct. 2021, pp. 358–363. doi: 10.1109/ISPCC53510.2021.9609408.
- [7] M. Fradi, L. Khriji, and M. Machhout, "Real-time arrhythmia heart disease detection system using CNN architecture based various optimizers-networks," *Multimed. Tools Appl.*, vol. 81, no. 29, pp. 41711–41732, Dec. 2022, doi: 10.1007/s11042-021-11268-2.
- [8] Y. Zhang, L. Diao, and L. Ma, "Logistic Regression Models in Predicting Heart Disease," *J. Phys. Conf. Ser.*, vol. 1769, no. 1, p. 012024, Jan. 2021, doi: 10.1088/1742-6596/1769/1/012024.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)