



# IJRASET

International Journal For Research in  
Applied Science and Engineering Technology



---

# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume:** 10    **Issue:** V    **Month of publication:** May 2022

**DOI:** <https://doi.org/10.22214/ijraset.2022.42738>

[www.ijraset.com](http://www.ijraset.com)

Call:  08813907089

E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)

# A Review on Leaf Disease Detection Using Different Approaches

Ravi P<sup>1</sup>, Harsha MP<sup>2</sup>, Khush Jain<sup>3</sup>, Kota Srikruthik<sup>4</sup>, MV Shreyas<sup>5</sup>

<sup>1, 2, 3, 4, 5</sup>Vidyavardhaka College of Engineering

**Abstract:** India is among the nation where a large portion of individuals rely upon agriculture. The recognizable proof of pomegranates organic product illness is a test that can be made simple by utilizing picture handling for distinguishing infections of natural product. Disease detection in leaves plays a very important role in the field of agriculture. In this literature review, we are comparing various methodologies used to detect the disease in leaves.

## I. INTRODUCTION

India is among the nation where a large portion of individuals rely upon agriculture. What's more the significant region which concludes economy of the country is farming. The farming yield's quality and creation amount is impacted by environmental boundaries like temperature, downpour and other environment related boundaries, which are wild of individuals. One more main consideration which influences usefulness of the yield is the infection, in this component we can have control to work on the efficiency for quality just as for amount of yield.

The recognizable proof of sickness in plants, it plays a crucial role in the field of farming. Programmed plant sickness distinguishing proof is valuable to group plant infections and characterize a sort of illness.

There are a few normal plant infections like brown or yellow spots, contagious, viral, and bacterial illnesses at initial and later stage. Specialists will recognize a plant disease by checking out the contaminated areas, the difference in leaf tone, or different pieces of the plants, for example, trunk of a tree and other parts of a tree. There are different procedures arisen to recognize the plant infection, for example, thresholding, locale developing, bunching, watershed, and so forth to distinguish plant infection the picture should go through pre-handling, division, highlight extraction and arrangement processes. Pre-handling is an image information improvement cycle that smoothes undesirable bends or improves some picture highlights that are important for additional handling. The division cycle is to segment a picture into significant districts and it is fundamental interaction through which picture highlights are extricated. There are different elements of a picture like dark level, shading, surface, shape, profundity, movement, and so forth order process is utilized to characterize the given information into number of classes and gatherings. It arranges the information dependent on chose highlights. The framework utilizes k-means grouping picture based division for leaves and organic product evaluating is determined. We present a framework that identifies and orders distinct pomegranate infections using k-means bunching division from the image information base, as perfect sickness recognition is essential for preventing those illnesses.




Fig 1 : Working of leaf disease detection system

The figure 1 shows the working of the leaf disease detection model. The image dataset is fed to the pre-processing unit, in this unit the image is resized to the standard format and image enhancement is done, once the image is pre-processed the image is fed to the training model this model passes the dataset to the classification model, then it is trained and the trained model is saved. Once the model is trained we can now test our images to know the type of leaf disease with prescriptions .

## II. LITERATURE REVIEW

MangenaVenuMadhavan et al.[1] have proposed structure which uses picture handling strategies like picture obtaining, picture resizing, picture improvement, picture division, Region Of Interest (ROI) extraction, and element extraction. The techniques utilized in the execution of leaf illness identification for pomegranate utilizing leaf pictures are K-Means algorithm and multi-class Support Vector Machine algorithm, and picture handling procedures like picture upgrade and division. This structure can achieve an accuracy of 98.07%. Amar Kumar Dey et al.[2] This paper research uses an image processing technique to detect leaf rot disease in betel vines (*Piper betel* L.). The proposed plan will be useful in the conclusion of leaf illness. A leaf infection severity scale can be ready by working out the all out leaf area and tracking down the rate unhealthy region. Sharath D M et al.[3] This framework gives level of contamination and additionally gives careful steps. Pictures caught utilizing portable camera are pre-handled, trailed by division, extraction of elements and grouping of sicknesses. It uses Gaussian Mixture Model, Gaussian Filter. The accuracy of disease detection was estimated to be 85 percent. Sanjeev S. Sannakkiet et al.[4] The procedure starts with catching of tests of solid and ailing leaf pictures of Pomegranate plant. Every one of the pictures are made to go through pre-handling steps and various elements are separated and put away in the data set. The system enclose various image-processing techniques and Fuzzy Logic.

Daneshwari A Noola. [5] This accomplished by utilizing image processing technology, where elements removed from the pictures and further utilized with order calculations to make ID. The proposed framework executed by considering organic product includes that can be removed utilizing fluffy C mean and K means draws near. These methodologies have been utilized for the ID of natural product illness types. The illnesses that are impacted on pomegranate organic product have been recognized utilizing KNN, PNN and SVM classifiers. Sachin D. Khiradeet et al.[6] This paper describes the various method for identifying plant diseases using pictures of their leaves. This research also explores various division and component extraction calculations that are used in plant infection detection.. The usage of ANN strategies for gathering of sickness in plants, for instance, self getting sorted out feature map, back spread computation, Support Vector Machines, etc can be effectively used.

Manisha Bhanget al.[7] The main objective of this research is to discover bacterial scourge on pomegranate natural product. Here the framework accept input as picture of natural product also recognize it as tainted or non-contaminated. The plan search method which assists the ranchers with recognizing sickness appropriately by prescribing important pictures to inquiry picture from data set. Khot.S.T et al.[8] The point of this paper is to discover infections on pomegranate organic product. This framework accept input as picture of pomegranate products of the soil the unhealthy or non-ailing natural product. In the event that unhealthy organic product, which sort of infection on it. The proposed framework, comprise of picture pre-handling, division, extraction of element and grouping. In picture pre-handling, pictures are resized. Tejal Deshpande et al.[9] The proposed framework is additionally an effective module that recognizes the Bacterial Blight infection on pomegranate plant. Right away, the caught pictures are handled for improvement. Then, at that point, picture division is done to get target locales (sickness spots) on the leaves and organic products. The principle thought process of this paper is to work on the effectiveness what's more usefulness through a strong framework which can defeat the weaknesses of the manual cycle.

Dr. S Senthil et al.[10] The undertaking configuration introduced by this paper is from same dangerous region. In our undertaking plan we created frameworks which characterize infections influencing pomegranates utilizing K-implies bunching and SVM strategies and directing calculation. This paper is significant for distinguishing the Bacterial scourge and *Cercospora* regular item spot sicknesses on pomegranate verdant food varieties investigating the natural item dependent upon their undesirable part. Shivaputra S. Panchal et al.[11] The objective of this study is to provide an overview of image processing techniques used to detect plant diseases. K-means clustering is utilized for division and arrangement is finished by the help vector machine. The factual boundaries are utilized as highlights for characterization. The work can be utilized to recognize the state of the pomegranate leaf and the work can likewise be reached out for the distinguishing proof of the infected leaf or then again sound leaf of the pomegranate plant. Furthermore it can group the various sicknesses.

M T Vasumathiet al.[12] This project involves CNN as in past explores however the LSTM model is joined with CNN to arrange organic products which is extensively working on the exactness of grouping. The fundamental benefit of involving LSTM for order is that it utilizes a few boundaries, for example, learning rate, input inclination, yield predisposition which limits the intricacy of weight update. The accuracy of fruit classification was observed to be 98.17%. C. Senthilkumar et al.[13]

Paper basically centers around the exploration situated strategies which distinguishes the leaf infections to the soonest and picture handling strategies have been proposed by the creators which upgrades the harvest yield in this way in halting different bacterial, infection, contagious and nematodes. Synopsis of different papers have been drawn, which gives us clear thought on the best way to improve different boundaries which thusly assists us with halting the infections. MrunmayeeDhakateet al.[14] the work proposes a image processing and neural network to manage the primary issues of phytopathology for example infection discovery and classification. The surface highlights are removed utilizing GLCM strategy, and given to the fake neural network. The overall accuracy of this model is 90%. Pooja Kantaleet al.[15] This paper gives the clarification of framework survey and takes benefit of AI calculations in this assessment. It additionally addresses how the dataset was made, pre-handled, in the wake of preprocessing of pictures that pictures get prepared and tried. For pomegranate sickness recognition and classification, this demonstrates the usefulness of multiple characteristics including the Extreme Gradient Boosting Algorithm. Using the Ada-boost technique, 92.9 percent accuracy was attained. VenuMadhavanManganaet al.[16] . This article centers around planning a system that can perceive and group infections on pomegranate plants precisely. The system uses image handling strategies like image obtaining, image enhancement, image division, including image resizing, Region Of Interest (ROI) extraction and component extraction. The proposed system is created dependent on MATLAB with a graphical UI. According to the test findings, this framework can group sick and solid leaves with a precision of 98.39 percent. Shima Ramesh et al.[17] This proposed paper consolidates various periods of execution to be explicit dataset creation, feature extraction, setting up the classifier and course of action. The made datasets of debilitated and sound leaves are everything viewed as ready under Arbitrary Forest to orchestrate the undesirable and strong pictures. For extricating highlights of a picture they have utilized Histogram of an Oriented Gradient (HOG).

Sona Pawara et al.[18] The framework utilizes various boundaries along with temperature, moistness and utilizes gsm module for remote computerized correspondence. In this work they presented the structure for area of pomegranate plant disease and sending cautions to ranchers and experts using IoT Technology. The whole methodology of fostering the model for plant infection acknowledgment utilizing profound CNN. Srdjan Sladojevic et al.[19] This paper for the most part centers around methodology of fostering the model for plant infection acknowledgment utilizing profound CNN. Another method of using a profound learning strategy to describe and distinguish plant diseases from leaf images was studied. This created model had the option to recognize leaf presence and recognize sound leaves and 13 distinct infections. A general precision of 96.3% was accomplished. X.E. Pantaziet al.[20] This paper displays an electronic technique for yield sickness unmistakable verification on various leaf test pictures contrasting with different classification utilizes Local Binary Patterns (LBPs) for incorporate extraction and One Class Classification for course of action. The proposed framework includes a serious One Class Classifier for each plant clinical issue including, strong, downy shape, fine development and dull rot. A complete achievement pace of 95% is accomplished.

### III. CONCLUSION

In this literature review paper gives the executed outcomes on numerous sicknesses characterization procedures which we can make use for plant leaf malady contamination identification and a calculation for picture division strategy to make use of automatic recognition just as arrangement of plant leaf illnesses has been portrayed later. Banana, beans, jackfruit, lemon, mango, potato, tomato, and pomegranate are the portion of the animal categories which were noticed. In this manner, For these plants, corresponding strains were taken for distinguishing proof. The optimal outputs were obtained with a minimum of computational effort, demonstrating the usefulness of the suggested calculation in recognizing and characterization of leaf diseases. One more benefit of employing. The plant is being used in manner so that the sicknesses can be distinguished at a genesis phase or the primary phase.

### REFERENCES

- [1] Mangena, VenuThanh, Dang & Khamparia, Aditya & Pande, Sagar & Malik, Rahul & Gupta, Deepak. (2021). Recognition and Classification of Pomegranate Leaves Diseases by Image Processing and Machine Learning Techniques. Computers, Materials and Continua. 66. 2939–2955. 10.32604/cmc.2021.012466.
- [2] Dey, Amar Kumar; Sharma, Manisha; Meshram, M.R. (2016). Image Processing Based Leaf Rot Disease, Detection of Betel Vine (Piper BetleL.). Procedia Computer Science, 85(), 748–754. doi:10.1016/j.procs.2016.05.262
- [3] Sharath D M; Akhilesh; Rohan M G; S Arun Kumar (2020). Disease Detection in Pomegranate using Image Processing. IEEE Xplore Part Number: CFP20J32-ART; ISBN: 978-1-7281-5518-0
- [4] Sannakki, Sanjeev S.; Rajpurohit, Vijay S.; Nargund, V. B.; Arunkumar, R. (2013). Disease Identification and Grading of Pomegranate Leaves Using Image Processing and Fuzzy Logic. International Journal of Food Engineering, 9(4), -. doi:10.1515/ijfe-2012-0241
- [5] Noola, P. D. (2018). Disease Identification of Pomegranate Fruit using Image Processing. Asian Journal For Convergence In Technology (AJCT) ISSN -2350-1146, 4(3).

- [6] Khirade, Sachin D.; Patil, A.B. (2015). [IEEE 2015 International Conference on Computing Communication Control and automation (ICCUBEA) - Pune, India (2015.2.26-2015.2.27)] 2015 International Conference on Computing Communication Control and Automation - Plant Disease Detection Using Image Processing. , ( ), 768–771. doi:10.1109/iccubea.2015.153
- [7] Bhangre, Manisha; Hingoliwala, H.A. (2015). Smart Farming: Pomegranate Disease Detection Using Image Processing. *Procedia Computer Science*, 58(), 280–288. doi:10.1016/j.procs.2015.08.022
- [8] Khot.S.T ;PatilSupriya ; Mule Gitanjali; LabadeVidya (2016). Pomegranate Disease Detection Using Image Processing Techniques . DOI:10.15662/IJAREEIE.2016.0504008
- [9] Tejal Deshpande; SharmilaSengupta; K.S.Raghuvanshi. Grading & Identification of Disease in Pomegranate Leaf and Fruit . *International Journal of Computer Science and Information Technologies*, Vol. 5 (3) (2014), 4638-4645
- [10] Dr. S Senthil ;Lokesh C K; D Sai Yashwanth. An Approach of Image Processing for the Detection of Cercospora fruit spot and Bacterial Blight disease on Pomegranate. *Int. Jnl. of Advanced Networking & Applications (IJANA) Special Issue, Volume 10, Issue 5(2019)*
- [11] ShivaputraS.Panchal ;Rutuja Sonar(2016). Pomegranate Leaf Disease Detection Using Support Vector Machine. *International Journal Of Engineering And Computer Science* ISSN: 2319-7242. DOI: 10.18535/ijecs/v5i6.15
- [12] Vasumathi MT, Kamarasan M (2021) An Effective Pomegranate Fruit Classification Based On CNN-LSTM Deep Learning Models. *Indian Journal of Science and Technology* 14(16): 1310-1319. [https://doi.org/ 10.17485/IJST/v14i16.432](https://doi.org/10.17485/IJST/v14i16.432)
- [13] C. Senthilkumar; M.Kamarasan(2018).A survey on leaf disease detection using image processing techniques. *JETIR* July 2018, Volume 5, Issue 7(ISSN-2349-5162)
- [14] MrunmayeeDhakate; Ingole A. B.(2015). Diagnosis of Pomegranate Plant Diseases using Neural Network. 978-1-4673-8564-0/15/\$31.00 ©2015 IEEE
- [15] Pooja Kantale; ShubhadaThakare(2020). Pomegranate Disease Classification using Ada-Boost Ensemble Algorithm. *International Journal of Engineering Research & Technology (IJERT)* ISSN: 2278-0181 IJERTV9IS090216 Vol. 9 Issue 09, September-2020.
- [16] M. V. Madhavan, D. N. H. Thanh, A. Khamparia, S. Pande, R. Malik et al., Recognition and classification of pomegranate leaves diseases by image processing and machine learning techniques," *Computers, Materials & Continua*, vol. 66, no.3, pp. 2939–2955, 2021.
- [17] S. Ramesh *et al.*, Plant Disease Detection Using Machine Learning, *2018 International Conference on Design Innovations for 3Cs Compute Communicate Control (ICDI3C)*, 2018, pp. 41-45, doi: 10.1109/ICDI3C.2018.00017.
- [18] S. Pawara, D. Nawale, K. Patil and R. Mahajan, Early Detection of Pomegranate Disease Using Machine Learning and Internet of Things, *2018 3rd International Conference for Convergence in Technology (I2CT)*, 2018, pp. 1-4, doi: 10.1109/I2CT.2018.8529583.
- [19] Sladojevic, Srdjan&Arsenovic, Marko &Anderla, Andras&Stefanović, Darko. (2016). Deep Neural Networks Based Recognition of Plant Diseases by Leaf Image Classification. *Computational Intelligence and Neuroscience*. 2016. 1-11. 10.1155/2016/3289801.
- [20] X. E. Pantazi, D. Moshou and A. A. Tamouridou, Automated leaf disease detection in different crop species through image features analysis and one-class classifiers, *Computers and Electronics in Agriculture*, vol. 156, no. 5, pp. 96–104, 2018.



10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)