iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 11 **Issue:** VI **Month of publication:** June 2023

DOI: https://doi.org/10.22214/ijraset.2023.54444

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 11 Issue VI Jun 2023- Available at www.ijraset.com

Role of Passive Design Techniques for a Comfortable Indoor Environment: Comparison between Tradition & Modern Architecture in Hot Climate

Ar. Ekta Verma[1], Prof. Satyam Srivastava [2]
[1]*Student, M.Arch, School of Architecture & Planning, BBD University, Lucknow*
[2]*Professor, School of Architecture & Planning, BBD University, Lucknow*

Abstract: ***This research aims to investigate the role of passive design techniques in creating a comfortable indoor environment in hot climates. It specifically focuses on comparing traditional and modern architectural approaches and their effectiveness in providing thermal comfort, energy efficiency, and sustainability. The study will explore the design principles, strategies, and technologies employed in both traditional and modern architecture to mitigate the impact of hot climates on indoor comfort. By analyzing various case studies and evaluating their performance, this research will provide insights into the strengths and weaknesses of each architectural style and offer recommendations for designing sustainable and comfortable indoor spaces in hot climate regions.***

Keywords: ***Traditional architecture, Building envelop, Orientation, Courtyards, Evaporation cooling, Air tunnels, Air flows, Thermal comfort Energy efficiency, and Jharokhas (balconies), chhatris (dome-like structures), and Chajjas (overhanging eaves)***

I. INTRODUCTION

Hot climate regions present unique challenges in creating comfortable indoor environments due to high temperatures and intense solar radiation. In such areas, it is crucial to employ effective design strategies that can minimize heat gain, maximize natural ventilation, and provide thermal comfort without relying heavily on mechanical cooling systems. This research focuses on the role of passive design techniques in achieving a comfortable indoor environment in hot climates, specifically comparing traditional and modern architectural approaches. By implementing passive solar design principles, it is possible to achieve energy savings of approximately 1-5% without incurring any additional costs. This can be accomplished through various design considerations, such as optimizing building orientation, shape, layout, size, aspect ratio, and incorporating features that enhance natural daylight and ventilation.

A. Background and Significance

Rapid urbanization, population growth, and climate change have increased the demand for energy in the built environment, particularly in hot climate regions. Traditional architectural practices in these areas have historically incorporated passive design strategies to respond to the harsh climate conditions. These techniques harness the natural elements, such as sun, wind, and shade, to create comfortable and sustainable indoor spaces. However, with the advent of modern architecture and the widespread adoption of mechanical cooling systems, there has been a shift towards energy-intensive solutions that may not always be environmentally friendly or economically viable. This research aims to evaluate the effectiveness of both traditional and modern architectural approaches in hot climates, highlighting the benefits of passive design techniques for achieving thermal comfort and energy efficiency.

B. Objectives of the Research

The main objectives of this research are:

1) To explore and compare the design principles, strategies, and technologies used in traditional and modern architecture for mitigating the impact of hot climates on indoor comfort.

©IJRASET: All Rights are Reserved

2) To analyze case studies of traditional architecture in hot climate regions, assessing their performance in terms of thermal comfort, energy efficiency, and sustainability.
3) To examine case studies of modern architecture in hot climate regions, evaluating the effectiveness of passive design techniques in creating comfortable indoor environments.
4) To identify the strengths and weaknesses of both traditional and modern architectural approaches in hot climates.
5) To provide recommendations for designing sustainable and comfortable indoor spaces in hot climate regions, based on the comparative analysis of traditional and modern architecture.

C. *Scope and limitation*

1) This study covers all types of hospitality/ wellness buildings in hot and dry climates and the study will be based solely on daylighting and passive cooling strategies.
2) Few cities (Jodhpur, Jaisalmer, Jaipur, Udaipur) of Rajasthan, will be used for the study.

II. LITERATURE REVIEW

A. *Passive Design Techniques for a Comfortable Indoor Environment*

Passive design techniques refer to architectural strategies that utilize natural elements and principles to create comfortable indoor environments without relying heavily on mechanical systems. These techniques include shading, natural ventilation, thermal insulation, and thermal mass. They aim to reduce heat gain, enhance airflow, and maintain thermal comfort in hot climate regions.

B. *Traditional Architecture in Hot Climates*

Traditional architecture in hot climates has evolved over centuries, incorporating passive design strategies that respond to the local climate conditions.

For example, in arid regions, courtyard houses with thick walls, small windows, and central open spaces provide shade, natural ventilation, and privacy.

Wind towers in traditional Middle Eastern architecture harness natural ventilation to cool indoor spaces. Other examples include the use of courtyards, narrow streets, and high thermal mass materials to mitigate the effects of heat.

C. *Modern Architecture in Hot Climates*

Modern architecture in hot climates often leans towards air-conditioning as a primary solution for thermal comfort. However, there is a growing recognition of the importance of passive design techniques in contemporary practices. Modern architects are incorporating principles such as orientation, shading devices, efficient insulation, and natural ventilation into their designs. Advanced technologies, such as solar shading systems and energy-efficient glazing, are also being utilized to optimize energy performance and reduce reliance on mechanical cooling.

D. *Comparative Analysis of Traditional and Modern Approaches*

Several studies have compared the performance of traditional and modern architectural approaches in hot climates. Research suggests that traditional architecture, with its emphasis on passive design strategies, demonstrates better thermal comfort and energy efficiency in hot climates compared to modern designs heavily reliant on mechanical systems. Traditional buildings show higher thermal inertia, improved natural ventilation, and effective shading techniques, which contribute to more sustainable and comfortable indoor environments.

Overall, the literature indicates the significance of passive design techniques in achieving a comfortable indoor environment in hot climates.

Traditional architecture has successfully employed these strategies for centuries, while modern architecture is gradually recognizing their importance.

Further research is necessary to conduct in-depth comparisons between the two approaches and explore innovative ways to integrate passive design techniques into contemporary architectural practice for sustainable and comfortable indoor environments in hot climate regions.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

Brief description of passive cooling concepts has been tabulated in Table 1 and 2.

No.	Passive cooling techniques	Results	References
1.	Indirect gain	The utilization of indirect gain techniques can lead to a potential reduction of 25% in heating load.	
2.	Evaporative cooling	• It is possible to achieve a reduction of approximately 9.6 °C in temperature according to Amer (2006). • The inclusion of a fountain in hot arid regions has been found to maintain indoor temperatures within the comfortable range of 20 °C. • In hot humid climates, a room temperature drop of 2-6.2 ˚C can be achieved. • Implementing a water retaining material, such as a porous roof, can lower surface temperatures by 4-6 °C. • Indirect evaporative cooling has the potential to decrease the mean daily temperature by 1 ˚C in areas with a daily mean temperature ranging from 26.5 °C to 27.6 °C. Additionally, it can alleviate thermal discomfort caused by heat for approximately 95-100% of the year. • According to a study in 2012, indirect evaporative cooling may reduce HVAC energy demand by 20% over the next 20 years.	• (Amer, 2006) (Chen, et al., 2015) (Cruz & Krüger, 2015) (Zhiyin, et al., 2012)
3.	Natural ventilation	Energy savings exceeding 30% can be attained through effective implementation of energy-efficient measures. During winters, the recommended air movement speed is 0.2 m/s, while in summers, it is advised to maintain a speed of 0.4 m/s. For living rooms and dining areas, it is recommended to maintain a mean window-to-wall ratio of 0.34, whereas for bedrooms in high-rise buildings, the suggested ratio is 0.27 (Wan & Yik, 2004). It is essential for artificial mechanical airflow systems to avoid interfering with natural ventilation to ensure optimal performance (Pfafferott, et al., 2004). Comfortable indoor thermal conditions can be achieved by maintaining an air movement speed of 2-3 m/s	• (Gupta & Tiwari, 2017).
4.	Natural Daylight	The ratios of windows to walls and windows to the ground (ranging from 0.33 to 0.58) significantly impact the efficiency of natural ventilation and daylighting. By adjusting the size of windows, an additional 10% in energy savings can be attained. However, the use of skylights may result in a decrease in energy savings by 77%.	(Zain-Ahmed, et al., 2002).
5.	Wind tower	It is possible to achieve a decrease in indoor temperature of approximately 12-15 °C. By employing a wetted surface design in hot dry regions, a reduction of up to 17.6 ˚C in room air temperature can be achieved. Introducing the concept of evaporative cooling with 10 m high wet columns can lead to a decrease in indoor temperature by 12 ˚C and a drop in relative humidity by 22% in hot arid areas. In windy areas, the installation of wind towers that align themselves	(Benhammou, et al., 2015).

		with the predominant wind direction has been introduced. Additionally, transparent construction materials can be used to increase the entry of natural light.	
6.	Solar shading techniques	Proper implementation of shading techniques can lead to a reduction of approximately 9% in energy demand for south-exposing facades. The inclusion of additional insulation can result in a decrease in indoor temperature ranging from 4.4 to 6.8 °C (Bansal, et al., 1994). By incorporating a roof cover made from locally available materials such as hay, inverted earthen pots, plants, insulation, or terracotta tiles, the indoor temperature can be effectively reduced. This is especially significant since the roof has the highest exposed area for solar heat gain.	(Grynning, et al., 2014) (Kumar, et al., 2003) (Kamal, 2012)
7.	Landscaping	The presence of trees can contribute to a reduction in surrounding temperature by approximately 2-5 °C, thanks to their shading effect and evapotranspiration. For optimal shading, deciduous trees are recommended to be planted on the south and southwest sides of buildings, while evergreen trees should be placed towards the south and west sides. According to a study by Ca et al. (1998), the existence of a park can lead to a decrease in indoor temperature by 2 °C.	(Bansal, et al., 1994) (Kamal, 2012). (Kamal, 2012)
8.	Courtyard planning	Potential to save up to 25% of the power consumption for Tropical climate There is a significant potential to achieve power consumption savings of up to 25% in tropical climates.	
9.	Radiative cooling	An open water-based system has the potential to achieve a specific cooling power of 120 W/m2. As the elevation increases, the cooling load decreases, offering a greater radiative cooling potential.	(Cavelius, et al., 2005) (Beck & Büttner, 2006) (Zhang, et al., 2002)
10.	Earth Shelter	It is possible to achieve a decrease in indoor temperature of approximately 7.0-8.5 °C. During summer months in desert climatic conditions, a reduction of 2.8 ˚C in room temperature was observed.	(Tiwari, et al., 2014).
11.	Trombe wall	• The implementation of Trombe walls in the Great Pyramid of Gizeh allows for the maintenance of a consistent temperature of 23 °C in the king's and queen's chambers throughout the year. • Screened Trombe walls in a Mediterranean climate experience 18 times lower heat gains compared to unscreened Trombe walls. • Introducing cross ventilation and features like overhangs and rolling shutters result in a 65% and 72.9% reduction in cooling energy, respectively, when compared to unvented Trombe walls. • Additional screening leads to a reduction of 1.4 °C in room temperature and 0.5 MJ/m2 in daily heat gains. • The storage capacity of Trombe walls contributes to a 20.7% reduction in cooling load.	(Soussi, et al., 2013), (Gupta, 1984), (Stazi, et al., 2012).

No.	Passive cooling techniques	Results	References
1.	Trombe wall + Ventilation + glazed walls + green roof + evaporative cooling + thermal insulation.	By adopting a comprehensive approach to energy-efficient design in architecture, the size of artificial cooling devices can be reduced. This integrated approach helps to offset the additional capital investment required for incorporating energy-efficient features.	(Sadineni, et al., 2011)
2.	Thermal wall and roof insulation + fenestration + shadings on south façade.	the consideration of these variables can result in a decrease of approximately 25.31% in energy consumption and 11.67% in lifecycle costs.	
3.	Trombe wall + cool roof + thermal insulation.	In comparison to a standard building, a significant improvement can be achieved with approximately 46% and 80% energy savings during winter and summer months, respectively. Additionally, a reduction of 5.41 W in peak cooling load can be observed	(Soussi, et al., 2013)
4.	Compared to a typical building, energy savings of approximately 46% and 80% can be achieved during winter and summer months, respectively. Additionally, there is a significant reduction of 5.41 W in the peak cooling load.	A notable decrease of 23.6% was observed in the annual energy consumption overall.	

III. METHODOLOGY

A. *Research Design*

This research will adopt a comparative case study design to analyze and compare the role of passive design techniques in traditional and modern architecture for creating a comfortable indoor environment in hot climates. The case study approach allows for in-depth analysis of real-world examples and provides a basis for evaluating the performance of different architectural styles.

B. *Case Study Selection Criteria*

The selection of case studies will be based on the following criteria:

a) Geographical location: The case studies will be selected from hot climate regions to ensure relevance to the research topic.

b) Architectural style: Both traditional and modern architectural examples will be included to enable a comprehensive comparison.

c) Availability of data: Sufficient data, including design documentation, performance evaluations, and user feedback, should be accessible for the selected case studies.

C. *Data Collection Methods*

Multiple data collection methods will be employed to gather comprehensive information for the case studies:

a) Literature review: Extensive review of scholarly articles, books, and research papers will be conducted to gather background information, theoretical frameworks, and previous studies related to passive design techniques in traditional and modern architecture in hot climates.

b) Document analysis: Design documentation, building plans, and technical specifications of the selected case studies will be analyzed to understand the architectural features, passive design strategies, and energy performance aspects.

D. *Data Analysis Techniques*

The collected data will be analyzed using qualitative and quantitative techniques to address the research objectives and research questions:

1) *Comparative Analysis:* The architectural features, passive design strategies, and performance outcomes of the traditional and modern case studies will be compared to identify similarities, differences, strengths, and weaknesses.
2) *Energy Performance Analysis:* Energy consumption data, simulation results, and energy performance indicators will be analyzed to evaluate the energy efficiency and sustainability aspects of the case study buildings.
3) *User feedback Analysis:* Qualitative data from interviews and surveys will be analyzed thematically to gain insights into user satisfaction, comfort levels, and perceptions of the indoor environment.
4) *Data Synthesis:* The findings from the case studies will be synthesized to provide a comprehensive overview of the role of passive design techniques in traditional and modern architecture in hot climates.

The research methodology outlined above will facilitate a rigorous analysis and comparison of traditional and modern architectural approaches in hot climates, focusing on the effectiveness of passive design techniques in achieving a comfortable indoor environment. By combining different data collection methods and employing appropriate analysis techniques, this research aims to provide valuable insights and recommendations for sustainable architectural design in hot climate regions.

IV. CASE STUDIES AND ANALYSIS:

A. *Traditional Architecture Case Study in India*

1) *Case Study: Haveli in Jaisalmer, Rajasthan*

This case study focuses on a traditional haveli located in Jaisalmer, Rajasthan, India. Havelis are grand mansions typically found in the desert regions of Rajasthan. The haveli features intricate stone carvings, a central courtyard, and multiple levels. The design incorporates passive design techniques to mitigate the intense heat of the desert climate. Thick stone walls provide insulation and reduce heat transfer, while small windows with wooden jalis allow for natural ventilation while minimizing direct solar radiation. The central courtyard acts as a thermal buffer and facilitates cross-ventilation, creating a cool and comfortable environment within the haveli. The traditional architectural features and passive design strategies employed in this haveli demonstrate the effectiveness of traditional Indian architecture in hot climates.

2) *Analysis of Traditional Case Study*


The analysis of the traditional haveli in Jaisalmer highlights the successful utilization of passive design techniques to achieve a comfortable indoor environment in a hot climate. The thick stone walls and small windows with jalis effectively reduce heat gain and facilitate natural ventilation. The central courtyard serves as a focal point for air movement and cooling, creating a microclimate within the haveli. These passive design strategies demonstrate the wisdom and ingenuity of traditional Indian architecture in responding to the challenges of hot climates.



Dundlod Haveli, Rajasthan

JHAROKAS

- Due to hot & dusty winds, natural ventilation inside the building during day is not desirable. Thus, small openings are provided, which allow a draft of air inside.
- All the openings are shaded with projections covered all around with perforated stone screens known as Jharokhas. This allows cooling of air by venturi effect phenomenon.




WIND TOWERS

- The staircase room has high ceiling and each room opens through it.
- This allows convective
- cooling during nights & induced ventilation during day

BUILDING FEATURES

- Courtyard planning
- Massive Roof & Wall construction
- Staircase as a wind tower
- All opening towards courtyard
- Compact planning
- Fins & Carving is used



3) Conclusion

Havelis are traditional Rajasthani mansions characterized by their ornate facades, intricate carvings, and inward-facing architecture. They were built as private residences for wealthy merchants and nobles. Here is an analysis of the haveli architecture:

a) Architectural Elements: Havelis feature prominent elements such as jharokhas (balconies), chhatris (dome-like structures), and chajjas (overhanging eaves). These elements serve functional and aesthetic purposes, providing shade, ventilation, and architectural grandeur.

b) Courtyard Design: Havelis typically have a central courtyard that acts as a focal point and facilitates natural ventilation and daylighting. The courtyard also serves as a social space for family gatherings and events.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |




Image courtesy: Image from sun, wind, and light, by G.Z. brown and mark d ekay, published by Wiley




Image courtesy: Tropical climate responsiveness http://blog.deearth.com/





Image courtesy: Tropical climate responsiveness http://blog.deearth.com/

c) *Ornate Details:* Havelis are renowned for their intricate stone carvings, frescoes, and jali work. These details showcase the craftsmanship and artistic skills of the artisans of Rajasthan.

I) **Shading by overhangs, louvers and awnings etc.**



Different types of shading devices.




Fig. 37

d) *Privacy and Security:* The inward-facing design of havelis, with small external windows and elaborate entrance gates, emphasizes privacy and security. This design feature creates a serene and secluded environment within the bustling cityscape.

B. Modern Architecture Case Study in India

1) Case Study: RAAS JODHPUR

This case study examines the RAAS JODHPUR, Rajasthan, India.

a) Introduction

RAAS Jodhpur is a luxury boutique hotel located in the heart of Jodhpur, Rajasthan, India. The hotel seamlessly blends traditional Rajasthani architecture with modern design elements. This case study provides a genuine and true analysis of RAAS Jodhpur, highlighting its passive design techniques and their effectiveness in creating a comfortable indoor environment in a hot climate.

b) Design and Orientation

RAAS Jodhpur has been thoughtfully designed to optimize its orientation and maximize natural ventilation. The hotel is built around a central courtyard, a traditional feature in Rajasthani architecture. The courtyard layout promotes cross-ventilation, allowing cool breezes to flow through the building and reducing the reliance on mechanical cooling systems. The design also considers the path of the sun to minimize direct solar heat gain and ensure optimal daylighting.

©IJRASET: All Rights are Reserved




c) Use of Local Materials

RAAS Jodhpur utilizes locally sourced materials, such as sandstone, which is abundant in the region. The thick sandstone walls act as thermal mass, absorbing heat during the day and releasing it slowly at night, maintaining a stable indoor temperature. This design strategy reduces the need for artificial cooling during the hot daytime temperatures prevalent in Jodhpur.


d) Shading and Ventilation

The architecture of RAAS Jodhpur incorporates various shading devices and ventilation features to mitigate the harsh climatic conditions. Overhangs and canopies provide shade to windows and open spaces, preventing direct sunlight from entering the building. The use of intricately carved stone screens, known as jalis, allows for the passage of cool air while providing privacy and security. These passive design elements enhance natural ventilation, promoting air circulation and cooling within the hotel.




e) Courtyard Spaces

The central courtyard serves as a gathering area and is designed to create a microclimate of comfort. It features a reflecting pool, which helps in evaporative cooling, creating a soothing and cool ambiance. The courtyard is surrounded by guest rooms and public spaces, ensuring that the surrounding spaces benefit from the natural ventilation and thermal comfort provided by the courtyard design.



f) Integration of Modern Amenities

While rooted in traditional architecture, RAAS Jodhpur seamlessly integrates modern amenities and technology to enhance guest comfort and convenience. The hotel incorporates energy-efficient air conditioning systems, high-performance glazing, and insulation to optimize thermal comfort. These modern elements work in harmony with the passive design techniques to create an overall sustainable and comfortable indoor environment.



In Elevation Lattice Jaali Used For Proper Ventilation & To Prevent From Heat

g) Conclusion

RAAS Jodhpur exemplifies the successful application of passive design techniques in a hot climate context. The hotel's design, orientation, use of local materials, shading devices, and courtyard spaces contribute to a comfortable indoor environment while embracing the rich architectural heritage of Rajasthan. By combining traditional wisdom with modern amenities, RAAS Jodhpur showcases the possibilities of sustainable design and highlights the potential for creating environmentally conscious and luxurious spaces in hot climate regions like Jodhpur.

RAAS Jodhpur is a luxury boutique hotel that blends traditional Rajasthani architecture with modern design elements. Here is an analysis of its architectural features:

- Contemporary Design: RAAS Jodhpur showcases a contemporary interpretation of Rajasthani architecture. It combines clean lines, minimalist aesthetics, and modern materials while retaining the essence of traditional design elements.
- Integration of Traditional and Modern: The hotel seamlessly integrates modern amenities and technology while respecting the local architectural heritage. It incorporates passive design techniques, such as courtyard layouts, shading devices, and natural ventilation, to enhance thermal comfort.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 11 Issue VI Jun 2023- Available at www.ijraset.com

- Use of Local Materials: RAAS Jodhpur utilizes locally sourced materials like sandstone, which is prevalent in Rajasthan. The use of this indigenous material connects the hotel to its cultural and historical context.
- Sustainable Features: The hotel incorporates energy-efficient systems, insulation, and high-performance glazing to optimize energy consumption. These features align with contemporary sustainability practices and reduce the environmental impact of the building.
- Aesthetic Appeal: RAAS Jodhpur embraces a contemporary design language with an emphasis on open spaces, clean lines, and a neutral color palette. The play of light and shadow, along with the integration of traditional architectural elements, creates a visually stunning and harmonious ambiance.

V. RESULTS AND DISCUSSION

A. Discussion

The discussion focuses on the comparison between traditional and modern architecture in hot climates, specifically in Rajasthan, India.

1) Advantages of Traditional Architecture

Traditional architecture in Rajasthan has inherent advantages in hot climates due to its deep understanding of local climatic conditions and natural resources. The use of passive design techniques in traditional buildings, such as courtyard configurations, thick walls, and shading devices, enables natural ventilation, reduces heat gain, and maintains thermal comfort.
Traditional architecture often incorporates sustainable and locally sourced materials, reducing environmental impact and promoting cultural identity.

2) Advancements in Modern Architecture

Modern architecture in Rajasthan combines traditional wisdom with technological advancements to create energy-efficient and comfortable indoor environments. The integration of passive design techniques, such as proper orientation, shading devices, insulation, and natural ventilation, contributes to energy savings and thermal comfort. The use of advanced glazing technologies and energy-efficient mechanical systems further enhances the performance of modern buildings. Modern architecture embraces innovative materials and construction techniques that improve durability, efficiency, and aesthetics.

3) Synergy between Traditional and Modern Approaches

The research highlights the importance of blending traditional and modern architectural approaches to achieve the best possible outcomes.
Overall, the results and discussion emphasize that both traditional and modern architecture have valuable contributions to offer in creating a comfortable indoor environment in hot climates. By integrating passive design techniques, sustainability principles, and technological advancements, architects and designers can develop innovative and energy-efficient solutions that prioritize thermal comfort and environmental stewardship in Rajasthan's hot climate.

VI. LITERATURE STUDY

A. Literature Study 1: Udaivillas, Udaipur - Incorporating Passive Cooling Techniques and Traditional Architecture

1) Introduction

Udaivillas, located in Udaipur, Rajasthan, is a luxury hotel known for its magnificent architecture and stunning views of Lake Pichola. It seamlessly blends traditional Rajasthani architecture with modern amenities, creating a harmonious and comfortable environment for its guests. This literature study focuses on the incorporation of passive cooling techniques and traditional architectural elements in Udaivilas, highlighting their significance in maintaining thermal comfort and preserving cultural heritage.

2) Passive Cooling Techniques

Courtyards and Water Bodies: Udaivillas incorporates traditional Rajasthani architectural features such as courtyards and water bodies, which play a vital role in passive cooling. Courtyards provide shade and create a microclimate by allowing cool air to circulate within the building. Water bodies, such as pools and fountains, not only enhance the aesthetic appeal but also act as natural coolants by evaporative cooling.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

3) Jaali Screens


The extensive use of Jaali screens is a prominent feature in Udaivillas' design. These intricately carved stone or marble screens allow for adequate ventilation while blocking direct sunlight. The Jaalis create aplay of light and shadow, preventing excessive heat gain and maintaining a comfortable indoor temperature.

4) Ventilation and Cross Ventilation

Udaivillas incorporates well-planned ventilation systems to promote natural airflow. Strategically placed windows, vents, and roof openings facilitate the movement of air, allowing hot air to escape and cool air to enter. Cross ventilation is achieved by positioning openings on opposite sides of a room or building, facilitating efficient air circulation.

5) Traditional Architectural Elements

Jharokhas and Chhatris: Udaivillas features Jharokhas (balconies) and Chhatris (canopy-like structures) inspired by traditional Rajasthani architecture. These elements not only add to the visual grandeur of the property but also serve practical purposes. Jharokhas provide shaded areas for relaxation and offer panoramic views, while Chhatris act as shading devices, protecting the building from direct solar radiation.



6) Architectural Details

Udaivillas showcases intricate architectural details, such as carved pillars, arches, and domes, reminiscent of Rajasthan's rich cultural heritage. These elements not only add aesthetic appeal but also contribute to the overall thermal performance of the structure. The use of locally sourced materials like stone and marble helps in maintaining a comfortable temperature indoors.


7) Sustainable Materials

Udaivillas emphasizes the use of sustainable and locally sourced materials, promoting eco-friendly practices. The incorporation of natural materials like wood, stone, and terracotta not only enhances the aesthetics but also aids in maintaining a pleasant indoor environment by minimizing heat absorption and optimizing thermal insulation.

B. Conclusion of modern architecture in a hot climate region

Udaivillas, Udaipur, stands as a remarkable example by leveraging the principles of thermal comfort and drawing inspiration from the cultural heritage of Rajasthan, Udaivillas showcases a sustainable and aesthetically pleasing design. The successful integration of passive cooling techniques, such as courtyards, Jaali screens, and ventilation systems, along with traditional architectural elements like Jharokhas and Chhatris, ensures a comfortable and culturally rich experience for the guests.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



S.NO	CLIMATE	PROBLEMS	COMPARATIVE ANALYSIS		
			DWELLING SPACING	BUILDING ORIENTATION	MATERIAL
1	HOT AND DRY	VERY HOT SUMMERS, HIGH SOLAR RADIATION REFLECTED LIGHTING DUST STROMS	NARROW SHADED STREETS,DIFFERENTIAL HEATING IN COURTYARD AND STREET LEADS TO VENTILATION, NARROW STREET WIDTHS	N-E	WALLS - BRICK / STONE WITH MASSIVE USE OF TIMBER ROOF - TILES / PITCHED ROOF WITH TILES. WINDOWS - STONE JALI'S / CARVED WOOD
2	HOT AND HUMID	HIGH HUMIDITY HIGH TEMPERATURE CYCLONES	DETACHED HOUSES OPEN SPACES ALL AROUND GOOD LIGHTNING COURTYARD PLAN WITH HIGH RATE OF VENTILATION THICK VEGETATION ALL AROUND	MAIN STREET E - W AXIS	WALLS - LOWER STOREY 500MM LATERITE ROOF - MUD TILES WINDOW - DECORATIVE JALI'S
3	COMPOSITE	HOT SUMMER COLD WINTERS	COURTYARD PLANS LARGE HOUSES WITH 1-3 STORYS COURTYARD EFFECT & CROSS VENTILATION THROUGH THE NARROW BAYS	N / E	WALL - MUD BRICK, TIMBER & LIME PLASTER ROOF - FLAT ROOF ON TIMBER FRAME WINDOWS - WOOD FRAME WINDOWS
4	TEMPERATE	HIGH SUMMER TEMPERATURE DRY HOT WINDS COLD WINTERS	ISOLATED DWELLINGS WITHIN A COMPOND OPEN SURROUNDING SERIES OF COURTYARDS PROMOTE VENTILATION	N / E	WALL - DRESSED STONE WITH RUBBLE CAVITY TIMBER FRAME BRICK WALL ROOF - PITCHED ROOF WITH TILES WINDOW - LATTICED
5	COLD	EXTRE COLD TEMPERATURE AND LOW HUMIDITY	ON HILL FACES DOWN HILL SET IN THE GROUND SOUTH SLOPE PREFERED MAXIMUM USE OF ISOLATION BY FACING SOUTH	S / E	WALL - TIMBER / STONE WALL ROOF - TIMBER FRAME PITCHED ROOF WINDOW - SMALL OPEING / WODDEN SHUTTERS

VII. CONCLUSION

A. *Summary of Findings*

The research on the role of passive design techniques for a comfortable indoor environment in hot climates, with a specific focus on comparing traditional and modern architecture in Rajasthan, India, has yielded important findings. The study examined case studies and analyzed the effectiveness of passive design strategies in both traditional and modern architectural approaches.

B. *Implications for Design Practice*

The research emphasizes the importance of a holistic approach to design that combines the strengths of traditional and modern architectural practices. By incorporating passive design techniques and sustainable principles, architects can create buildings that respond effectively to the challenges of hot climates while considering local context and cultural identity.

C. *Recommendations for Future Research*

Based on the findings of this research, several recommendations for future research in the field of passive design techniques for a comfortable indoor environment in hot climates can be made:

1) *Further Exploration Of Traditional Architectural Practices:* Conduct in-depth studies on traditional architectural techniques and their application in different regions of Rajasthan. Explore the cultural significance and environmental benefits of traditional design elements and strategies.
2) *Performance Analysis Of Modern Architectural Designs:* Evaluate the performance of modern buildings in hot climates through post-occupancy evaluations. Assess the effectiveness of passive design strategies and identify areas for improvement.
3) *Integration Of Renewable Energy Sources:* Investigate the integration of renewable energy sources, such as solar panels and geothermal systems, with passive design techniques to further enhance energy efficiency and reduce reliance on non-renewable energy sources.
4) *Long-Term Monitoring Of Building Performance:* Conduct long-term monitoring of buildings designed with passive design techniques to assess their energy performance, occupant comfort, and environmental impact. This will provide valuable data for refining design strategies and improving building codes and standards.
5) *Climate Change Adaptation:* Explore the potential impact of climate change on hot climates in Rajasthan and develop adaptive design strategies that can mitigate the effects of rising temperatures and changing weather patterns.

By addressing these research areas, architects, designers, and researchers can contribute to the continuous improvement and innovation of passive design techniques for creating comfortable and sustainable indoor environments in hot climates.


Overall, this research emphasizes in both traditional and modern architecture employ passive design techniques to create comfortable indoor environments in hot climates. While traditional architecture draws on local wisdom and vernacular practices, modern architecture integrates contemporary technologies and materials to optimize energy efficiency and occupant comfort. A comprehensive approach that combines the best of both approaches can result in highly sustainable and comfortable buildings in hot climates.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

REFERENCES

[1] Bhatt, V., & Barve, A. (2014). Traditional wisdom of passive cooling in vernacular architecture of hot-dry regions of Rajasthan. In Proceedings of the International Symposium on Sustainable Architecture (pp. 57-64).
[2] Gupta, R., Sharma, V., & Mathur, J. (2013). Passive cooling techniques in traditional buildings of Rajasthan: A case study of havelis in Jaisalmer. In Proceedings of the International Conference on Sustainable Built Environment (pp. 635-641).
[3] Joshi, Y., & Nagrath, P. (2018). A review on traditional cooling techniques in Indian vernacular architecture. International Journal of Innovative Research in Science, Engineering and Technology, 7(12), 17628-17636.
[4] Mehta, V., Sharma, S., & Sharma, V. (2017). Analysis of passive design strategies in hot and dry climate of Rajasthan, India. Energy Procedia, 109, 446-453.
[5] Patel, S., Patil, R., & Chavhan, M. (2019). Passive cooling techniques in traditional houses of hot and arid regions of Rajasthan, India. International Journal of Engineering Research and General Science, 7(4), 6-11.
[6] Reddy, A. K., Kumar, P., & Gandhidasan, P. (2017). Traditional cooling techniques in vernacular architecture of Rajasthan: A review. Journal of Applied Science and Computations, 4(4), 232-238.
[7] Sharma, M., & Jain, N. (2016). Passive cooling techniques in Indian vernacular architecture: A case study of Rajasthan. International Journal of Advanced Research in Engineering and Applied Sciences, 5(7), 223-230.
[8] Sharma, V., & Sharma, S. (2016). Energy efficiency in traditional buildings of Rajasthan, India: A review. International Journal of Emerging Technology and Advanced Engineering, 6(11), 120-126.
[9] Singh, A., Singh, P., & Kaur, A. (2015). Vernacular architecture in Rajasthan, India: A sustainable built environment. International Journal of Scientific and Engineering Research, 6(4), 267-274.
[10] Rajpal, H. S. (2009). Passive cooling techniques in buildings: Past, present and future. Energy and Buildings, 41(3), 254-257.
[11] Ratti, C., Baker, N., & Steemers, K. (2005). Energy consumption and urban texture. Energy and Buildings, 37(7), 762-776.
[12] Wong, N. H., Jusuf, S. K., & Sia, A. (2015). Review of passive design strategies in tropical climate for optimizing thermal comfort and daylighting in buildings. Renewable and Sustainable Energy Reviews, 42, 147-157.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)