iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 11 **Issue:** II **Month of publication:** February 2023

DOI: https://doi.org/10.22214/ijraset.2023.49165

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 11 Issue II Feb 2023- Available at www.ijraset.com

Sentiment Analysis: Methods, Applications, and Future Directions

Uddhav Pathak[1], Er. Piyush Rai[2]
[1, 2]*Department of Computer Science & Engineering, INSTITUTE OF ENGINEERING AND TECHNOLOGY, AYODHYA UTTAR PRADESH*

Abstract: ***Sentiment analysis is a rapidly evolving field that aims to automatically identify and extract subjective information from text data. In recent years, sentiment analysis has gained widespread attention due to its potential applications in various domains, such as marketing, social media analysis, and customer feedback analysis. In this review paper, we provide a comprehensive analysis of sentiment analysis techniques, including traditional rule-based methods, machine learning-based methods, and deep learning-based methods. We discuss the advantages and limitations of these methods and compare their performance in various settings. Furthermore, we examine the challenges and opportunities in sentiment analysis research and present future directions for the field. Overall, this review aims to provide a critical assessment of sentiment analysis techniques, applications, and future developments, and to assist researchers and practitioners in understanding the state-of-the-art in this important area of natural language processing.***
Keywords: Machine Learning; Sentiment Analysis; Applications; Methods.

I. WHAT IS MACHINE LEARNING?

Machine learning is a subset of artificial intelligence that allows machines to learn and improve from experience without being explicitly programmed. In other words, it is a method of teaching computers to learn from data, rather than relying on a pre-defined set of rules. The concept of machine learning has been around for decades, but recent advancements in computing power and the availability of massive amounts of data have enabled significant breakthroughs in the field. Machine learning algorithms can now analyze vast amounts of data and identify patterns that humans would struggle to detect [1-4].

There are several types of machine learning algorithms, including supervised learning, unsupervised learning, and reinforcement learning. In supervised learning, the machine is trained on labeled data, with the goal of being able to accurately predict the label of new data. Unsupervised learning, on the other hand, involves identifying patterns and structure in unlabeled data. Reinforcement learning is a type of machine learning in which an agent learns to take actions in an environment to maximize a reward signal [4-8].

Supervised learning is a type of machine learning algorithm in which the machine is trained on labeled data. In other words, the data is already pre-labeled with the correct output, and the machine learns to associate the input data with the corresponding output. The goal of supervised learning is to teach the machine to generalize from the training data to make accurate predictions on new, unseen data. During the training phase, the machine learns to map the input data to the output data by adjusting its parameters through an optimization process, such as gradient descent. Supervised learning can be used for a wide range of tasks, such as classification and regression. In classification tasks, the goal is to predict a discrete output, such as a binary label (e.g., spam or not spam) or a multi-class label (e.g., cat, dog, or bird). In regression tasks, the goal is to predict a continuous output, such as a numerical value (e.g., housing prices) [9-12]. Unsupervised learning is a type of machine learning algorithm in which the machine learns from unlabeled data. Unlike supervised learning, the input data is not pre-labeled with the correct output, and the machine must identify patterns and structure in the data on its own. The goal of unsupervised learning is to discover underlying structure and relationships within the data. This can be done through techniques such as clustering, where similar data points are grouped together, or dimensionality reduction, where the number of features in the data is reduced while preserving the important information. There are several popular algorithms used in unsupervised learning, including k-means clustering, hierarchical clustering, and principal component analysis (PCA). Each algorithm has its own strengths and weaknesses, and the choice of algorithm depends on the nature of the data and the task at hand. Unsupervised learning has numerous applications in various fields, such as anomaly detection, data compression, and recommendation systems. For example, unsupervised learning can be used in anomaly detection to identify unusual patterns or outliers in data, such as fraudulent credit card transactions. In data compression, unsupervised learning can be used to reduce the size of data without losing important information. In recommendation systems, unsupervised learning can be used to group similar users or items based on their preferences [13-18].

©IJRASET: All Rights are Reserved

Reinforcement learning is a type of machine learning algorithm in which an agent learns to take actions in an environment in order to maximize a reward signal. In other words, the agent learns to perform a task through trial and error, receiving feedback in the form of rewards or punishments based on its actions. The goal of reinforcement learning is to find an optimal policy that maps each state of the environment to an action, in order to maximize the cumulative reward over time. The agent interacts with the environment by observing its current state, taking an action, and receiving a reward signal based on the outcome of its action. Reinforcement learning can be used for a wide range of tasks, such as playing games, controlling robots, and optimizing business processes. For example, reinforcement learning can be used to train a computer program to play a game like chess, where the agent must learn to make strategic moves in order to win the game. There are several popular algorithms used in reinforcement learning, including Q-learning and policy gradients. Each algorithm has its own strengths and weaknesses, and the choice of algorithm depends on the nature of the task and the environment. One of the key challenges in reinforcement learning is the exploration-exploitation trade-off. The agent must balance the desire to take actions that have yielded high rewards in the past (exploitation) with the need to explore new actions that may yield even higher rewards (exploration). Reinforcement learning is a powerful technique that can be used to solve complex problems in a variety of fields. However, it can be computationally expensive and require a large amount of data to learn an optimal policy. It is important to carefully design the reward function and ensure that the agent is able to generalize to new environments [19-24].

There are several popular algorithms used in supervised learning, including decision trees, support vector machines, and neural networks. Each algorithm has its own strengths and weaknesses, and the choice of algorithm depends on the nature of the data and the task at hand. Supervised learning has numerous applications in various fields, such as healthcare, finance, and marketing. For example, supervised learning can be used in medical diagnosis to predict whether a patient has a certain disease based on their symptoms and medical history. In finance, supervised learning can be used to predict stock prices or detect fraudulent transactions. In marketing, supervised learning can be used to predict customer behavior and personalize marketing campaigns. Machine learning has numerous practical applications, including image and speech recognition, natural language processing, fraud detection, and personalized marketing [25-30]. One of the most significant benefits of machine learning is its ability to automate tasks that would otherwise require human input. This can lead to increased efficiency, accuracy, and cost savings.

Despite the many benefits of machine learning, there are also concerns around issues such as bias and privacy. As machine learning algorithms are only as good as the data they are trained on, biased data can lead to biased results. There is also a risk that sensitive information could be leaked or misused if not properly protected.

II. IS SENTIMENT ANALYSIS PART OF MACHINE LEARNING?

Sentiment analysis is a subfield of natural language processing (NLP) that involves analyzing and classifying opinions and emotions expressed in text data. Machine learning is a key component of sentiment analysis, as it allows the system to automatically learn and improve its performance over time. Machine learning algorithms are trained on labeled data, such as customer reviews or social media posts, that have been manually categorized as positive, negative, or neutral. The machine learning model then uses this labeled data to learn patterns and relationships between words and sentiment [31-35]. One common approach to sentiment analysis using machine learning is through supervised learning. In this approach, the model is trained on a large set of labeled data, and then applied to new, unlabeled data to predict sentiment. The model is able to classify text as positive, negative, or neutral based on the patterns it has learned from the labeled data. Another approach to sentiment analysis using machine learning is through unsupervised learning. In this approach, the model is trained on a large set of unlabeled data and is tasked with identifying patterns and structure within the data. This can be useful for discovering previously unknown sentiment categories or identifying sentiment in new languages or domains. Deep learning techniques, such as neural networks, have also been used for sentiment analysis. These models can learn complex relationships between words and sentiment and are particularly useful for tasks such as identifying sarcasm or irony in text.

III. VARIOUS METHODS IN SENTIMENT ANALYSIS

Sentiment analysis is a subfield of natural language processing (NLP) that involves analyzing and classifying opinions and emotions expressed in text data. There are various methods that can be used for sentiment analysis, ranging from rule-based approaches to machine learning techniques.

1) *Rule-based Approaches:* Rule-based approaches involve manually creating a set of rules and patterns to identify sentiment in text data. For example, a rule-based approach might involve identifying specific words or phrases that are commonly associated with positive or negative sentiment, and assigning a sentiment score based on the frequency of these words or phrases in the text.

2) *Lexicon-based Approaches:* Lexicon-based approaches involve using a pre-defined dictionary or lexicon of words and their associated sentiment scores. The sentiment score of a piece of text is then calculated by summing the sentiment scores of the words in the text. This approach can be useful for languages or domains where there is a limited amount of labeled data available for training machine learning models.
3) *Machine Learning Approaches:* Machine learning approaches involve training a model on labeled data, such as customer reviews or social media posts, that have been manually categorized as positive, negative, or neutral. There are several types of machine learning models that can be used for sentiment analysis, including:

a) *Naive Bayes:* A probabilistic model that calculates the likelihood of a piece of text belonging to a particular sentiment category based on the frequency of words in the text.
b) *Support Vector Machines (SVMs):* A model that creates a hyperplane to separate the text data into different sentiment categories.
c) *Recurrent Neural Networks (RNNs):* A type of deep learning model that is particularly useful for analyzing sequential data, such as text. RNNs can learn complex relationships between words and sentiment and can be used to identify sarcasm or irony in text.

4) *Hybrid Approaches:* Hybrid approaches combine multiple methods to improve the accuracy of sentiment analysis. For example, a hybrid approach might use a rule-based system to identify sentiment for specific types of text data, such as product reviews, and a machine learning model for more general text data.

In a rule-based approach, the sentiment score of a piece of text is calculated based on the frequency of certain words or phrases that are commonly associated with positive or negative sentiment. These words or phrases are identified based on their polarity, which indicates whether they express a positive or negative sentiment. For example, words such as "great," "wonderful," and "excellent" are considered positive, while words such as "terrible," "awful," and "disappointing" are considered negative. To identify the sentiment of a piece of text, a rule-based system can apply a set of predefined rules and patterns to the text. These rules might include identifying the presence of specific words or phrases that are associated with positive or negative sentiment, as well as patterns in the way that these words are used in the text. For example, a rule-based system might give a higher weight to words that are repeated in the text, or to words that are used in conjunction with certain phrases. Rule-based approaches have several advantages over other methods of sentiment analysis. They are often faster and less expensive to implement than machine learning approaches, as they do not require large amounts of labeled data for training. They are also more transparent, as the rules and patterns used in the analysis are explicitly defined and can be easily understood and modified by human analysts.

A lexicon-based approach is a popular method for sentiment analysis that involves using pre-built dictionaries or lexicons to assign sentiment scores to words in text data. This approach involves developing a lexicon that contains a list of words, phrases, and their corresponding sentiment scores. The sentiment scores can range from negative to positive, or can be on a more fine-grained scale, such as from strongly negative to strongly positive. The lexicon-based approach can be used to analyze the sentiment of individual words, phrases, or entire sentences, and can be applied to both social media data and other forms of text data. To determine the sentiment of a given text, the lexicon-based approach analyzes each word in the text and assigns it a score based on the sentiment lexicon. The scores of all the words in the text are then aggregated to produce an overall sentiment score for the text. Lexicon-based approaches are popular because they are easy to implement and require minimal training data. They can also be adapted to different domains and languages, as new lexicons can be created or existing ones can be modified to better suit the particular domain or language being analyzed. However, lexicon-based approaches also have some limitations. They may struggle to identify sarcasm, irony, or other forms of figurative language that are common in social media and other forms of online communication. Additionally, the accuracy of the approach depends on the quality of the sentiment lexicon used. The lexicon needs to be comprehensive and up-to-date, and may need to be customized to the specific context in which it will be used.

A hybrid approach to sentiment analysis involves combining multiple methods and techniques to achieve greater accuracy and reliability in analyzing the sentiment of text data. This approach aims to leverage the strengths of different methods while minimizing their limitations and weaknesses. One common example of a hybrid approach is combining rule-based and lexicon-based approaches. Rule-based approaches rely on manually defined rules and patterns to identify sentiment in text data, while lexicon-based approaches rely on pre-built sentiment lexicons to assign sentiment scores to words in the text. By combining these two methods, a hybrid approach can identify sentiment using both explicit rules and implicit patterns in the text. Another example of a hybrid approach is combining machine learning and lexicon-based approaches.

Machine learning approaches involve training algorithms on large datasets to automatically identify patterns and relationships in the data, while lexicon-based approaches rely on pre-built sentiment lexicons. By using both methods, a hybrid approach can leverage the accuracy and efficiency of machine learning while incorporating the nuances and context-specific features captured by lexicon-based approaches. Hybrid approaches may also involve incorporating other techniques, such as deep learning, topic modeling, or feature engineering. For example, a hybrid approach might use deep learning models to identify sentiment in text data, while also incorporating lexicon-based features or rule-based constraints to improve accuracy. The main advantage of hybrid approaches is their ability to improve accuracy and reliability in sentiment analysis. By combining multiple methods and techniques, a hybrid approach can leverage the strengths of each while minimizing their limitations. This can lead to more accurate and nuanced insights into customer opinions and preferences, which can be valuable for companies looking to improve their products and services.

IV. APPLICATIONS OF SENTIMENT ANALYSIS

Sentiment analysis has a wide range of applications across different industries and domains. Some of the most common applications of sentiment analysis include:

1) *Customer Feedback Analysis:* Many companies use sentiment analysis to analyze customer feedback on social media platforms, review sites, and other channels. By understanding customer opinions and preferences, companies can identify areas of improvement and enhance their products and services accordingly.
2) *Brand Reputation Management:* Sentiment analysis can be used to monitor and manage the online reputation of a brand. Companies can use sentiment analysis to identify negative sentiment towards their brand and take proactive measures to address customer concerns and prevent damage to their reputation.
3) *Political Analysis:* Sentiment analysis can be used to analyze public opinion on political candidates, policies, and issues. Political campaigns and government agencies can use sentiment analysis to gauge public sentiment and tailor their messaging accordingly.
4) *Stock Market Analysis:* Sentiment analysis can be used to analyze social media and news articles to understand how the public perceives a particular stock or company. This information can be used to make more informed investment decisions.
5) *Product Development:* Sentiment analysis can be used to analyze customer feedback on existing products and identify areas for improvement. This information can be used to develop new products that better meet customer needs and preferences.
6) *Customer Service:* Sentiment analysis can be used to analyze customer feedback and identify common issues or complaints. This information can be used to improve customer service processes and provide more effective solutions to customer problems.
7) *Healthcare:* Sentiment analysis can be used to analyze patient feedback on healthcare services and identify areas for improvement. This information can be used to enhance patient experience and improve the quality of healthcare services.

V. FUTURE DIRECTION IN SENTIMENT ANALYSIS

Sentiment analysis has come a long way in recent years, but there is still a lot of work to be done in terms of improving accuracy and expanding its applications. Here are some of the future directions in sentiment analysis:

1) *Multimodal Sentiment Analysis:* Sentiment analysis is traditionally based on text analysis, but with the rise of multimedia, there is a need for sentiment analysis to be extended to different modalities such as images, videos, and audio. Multimodal sentiment analysis will help to extract more accurate sentiment information by considering different modalities and their interactions.
2) *Contextual Sentiment Analysis:* Contextual sentiment analysis aims to improve the accuracy of sentiment analysis by taking into account the context in which the sentiment is expressed. For instance, sarcasm or irony may result in a different sentiment than the actual text, and context-based approaches can help to differentiate between the two.
3) *Deep Learning Techniques:* Deep learning techniques such as neural networks and deep belief networks have shown great promise in improving the accuracy of sentiment analysis. Deep learning models can be trained on large datasets, and they can automatically learn relevant features for sentiment analysis without the need for manual feature engineering.
4) *Domain-Specific Sentiment Analysis:* The language and sentiment expressed in a particular domain may differ significantly from other domains. Therefore, there is a need for domain-specific sentiment analysis models that can adapt to the language and sentiment of a particular domain.
5) *Real-Time Sentiment Analysis:* Real-time sentiment analysis is becoming more critical with the rise of social media and instant messaging platforms. Companies can use real-time sentiment analysis to monitor customer feedback and respond quickly to customer concerns.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

6) *Explainable Sentiment Analysis:* Explainable sentiment analysis aims to provide an explanation for the sentiment analysis result, improving the transparency and interpretability of the sentiment analysis model. This will help users to understand why a particular sentiment was predicted and improve trust in the sentiment analysis model.

VI. CONCLUSION

In conclusion, sentiment analysis is a rapidly growing field that has found widespread use in many industries. With the ever-increasing amount of text data generated every day, sentiment analysis has become an essential tool for understanding the opinions and attitudes of customers, users, and stakeholders. This paper has covered various methods of sentiment analysis, including rule-based, lexicon-based, and hybrid approaches. Each method has its strengths and weaknesses and can be applied to different scenarios depending on the requirements. Furthermore, we have discussed the applications of sentiment analysis in various domains, such as customer feedback analysis, social media monitoring, and political analysis. Sentiment analysis has proven to be an invaluable tool for understanding public opinion and helping businesses make data-driven decisions. The paper has also highlighted the future directions of sentiment analysis. The emergence of deep learning techniques and the need for multimodal and contextual sentiment analysis presents exciting opportunities for researchers and practitioners. The development of domain-specific sentiment analysis models and real-time sentiment analysis will also lead to more accurate and timely analysis.

Finally, explainable sentiment analysis will become increasingly important as the demand for transparency and interpretability of machine learning models continues to grow. The integration of explainability will allow users to trust and understand the sentiment analysis results better.


REFERENCES

[1] Mitchell, T.M., 2007. Machine learning (Vol. 1). New York: McGraw-hill.
[2] Jordan, M.I. and Mitchell, T.M., 2015. Machine learning: Trends, perspectives, and prospects. Science, 349(6245), pp.255-260.
[3] Wang, H., Lei, Z., Zhang, X., Zhou, B. and Peng, J., 2016. Machine learning basics. Deep learning, pp.98-164.
[4] Harrington, P., 2012. Machine learning in action. Simon and Schuster.
[5] Greener, J.G., Kandathil, S.M., Moffat, L. and Jones, D.T., 2022. A guide to machine learning for biologists. Nature Reviews Molecular Cell Biology, 23(1), pp.40-55.
[6] Murphy, K.P., 2022. Probabilistic machine learning: an introduction. MIT press.
[7] Bender, A., Schneider, N., Segler, M., Patrick Walters, W., Engkvist, O. and Rodrigues, T., 2022. Evaluation guidelines for machine learning tools in the chemical sciences. Nature Reviews Chemistry, 6(6), pp.428-442.
[8] Zhou, Z.H., 2022. Open-environment machine learning. National Science Review, 9(8), p.nwac123.
[9] Rawson, A. and Brito, M., 2023. A survey of the opportunities and challenges of supervised machine learning in maritime risk analysis. Transport Reviews, 43(1), pp.108-130.
[10] Andaur Navarro, C.L., Damen, J.A., Takada, T., Nijman, S.W., Dhiman, P., Ma, J., Collins, G.S., Bajpai, R., Riley, R.D., Moons, K.G. and Hooft, L., 2022. Completeness of reporting of clinical prediction models developed using supervised machine learning: a systematic review. BMC medical research methodology, 22, pp.1-13.
[11] Wilhelm, R.C., van Es, H.M. and Buckley, D.H., 2022. Predicting measures of soil health using the microbiome and supervised machine learning. Soil Biology and Biochemistry, 164, p.108472.
[12] Lang, X., Wu, D. and Mao, W., 2022. Comparison of supervised machine learning methods to predict ship propulsion power at sea. Ocean Engineering, 245, p.110387.
[13] Wang, J. and Biljecki, F., 2022. Unsupervised machine learning in urban studies: A systematic review of applications. Cities, 129, p.103925.
[14] Ebrahimi, P., Basirat, M., Yousefi, A., Nekmahmud, M., Gholampour, A. and Fekete-Farkas, M., 2022. Social networks marketing and consumer purchase behavior: The combination of SEM and unsupervised machine learning approaches. Big Data and Cognitive Computing, 6(2), p.35.
[15] Jia, X., Deng, Y., Bao, X., Yao, H., Li, S., Li, Z., Chen, C., Wang, X., Mao, J., Cao, F. and Sui, J., 2022. Unsupervised machine learning for discovery of promising half-Heusler thermoelectric materials. npj Computational Materials, 8(1), p.34.
[16] Yeter, B., Garbatov, Y. and Soares, C.G., 2022. Life-extension classification of offshore wind assets using unsupervised machine learning. Reliability Engineering & System Safety, 219, p.108229.
[17] Chen, B.H., Hashimoto, T., Goto, T., Kim, S.J., Santos, D.J.D., On, A.Y., Lu, T.Y. and Hsiao, T.Y., 2022. Uncloaking hidden repeating fast radio bursts with unsupervised machine learning. Monthly Notices of the Royal Astronomical Society, 509(1), pp.1227-1236.
[18] Mishra, A. and Dasgupta, A., 2022. Supervised and Unsupervised Machine Learning Algorithms for Forecasting the Fracture Location in Dissimilar Friction-Stir-Welded Joints. Forecasting, 4(4), pp.787-797.
[19] Matsuo, Y., LeCun, Y., Sahani, M., Precup, D., Silver, D., Sugiyama, M., Uchibe, E. and Morimoto, J., 2022. Deep learning, reinforcement learning, and world models. Neural Networks.
[20] Brunke, L., Greeff, M., Hall, A.W., Yuan, Z., Zhou, S., Panerati, J. and Schoellig, A.P., 2022. Safe learning in robotics: From learning-based control to safe reinforcement learning. Annual Review of Control, Robotics, and Autonomous Systems, 5, pp.411-444.
[21] Ladosz, P., Weng, L., Kim, M. and Oh, H., 2022. Exploration in deep reinforcement learning: A survey. Information Fusion.
[22] Gronauer, S. and Diepold, K., 2022. Multi-agent deep reinforcement learning: a survey. Artificial Intelligence Review, pp.1-49.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

[23] Liu, Q., Chung, A., Szepesvári, C. and Jin, C., 2022, June. When Is Partially Observable Reinforcement Learning Not Scary?. In Conference on Learning Theory (pp. 5175-5220). PMLR.
[24] Eppe, M., Gumbsch, C., Kerzel, M., Nguyen, P.D., Butz, M.V. and Wermter, S., 2022. Intelligent problem-solving as integrated hierarchical reinforcement learning. Nature Machine Intelligence, 4(1), pp.11-20.
[25] Mishra, A., 2022. Data driven knowledge summarization of friction stir welded magnesium alloys literature by using natural language processing algorithms. International Journal on Interactive Design and Manufacturing (IJIDeM), pp.1-7.
[26] Jatti, Vijaykumar S., Rahul B. Dhabale, Akshansh Mishra, Nitin K. Khedkar, Vinaykumar S. Jatti, and Ashwini V. Jatti. 2022. "Machine Learning Based Predictive Modeling of Electrical Discharge Machining of Cryo-Treated NiTi, NiCu and BeCu Alloys" Applied System Innovation 5, no. 6: 107. https://doi.org/10.3390/asi5060107
[27] Coelho, L.B., Zhang, D., Van Ingelgem, Y., Steckelmacher, D., Nowé, A. and Terryn, H., 2022. Reviewing machine learning of corrosion prediction in a data-oriented perspective. npj Materials Degradation, 6(1), p.8.
[28] Yuan, X., Tian, Y., Ahmad, W., Ahmad, A., Usanova, K.I., Mohamed, A.M. and Khallaf, R., 2022. Machine Learning Prediction Models to Evaluate the Strength of Recycled Aggregate Concrete. Materials, 15(8), p.2823.
[29] Bochenek, B. and Ustrnul, Z., 2022. Machine learning in weather prediction and climate analyses—applications and perspectives. Atmosphere, 13(2), p.180.
[30] Wang, Y., Tang, H., Huang, J., Wen, T., Ma, J. and Zhang, J., 2022. A comparative study of different machine learning methods for reservoir landslide displacement prediction. Engineering Geology, 298, p.106544.
[31] Wankhade, M., Rao, A.C.S. and Kulkarni, C., 2022. A survey on sentiment analysis methods, applications, and challenges. Artificial Intelligence Review, 55(7), pp.5731-5780.
[32] Liang, B., Su, H., Gui, L., Cambria, E. and Xu, R., 2022. Aspect-based sentiment analysis via affective knowledge enhanced graph convolutional networks. Knowledge-Based Systems, 235, p.107643.
[33] Hassan, M.K., Hudaefi, F.A. and Caraka, R.E., 2022. Mining netizen's opinion on cryptocurrency: sentiment analysis of Twitter data. Studies in Economics and Finance, 39(3), pp.365-385.
[34] Nezhad, Z.B. and Deihimi, M.A., 2022. Twitter sentiment analysis from Iran about COVID 19 vaccine. Diabetes & Metabolic Syndrome: Clinical Research & Reviews, 16(1), p.102367.
[35] Marcec, R. and Likic, R., 2022. Using twitter for sentiment analysis towards AstraZeneca/Oxford, Pfizer/BioNTech and Moderna COVID-19 vaccines. Postgraduate Medical Journal, 98(1161), pp.544-550.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)