



iJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 10 Issue: VI Month of publication: June 2022

DOI: <https://doi.org/10.22214/ijraset.2022.44126>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com



Smart ATM Pin Recovery System Using Fingerprint Identification

Srinu Vandhanapu, Hema Prasad Dummu, Deepak Joy Gandhi, Sruthi Seekoti
Dept. Of CSE, CMR Technical Campus

Abstract— In ATM machines the user is identified by inserting an ATM card and authentication is provided by the customer entering a PIN. The PIN provided by the customer is compared with the recorded reference PIN within the bank Server. If the customer forgets the PIN after 3 trials ATM cards are blocked, to reactivate he needs to attend the bank and do the formalities which could be a time consuming job. So fingerprint biometric is introduced to cut back this sort of error. This project aims at exploring the system to secure ATM pins and passwords with the fingerprint data specified only the legitimate user can access the pins and passwords by providing the valid fingerprint.

Keywords— Fingerprint; ATM; PIN; BIOMETRIC; RFID Reader; GSM Module; NODEMCU ESP32; Buzzer.

I. INTRODUCTION

The aim of our Project is to design a Smart ATM System with pin recovery and security using Fingerprint identification for users which mainly focuses on rural parts as well as all over the country. Our System has the capability to reduce the time consumption for new pin generation along with high security. It even reduces the burden for a user to go and visit the bank to unlock his/her ATM card. The ATM security system provides a mechanism for recovery of ATM PIN by using fingerprint identification. The system is able to send an alert message to the ATM card owner for entering the wrong PIN. The developed system is able to authenticate the user based on fingerprint identification. An OTP is also sent to the owner of the card for creation of a new PIN.

II. LITERATURE SURVEY

The proposed methodology is based on identification of fingerprints of the ATM user. The user inserts the ATM card and enters PIN to perform transactions. If the user enters the invalid PIN three times, an alert message will be displayed as a pop-up on the ATM machine. The pop-up window displays the message “You have entered the invalid PIN; please try again”. After completion of three attempts it displays a pop-up message “Your card is blocked due to multiple attempts; please give your registered fingerprint to create a new PIN”. User provides the finger impression for authentication. If fingerprint matches then the bank server will provide flexibility for the user to create his/her new PIN on the ATM machine itself. The main reason for introducing the Biometric system is to increase the overall security. From the tests carried out we have been able to prove that the biometric identification for ATM transactions can be practically implemented in a real time environment. The developed system provides ATM users with the facility to change the PIN in the ATM machine itself.

III. PROPOSED SYSTEM

The proposed ATM security system provides a mechanism for recovery of ATM PIN by using fingerprint identification. The developed system is able to authenticate the user based on fingerprint identification. The system is able to send an alert message to ATM card owner for entering the wrong PIN. The alert message is also sent to the owner of the card upon successful creation of new PIN. From the tests carried out we have been able to prove that, the biometric identification for ATM transactions can be practically implemented in a real time environment. The developed system provides ATM users with the facility to change the PIN without any formalities.





Figure 3.1: Architecture of the Model.

IV. RESULT

Here we take an RFID card as an alternative card to insert into the ATM System. After inserting the card it displays a window as "Enter Pin", where the user enters the pin. Then if the pin entry is correct it displays the transaction page, If the pin entry is wrong for three attempts then the fingerprint authentication is done.



Fig 4.1: Circuit Board



```

    main.py - D:\ATM_pin_change\python\main.py (3.10.1)
    File Edit Format Run Options Window Help
    from flask import Flask, render_template, request
    import random
    import serial
    import threading
    import json
    import time

    #####
    st = 0
    otpvalue = 0
    id = 0
    cm = 0
    ser = 0
    pin_count = 0
    f = open("db.json")
    dct = json.load(f)
    print(dct)
    f.close()
    for i in range(0,256):
        try:
            ser = serial.Serial('COM'+str(i),9600,timeout=2)
            print('COM'+str(i))
            com = 'COM'+str(i)
        except:
            pass
            #print("Connect the device")
    print(com)

    #####

    def getCard():
        global ser
        ser.write(L"getcardid")
        r = 0
        while 1:
            r = ser.readline()
            try:
                if len(r) > 0 :

```

```

    IDLE Shell 3.10.1
    File Edit Shell Debug Options Window Help
    Python 3.10.1 (tags/v3.10.1:2cd268a, Dec 6 2021, 19:10:37) [MSC v.1929 64 bit (AMD64)] on win32
    Type "help", "copyright", "credits" or "license()" for more information.
    >>>
    ----- RESTART: D:\ATM_pin_change\python\main.py -----
    {'index': 2, 'pin': '1234', 'mobile': '9676871055', 'S6868E0': {'index': 3, 'pin': '1234', 'mobile': '885164211}}
    CCM3
    CCM3
    >>> * Serving Flask app 'main' (lazy loading)
    * Environment: production
    [31m WARNING: This is a development server. Do not use it in a production deployment.[0m
    [2m Use a production WSGI server instead.[0m
    * Debug mode: on
    * Running on all addresses.
    WARNING: This is a development server. Do not use it in a production deployment.
    * Running on http://192.168.1.5:8000/ (Press CTRL+C to quit)

```

Fig 4.2: Code Execution


The login system interface is displayed within a blue rectangular border. At the top center, the text 'LOGIN SYSTEM' is written in red. Below this, there is a light gray input field with the placeholder text 'Enter Pin'. Underneath the input field is a light gray button labeled 'SUBMIT'. At the bottom center, there is a blue underlined link labeled 'HOME'.

Fig 4.3: Result of Login Page

Once the fingerprint is matched with the data, then an OTP is sent to the user's mobile number to enhance security. After completion of OTP entry the user can generate a new pin using this PIN the user can perform his transactions.


The card blocked message is displayed within a blue rectangular border. At the top center, the text 'LOGIN SYSTEM' is written in red. Below this, there is a light gray input field with the placeholder text 'Enter Pin'. Underneath the input field is a light gray button labeled 'SUBMIT'. Below the button, the text 'Your Card is blocked due to mutiple atempts' is displayed in bold. Underneath this text, the text 'To change Pin [clickMe](#)' is displayed, where 'clickMe' is a blue underlined link. At the bottom center, there is a blue underlined link labeled 'HOME'.

Figure 4.4-Result of card block




Figure 4.5-Result of Fingerprint Authentication



Figure 4.6-Result of OTP Message



Figure 4.7-Result of OTP Verification




Figure 4.8-Result of New PIN Generation

V. CONCLUSION

The proposed ATM security system provides a mechanism for recovery of ATM PIN by using fingerprint identification. The developed system is able to authenticate the user based on fingerprint identification. The system is able to send an alert message to the ATM card owner for entering the wrong PIN. The alert message is also sent to the owner of the card upon successful creation of a new PIN. From the tests carried out we have been able to prove that the biometric identification for



ATM transactions can be practically implemented in a real time environment. The developed system provides ATM users with the facility to change the PIN in the ATM machine itself.

REFERENCES

- [1] Alhassan M.E, Ganiyur S.O, Muhammad-Bello B.L, "An enhanced ATM security system using second level authentication", International journal of computer application (0975-8887), vol 111-no 5, feb 2015.
- [2] A.Gera, N.sethi, "A revived survey of various credit card fraud detection techniques," International Journal of Computer Science and Mobile Computing, vol. 3, no. 4, pp. 780 – 791, April 2014.
- [3] G. Stanley, "Card-less financial transaction," Apr. 21 2014, US Patent App. 14/257,588.
- [4] Fingershield ATM – ATM Security System using Fingerprint Authentication, Christiawan; Bayu Aji Sahar; Azel Fayyad Rahardian; Elvayandri Muchtar 2018 International Symposium on Electronics and Smart Devices (ISESD).
- [5] Securing ATM pins and passwords using Fingerprint based Fuzzy Vault System, Sweedle Machado; Prajyoti D'silva; Snehal D'mello; Supriya Solaskar; Priya Chaudhari 2018 Fourth International Conference on Computing Communication Control and Automation.
- [6] A.K. Ojha, "ATM Security using Fingerprint Recognition", International Journal of Advanced Research in Computer Science and Software Engineering, Vol. 5, No. 6, pp. 170- 175, 2015.
- [7] R. Banu Priya, P. Kavitha, T. Ashok, N. Logesh Kumar and M. Chandrasekar, "Smart ATM Access and Security System using RFID and GSM Technology", International Journal of Scientific Research and Education, Vol. 2, No. 5, pp. 446- 453, 2013. 0 10 20 30 40 50 60 Successful Attempts Biometrics ISSN: 2395-1680 (ONLINE) ICTACT JOURNAL ON MICROELECTRONICS, JULY 2018, VOLUME: 04, ISSUE: 02 575
- [8] G. Eason, B. Noble and I.N. Sneddon, "On Certain Integrals of Lipschitz-Hankel Type Involving Products of Bessel Functions", Philosophical Transactions of the Royal Society A, Vol. A247, pp. 529-551, 1955.
- [9] G. Sambasiva Rao, C. Naga Raju, L.S.S. Reddy and E.V. Prasad, "A Novel Fingerprints Identification System Based on the Edge Detection", International Journal of Computer Science and Network Security, Vol. 8, No. 12, pp. 394-397, 2008.
- [10] M.R. Girgis, A.A. Sewisy and R. F. Mansour, "Employing Generic Algorithms for Precise Fingerprint Matching based on Line Extraction", Graphics, Vision and Image Processing Journal, Vol. 7, No. 1, pp. 51-59, 2007.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)