



IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 9 Issue: XI Month of publication: November 2021 DOI: https://doi.org/10.22214/ijraset.2021.38786

www.ijraset.com

Call: 🕥 08813907089 🔰 E-mail ID: ijraset@gmail.com

# **Student Academic Performance Prediction under Various Machine Learning Classification Algorithms**

M. Nirmala<sup>1</sup>, T. Seeni Selvi<sup>2</sup>, V. Saravanan<sup>3</sup> <sup>1</sup>Department of Computer Applications, <sup>2</sup>Department of Computer Science, <sup>3</sup>Department of Information Technology <sup>1</sup>Hindusthan College of Engineering and Technology, <sup>2, 3</sup>Hindusthan College of Arts and Science

Abstract: Data Mining in Educational System has increased tremendously in the past and still increasing in present era. This study focusses on the academic stand point and the performance of the student is evaluated by various parameters such as Scholastic Features, Demographic Features and Emotional Features are carried out. Various Machine learning methodologies are adopted to extract the masked knowledge from the educational data set provided, which helps in identifying the features giving more impact to the student academic performance and there by knowing the impacting features, helps us to predict deeper insights about student performance in academics. Various Machine learning workflow starting from problem definition to Model Prediction has been carried out in this study. The supervised learning methodology has been adopted and various Feature engineering methods has been adopted to make the ML model appropriate for training and evaluation. It is a prediction problem and various Classification algorithms such as Logistic Regression, Random Forest, SVM, KNN, XGBOOST, Decision Tree modelling has been done to fit the student data appropriately.

Keywords: Scholastic, Demographic, Emotional, Logistic Regression, Random Forest, SVM, KNN, XGBOOST, Decision Tree.

# I. INTRODUCTION

Machine Learning [1] commonly deals with big data where the size of the data is massive and the data can be both in structured and unstructured format. It endows the computers with the ability to learn from 'DATA' and make sensible decisions. The main focus of this research it to perform a step by step process of the Machine Learning approach from Problem definition to Prediction. Educational sector is a domain where outsized amount of data is being bred every day. The generated existing data and the about to receive data if analysed in the right format can bring tremendous changes in the Scholastic field. The Machine Learning technique is able to perfectly analyze the data and can bring lot of changes in improving the scholastic performance of the students. The other features which included demographic, behavioural can also create an impact in the academic performance of the students.

# II. LITERATURE SURVEY / RELATED WORK

Numerous data mining tasks [2] were used to create qualitative predictive models to predict the students' grades from a collected training dataset. During the survey, university students were aimed and collected multiple personal, social, and academic data of them. Pre-processing of the collected were done to make it suitable for data mining tasks. Third, the classification models were tested on the pre-processed data. On the whole this study motivated the universities to do data mining tasks on their students' data regularly to get interesting results and patterns which in turn can be more effective and helpful for university as well as the students in many ways. A similar research on Educational Data Mining; Student's performance was predicted based on academic records and their forum participation in [3]. Two undergraduate course data were collected. To predict student's performance three classification models like Naive Bayes, Neural Networks and Decision Trees were used. The results show that Naive Bayes model gave better result comparing to other two models.

Another comparative study was done by [4]. They compared six algorithms like J48, Random Forest, Naive Bayes, Naive Bayes Multinomial, K-Star and IBK. The data set contains 480 records and Weka Tool were used for implementation. The Survey conducted based on seven attributes and found Random Forest algorithm provides more accuracy compared to other algorithms.

A survey was conducted over 200 college students. In this research [5] classification algorithms were adopted on student dataset to foretell the learning behavior of student's. Slow learners were identified, and actions were taken to reduce the failure count and correct actions could be adopted to make the weaker students suitable for learning. In this study the J48, Naive Bayes and Random forest algorithms were compared. Finally the researcher got accuracy using Random forest algorithm when the data set is in massive size.



International Journal for Research in Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429 Volume 9 Issue XI Nov 2021- Available at www.ijraset.com

The study about students' educational behavior done by [6] proposed framework having a category of a feature called "Behavioral feature" is introduced where they focus on student's behavioral features and their relationship with student's academic success. They used the same framework to examine student's progress by using ensemble techniques which enhance the overall accuracy of results. Classification task on student database to predict the academic performance of student was carried by [7]. Bayesian Network Classifiers is used in this study. Information like Previous semester marks, Internal Assessment Marks, Performance during Seminars, Assignment, Attendance, Co-Curricular Activities were collected to predict the performance of the end semester marks. This study will help the students improve their performance. The students who require special responsiveness will be effectively identified and the failure rate of students would be decreased considerably.

A Student performance through a study was done by [8]. The sample contains 300 students out of which 225 are males and 75 are females. The performance of the students in the class are affected by various parameters such as student attendance, hours spent in class, family income, students mother's age and her education.

Educational Data Mining to be a upcoming research area which deals with computational methods to explore educational data was explained by [9]. It also explains the types of Educational Environments, Educational data and different group of people in education field. It helps us to explore educational phenomenon better and to get enhanced insights into it. This also says about the current affairs in the EDM field.

#### **III.RESEARCH METHODOLOGY**

The various methods adopted during the research process have been portrayed. This is a Descriptive Research problem where the study of student data set is explored. It performs the prediction of Academic performance of students of an educational body by applying various methodologies with respect to Machine Learning.

# A. Research Data

The data collected from secondary data sources are tabulated in the Table 1.

	Table 1 : Data Source Details
Data sources	xAPI-Edu-Data.csv
Dataset characteristics	Multivariate
Number of Instances	480
Number of Attributes	17
Attribute Type	Categorical and Numerical
Dataset Owner	Ibrahim Alijarah
	Professor (Assistant) at The University of Jordan
	Fargo, North Dakota, United States
Link	https://www.kaggle.com/aljarah/xAPI-Edu-Data/metadata

B. Proposed System Method Of Analysis

The proposed system states the prediction of the Academic performance of the student using various Features depicted in **Table 2** are classified as Demographic, Scholastic and Emotional.

Demographic Features (Related to Population)	Scholastic Features	Emotional Features					
gender	Educational Stages	Raised Hands					
Nationality	Grade Levels	Visited Resources					
Place of Birth	Section ID	Viewing Announcements					
	Semester	Discussion Groups					
	Торіс	Parents Answering Survey					
Parents responsible for student	Student Absence Days	Parents School Satisfaction					
	Class (L,M,H) based on the total grade marks classified into 3 classes						

Table 2 : Students Features



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429

Volume 9 Issue XI Nov 2021- Available at www.ijraset.com

Machine Learning workflow has various steps to be followed starting from Problem definition to Model Prediction. Various steps required to be followed before fitting the model are shown in the Figure 1.



Figure 1 : Machine Learning Process Pipeline

# C. Machine Learning Pipeline

Machine learning methodology is adopted for problems when traditional programming cannot be done, and when the system itself needs to solve the problem rather than a programmer, and if the size of the data is very large.

Steps to be followed for Machine Learning Process

Define	Be clear with what the mo	odel is o	expected	l to do.									
Problem	Ensure that all the inputs	are ava	ilable du	iring pre	diction.								
Problem	In this system the academic performance of students need to be predicted based upon various features.												
	The data is collected from xAPI-Edu-Data.csv data repository. It contains 480 rows and 17 Columns. It												
	contains both categorical and Numerical data.												
	The data collected is in the format shown in <b>Figure 2</b> .												
Collect							I	Required on	ly for Supervi	ised Learning			
Data		F1	F2	F3				Fn	Label	1			
Data	Example 1	f1	f2	f3				fn	L1				
	Example m	f1	f2	f3				fn	Lm				
		Fig	ure 2 : [	Data Forr	nat for S	Supervis	ed Learı	ning					

Table 3	•	Students Features and its Descriptions	
1 abic 5	•	Students I catures and its Descriptions	

Feature	Datatype	Description							
gender	Categorical	Male or Female							
NationalITy	Categorical	Student Nationality							
PlaceofBirth	Categorical	Place of Birth of the Student							
StageID	Categorical	Stage refers to Primary, Middle or High School							
GradeID	Categorical	Grade Category varies from G-01 to G-12							
SectionID	Categorical	Classroom Section, either A or B or C							
Topic	Categorical	Refers to Course Topic such as Math, Quran etc.							
Semester	Categorical	Either First semester or Second Semester							
Relation	Categorical	Either Father or Mum, who is responsible for Student							
raisedhands	Numerical	Count of students Interacted during the class room by raising hands.							
VisiTedResources	Numerical	Count of the students who visited the course content.							
AnnouncementsView	Numerical	Count of the students who checks the new Announcements							
Discussion	Numerical	Count of the students who participated on discussion groups.							
ParentsAnsweringSurvey	Categorical	Whether Parent Answered Survey provided from school or not.							
ParentsschoolSatisfaction	Categorical	Degree of Parent satisfaction from School							
StudentAbsenceDays	Categorical	Either Nominal above 7 or under 7							
Class	Categorical	Based on the total grade / marks it is classified as Low-level, Middle Level, High Level.							

Exploratory Data Analysis (EDA) is an approach for data analysis that employs a variety of techniques (both graphical and quantitative) to better understand data. This system contains 4 Numerical Columns and 13 Categorical Columns and the description about each and every feature, its datatype, its category and its description are explained in the table 3.




D. Exploratory Data Analysis

1) Univariate Analysis – Individual Features / Variables


Analyzediagrams etc. Visualization helps to understand the data much quicker than quantitative methods and as a part of visualization various methods are performed to Analyze the data in a better format. UNIVARIATE ANALYSIS – Individual Features / Variables BIVARIATE ANALYSIS – Relationship of a feature with Target Variable
---

The Univariate analysis does a single variable analysis. It does not infers its relationship with any other variables. In general count plot could be used for this analysis. It helps to portray the data and it's respective patterns for the user to get a better insight about the single variable and the graphical representation helps us to view maximum, minimum, mean values etc. The Univariate Analysis and its visualization inferences are described using below mentioned charts.






International Journal for Research in Applied Science & Engineering Technology (IJRASET)







# 2) Univariate Analysis – Report

Gender	Male is 63.5% and Female is 36.4%. The g		fers that the maximu						
	count of students from the data set is Male.								
Nationality	Under Nationality feature KW has 37.3% a	and Jordan has 3	5.8% and Venezuela						
T defondinely	has the least % of 0.2%								
PlaceofBirth	The % ratio of Nationality and Place of Bir		e and as per the						
Theoofbirth	analysis any one column could be dropped.								
StageID	Out of the total 51.7 % students are studyin	ng in MiddleSch	ool, 41.5% are in						
StagenD	Lowerlevel and only 6.9% are in High Sche	ool.							
	Out of the total G-02 is 30.6%, G-08 is 24.2	2% ,G-07 is 21%	, G-04 is 10%, G-0						
GradeID	is 6.7%, G-11 is 2.7%, G-12 is 2.3%, G-09 is 1.04%, G-10 is 0.83% and G-05 is								
	0.63%.								
SectionID	Out of the total 59% are studying in A section. 34.8% are studying in B section								
SectionID	and 6.25% are studying in C Section.								
	Out of the total students 19.8% area of interest topic is IT, 13.5% is French,								
т ·	12.3 % is Arabic, 10.6% is Science, 9.8% is English, 6.25% is Biology, 5.2% is								
Topic	Spanish, 5% for both Geology and Chemistry, 4.58% for Quran, 4.37% is								
	Mathematics and 3.95% for History.								
Semester	51% of students are in First Semester and 4	18.95% are in Se	cond Semester.						
D 1 /	Parent Responsible for student can be either Father or Mum. Out of the total %								
Relation	58.9% is for Father and 41.04% is for Mother.								
	ParentAnsweringSurvey towards the school improvement is an important factor								
ParentAnsweringSurvey	and 56.25% gave an Answer of 'YES' and 43.75% gave an answer of 'NO'								
	ParentschoolSatisfaction is also an importa								
	whether the student will continue in the sar		1 .						
ParentschoolSatisfaction	percentage 61% opinion towards the Schoo	ol was Good and	remaining of 39%						
	opinion towards school was Bad.		U U						
StudentAbsenceDays	Out of the total 60% students are regular ar	nd 40% has take	n more than 7 days						
-	leave. Female has more attendance than Ma								
StudentAbsenceDays	StudentAbsenceDays/ Gender	Male	Female						
with respect to gender	Under 7	160	129						
	Above 7	145	46						
CI	Out of the Total Low Level score is acquire	ed by 26.5%, Me	edium Level Score is						
Class	acquired by 44% and High Level score is a	•							



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429 Volume 9 Issue XI Nov 2021- Available at www.ijraset.com

# 3) Bivariate Analysis – Relationship Of a Feature With Target Variable

Bivariate Analysis is performed to find the associativity between every variable in the data set with the Target Variable (Class in this system). It also checks for association and the strength of this association or whether there are differences between two variables and the significance of these differences.




Figure 16 : Bivariate Analysis -Gender & Class




Figure 18 : Bivariate Analysis - Section ID & Class




Figure 20 : Bivariate Analysis - Relation & Class




Figure 17 : Bivariate Analysis - Stage ID & Class




Figure 19 : Bivariate Analysis - Semester & Class




Figure 21 : Bivariate Analysis – ParentAnsweringSurvey & Class



International Journal for Research in Applied Science & Engineering Technology (IJRASET)




Figure 22 : Bivariate Analysis – ParentSchoolSatisfaction & Class




Figure 24 : Bivariate Analysis - raisedhands & Class




Figure 26 : Bivariate Analysis - Discussion & Class




Figure 23 : Bivariate Analysis – StudentAbsenceDays & Class




Figure 25 : Bivariate Analysis - Visited Resources & Class




Figure 27 : Bivariate Analysis – Announcements View & Class




Figure 28 : Bivariate Analysis - Nationality & Class



International Journal for Research in Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429 Volume 9 Issue XI Nov 2021- Available at www.ijraset.com




Figure 31 : Bivariate Analysis - Topic & Class

# 4) Bivariate Analysis –Report – Target Variable = Class

	gender		F	М	[													
	Class						V.	lith ro	an aat t	o aand	or 000	anarad	with a	th class female				
	Н	52	.82%	47.1	18%	With respect to gender compared with class, female has the highest score with respect to High level and Male												
Gender	L	18	.90%	81.1	10%			U			1		0					
	М	36	.02%	63.9	98%	has Highest score with respect to Low Level. Female												
	Table	4 : 0	Gender	& Cla	ass	Academic performance is more compared to Male.												
		Sc	core															
	Nation allTy	Eg ypt	Iran	Iraq	Jorda n	KW	Lybia	Moro cco	Palest ine	Saudi Arabia	Syria	Tunis	USA	leban on	venzu ela			
	Class	%	%	%	%	%	%	%	%	%	%	%	%	%	%			
		4	0	10	37	25	0	1	8	4	1	2	2	6	1			
	H	1	0								-	0		2	0			
Nationality	H L	1 2	2	0	29	54	5	1	0	1	2	3	1	-	V			
Nationality		1 2 2		0 4	29 39	54 36	5 0	1	0 8	1 2	2	2	1	3	0			
Nationality	L		2	-	39	36	0	1 1 nality	8	$\frac{1}{2}$ ss Scor	1	-	1	3	-			
Nationality	L	2	2 2	4	39 Tab	36 ole 5 :	0 Nation	•	8 & Cla	ss Scor	1 e	2	1 1 highe	3	0			



	Placeof Birth	Egypt	Iran	Irac	Jorda I n	Kuwa IT	Lybia	Moro cco	Palest ine	Saudi Arabia	Syria	Tunis	USA	leban on	venzu ela
	Class	%	%	%	%	%	%	%	%	%	%	%	%	%	%
	H	2	0	10	37	25	0	1	4	5	1	2	4	8	1
PlaceofBirth	L	2	2	0	27 42	54 36	5	1	0	3	1	2	2	2	0
	IVI	1	4	4			_	_	_	ass Sco	-	1	4	5	U
	With	respec	et to P	laceo	fBirth	compa	red w	ith cla	ss, Jor	dan and untries.	l Egyp	ot has	got hi	ghest c	ount
		Stage ID	Sch	iool	Middle School	leve									
	-	Class H	_	<b>%</b> 8	% 54	% 39	_				-	-	-	eID M	
StageID	-	L	_	5	43	51	_			School				-	-
	-	M	_	7	56	37				level c	of scor	es wit	h resp	ect to (	Class.
	]	ſable '	7 : Sta	ige II	) & Cla										
	Gr: I	nde D	<u>-02</u>	G-04	4 G-0	5 G-0	6 G	-07	G-08	G-09	<b>G</b> -]	10	G-11	G-12	
		ass	%	%	%	%	_	%	%	%	%		%	%	
		ł	29	10	0	10	_	20	23	0	1		4	3	
GradeID	I		39	9	2	2	_	22	20	1	1		2	3	_
	N	1	27	11	0	8	2	21	27	2	1		2	1	
	Table 8 : Grade ID & Class Score   G-02, G-08, G-09 has the highest scores compared to other grades														
		ction A ID A		B	C	_		With room out to Station ID a							
		Cla H		% 59	% 37	% 4	-		With respect to SectionID compared						
SectionID				56	38	6	-		V	with class, Section A is ranking high in					
		N		61	31	8			all 3 class categories.						
	T				D & C	ass Sc	ore								
	1	Fopic 4	Arabic	Biolog	g Chemi	Englis	Frenc	Geolo	Histor	IT	Math	Quran	Scienc	Spanis	
				y	stry	h	h 0/	gy	y o/				e e	h	
		Class H	% 13	% 11	% 7	% 12	% 14	% 4	% 3	% 11	% 4	% 6	% 11	% 4	-
Topic		L	13	3	6	8	14	4	2	30	6	5	8	6	
		M	11	5	3	9	14	9	6	20	4	4	12	6	1
					•	Table	10 : T	opic 8	k Clas	s Score			•		1
		S	Semest	er	F	s									
			Class			<b>%</b>				In ca	se of s	second	l seme	ester, it	is less
Semester		_	H			6			iı	n the Lo					
		_	L M			9 0						mo	re.		
	Т	able 1			er & Cl		ore								



	Relati on	Father	Mum							
	Class	%	%		With respect to Relation compared					
Relation	Н	30	70		with class, the highlevel learning					
	L	82	18		students are greatly supported and					
	М	65	35		motivated by mothers.					
	Table 12 :	Relation &	& Class Sc	ore						
	Parent Answerin Survey	ng No	Yes		With respect to					
ParentAnswerin	Class	%	%		ParentAnsweringSurvey compared with					
gSurvey	Н				class, there was more yes for H and					
55 al ( 6 )		78	22 61		and less for L.					
	Table 13 : Pare			& Class						
		Score	iigbui (ey							
	Paren	t								
	schoo Satisfact		Good		With respect to					
D	Class		%		ParentSchoolsatisfaction compared					
ParentschoolSat isfaction	Н	17	83	-	with class, large majority of parents are					
Istaction		66	34	-	satisfied with the education they received. In case of least satisfied					
	M Table 14 : Parer	38 	62	₽ Class	parent the count is comparatively less.					
	Table 14 : Parel	Score	uisiaction	parent the count is comparatively less.						
			1							
	Student	t e Above-7	Under-7		The biggest visual trend can be seen					
	Days	e Above-/	Under-/		is how frequently the student was					
StudentAbsence	Class	%	%		absent. Over 90% of the students who					
Days	Н	3	97	-	did poorly were absent more than seven times, while almost none of the					
		91 34	9 66	-	students who did well were absent					
	Table 15 : Studer			ass Score	more than seven times.					
	1 4010 10 1 20440		-		ands count : 22452					
				count is :						
Raisedhands					Raised: 74.0					
			_		t Raised : 128.0					
Announce	Total Students View Total student count		ements : 18	201	Female student have participated					
mentsView	Average Male Stud		Announcem	ent: 60.0	more in viewing announcements.					
	Average FeMale St									
	Total Students vi		rces: 2630.	3						
visitedReso	Total student con		1.D.		Female student have visited the					
urces	Average Male S Average FeMale				resources more in number.					
Discussion	Total Students Partic Total student count Average Male Stude	ipated in Dis is : 480	scussion: 20	776	Female Students have more					
Discussion	Average FeMale St				participated in Discussion.					



International Journal for Research in Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429 Volume 9 Issue XI Nov 2021- Available at www.ijraset.com

5) *Correlation:* Coorelation [10] is a bivariate analysis that measures the strength of association between 2 variables and the direction of the relationship. The correlation value will be between +1 and -1.

Types of Coorelation are :

Numeric Vs Numeric	Categorical (Binary	Ordinal With	Categorical vs
	Feature) Vs Numerical	Ordinal	categorical
Pearson	Pointbiserialr	Spearman Rho	Cross Tab

Different types of correlation has been implemented depending upon the type of variable. For the given data set, the following coorelation methods have been adopted which is depicted in the

Table 16

				1	1	1	1									1	1	1	
Б			Nomin al	Nomin al	Nomin al	Ordina l	Ordina l	Ordina l	Nomin al	Nomin al	Nomin al					Nomin al	Nomin al	Nomin al	ordinal
rea	tures/ I Type	Data	gender	Nation allTy	Placeof Birth	StageI D	GradeI D	Sectio nID	Topic	Semest er	Relatio n	raised hands	VisiTe dResou rces	Annou nceme ntsVie w	Discus sion	Parent sAnsw eringS urvey	Parent sschoo lSatisf acon	Studen tAbsen ceDays	Class
gender	Catego rical	Nomin al		Cross Tab	Cross Tab	point biserial	point biserial	point biserial	point biserial	Cross Tab	Cross Tab	Cross Tab	Cross Tab						
Nation allTy	Catego rical	Nomin al	Cross Tab		Cross Tab	Cross Tab	Cross Tab	Cross Tab	Cross Tab	Cross Tab	Cross Tab					Cross Tab	Cross Tab	Cross Tab	Spearm an Rho
Placeof Birth	Catego rical	Nomin al	Cross Tab	Cross Tab		Cross Tab	Cross Tab	Cross Tab	Cross Tab	Cross Tab	Cross Tab					Cross Tab	Cross Tab	Cross Tab	Spearm an Rho
StageI D	Catego rical	Ordina l	Cross Tab	Cross Tab	Cross Tab		Cross Tab	Cross Tab	Cross Tab	Cross Tab	Cross Tab					Cross Tab	Cross Tab	Cross Tab	Spearm an Rho
GradeI D	Catego rical	Ordina 1	Cross Tab	Cross Tab	Cross Tab	Cross Tab		Cross Tab	Cross Tab	Cross Tab	Cross Tab					Cross Tab	Cross Tab	Cross Tab	Spearm an Rho
Sectio nID	Catego rical	Ordina 1	Cross Tab	Cross Tab	Cross Tab	Cross Tab	Cross Tab		Cross Tab	Cross Tab	Cross Tab					Cross Tab	Cross Tab	Cross Tab	Spearm an Rho
Topic	Catego rical	Nomin al	Cross Tab	Cross Tab	Cross Tab	Cross Tab	Cross Tab	Cross Tab		Cross Tab	Cross Tab					Cross Tab	Cross Tab	Cross Tab	Spearm an Rho
Semest er	Catego rical	Nomin al	Cross Tab	Cross Tab	Cross Tab	Cross Tab	Cross Tab	Cross Tab	Cross Tab		Cross Tab	point biserial	point biserial	point biserial	point biserial	Cross Tab	Cross Tab	Cross Tab	Cross Tab
Relatio n	Catego rical	Nomin al	Cross Tab	Cross Tab	Cross Tab	Cross Tab	Cross Tab	Cross Tab	Cross Tab			point biserial	point biserial	point biserial	point biserial	Cross Tab	Cross Tab	Cross Tab	Cross Tab
raised hands	Numer ical		point biserial							point biserial	point biserial					point biserial	point biserial	point biserial	
VisiTe dResou rces	Numer ical		point biserial							point biserial	point biserial					point biserial	point biserial	point biserial	
Annou nceme ntsVie	Numer ical		point biserial							point biserial	point biserial					point biserial	point biserial	point biserial	
Discus sion	Numer ical		point biserial							point biserial	point biserial					point biserial	point biserial	point biserial	
Parent sAnsw eringS	Catego rical	Nomin al	Cross Tab	Cross Tab	Cross Tab	Cross Tab	Cross Tab	Cross Tab	Cross Tab	Cross Tab	Cross Tab	point biserial	point biserial	point biserial	point biserial		Spearm an Rho	Cross Tab	Cross Tab
Parent sschoo lSatisf	Catego rical	Nomin al	Cross Tab	Cross Tab	Cross Tab	Cross Tab	Cross Tab	Cross Tab	Cross Tab	Cross Tab	Cross Tab	point biserial	point biserial	point biserial	point biserial	Spearm an Rho		Cross Tab	Cross Tab
Studen tAbsen ceDays	Catego rical	Nomin al	Cross Tab	Cross Tab	Cross Tab	Cross Tab	Cross Tab	Cross Tab	Cross Tab	Cross Tab	Cross Tab	point biserial	point biserial	point biserial	point biserial	Cross Tab	Cross Tab		Cross Tab
Class	Catego rical	ordinal	Cross Tab	Spearm an Rho	Cross Tab	Cross Tab					Cross Tab	Cross Tab	Cross Tab						

Table 16 : Correlation Methods Applied for the Dataset



# International Journal for Research in Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429 Volume 9 Issue XI Nov 2021- Available at www.ijraset.com

# The following inferences has been drawn from the

Table 17. It shows that correlation between various features among other feature using crosstab function, Spearman RHO, Pearson, point biserialr shows that the following features are coo related and could be included for modelling. Nationality, Place of Birth, Stage ID, Grade ID, Section ID, Topic, Semester, Relation, Class, parent Answering Survey, Parent School Satisfaction, Student Absence Days to be included for model along with numerical features. Other features if required using the Feature importance could be later included for modelling.

			Nomin al	Nomin al	Nomin al	Ordina l	Ordina l	Ordina I	Nomin al	Nomin al	Nomin al					Nomin al	Nomin al	Nomin al	ordinal
Feature	Features / Data Type		gender	Nation alITy	Placeo fBirth	StageI D	Grade ID	Sectio nID	Topic	Semes ter	Relati on	raised hands	dReso	Annou nceme ntsVie	Discus sion	sAnsw	Parent sschoo lSatisf	tAbse	Class
gender	Categ orical	Nomin al	1	0.235	0.258	0.079	0.167	0.059	0.219	0.045	0.191	0.15	0.211	0.052	0.125	0.018	0.089	0.205	0.264
Nation allTy	Categ orical	Nomin al	0.235	1	0.874	0.314	0.294	0.247	0.28	0.274	0.366					0.226	0.341	0.275	0.277
Placeof Birth	Categ orical	Nomin al	0.258	0.874	1	0.353	0.296	0.255	0.287	0.228	0.376					0.241	0.316	0.255	0.281
StageI D	Categ orical	Ordina l	0.079	0.314	0.353	1	0.998	0.086	0.536	0.153	0.044					0.127	0.019	0.12	0.086
GradeI D	Categ orical	Ordina l	0.167	0.294	0.296	0.998	1	0.4	0.523	0.329	0.144					0.184	0.072	0.167	0.174
Section ID	Categ orical	Ordina l	0.059	0.247	0.255	0.086	0.4	1	0.56	0.048	0.035					0.033	0.071	0.052	0.068
Topic	Categ orical	Nomin al	0.219	0.28	0.287	0.536	0.523	0.56	1	0.528	0.36					0.195	0.224	0.159	0.217
Semest er	Categ orical	Nomin al	0.045	0.274	0.228	0.153	0.329	0.048	0.528	1	0.145	0.178	0.173	0.287	0.019	0.019	0.021	0.068	0.128
Relatio 11	Categ orical	Nomin al	0.191	0.366	0.376	0.044	0.144	0.035	0.36	0.145	1	0.364	0.36	0.34	0.027	0.16	0.283	0.215	0.412
raisedh ands	Numer ical		0.15							0.364	0.317					0.317	0.297	-0.464	
VisiTed Resour ces	Numer ical		0.211							0.36	0.382					0.382	0.364	-0.499	
Announ cement sView	Numer ical		0.052							0.34	0.396					0.396	0.299	-0.312	
Discuss ion	Numer ical		0.125							0.027	0.232					0.232	0.061	-0.219	
Parents Answer ingSurv ey	Categ orical	Nomin al	0.018	0.226	0.241	0.127	0.184	0.033	0.195	0.019	0.16	0.317	0.382	0.396	0.232	1	0.536	0.257	0.446
Parents schoolS atisfaco n		Nomin al	0.089	0.341	0.316	0.019	0.072	0.071	0.224	0.021	0.283	0.297	0.364	0.299	0.061	0.536	1	0.224	0.378
Student Absenc eDays	Categ orical	Nomin al	0.205	0.275	0.255	0.12	0.167	0.052	0.159	0.068	0.215	-0.464	-0.499	-0.312	-0.219	0.257	0.224	1	0.685
Class	Categ orical	ordinal	0.264	0.277	0.281	0.086	0.174	0.068	0.217	0.128	0.412					0.446	0.378	0.685	1

Table 17 ·	Correlation	Methods	Tabulated	Values
	Conciation	wiculous	rabulateu	values



# E. Feature Engineering Concepts [11]

It is the process of converting data into features to act as inputs to machine learning models. Variable transformation type is applied in this study, where in the given data set most of the columns are categorical and need to be converted to numerical. The conversion process is done through Label encoding method [12] and the output of the Label Encoding is shown in the **Figure 34** and the formula applied for the label encoding is shown in the **Figure 32** 

$gender_map = \{'M:1,'F':2\}$
NationalITy_map =
{'Iran':1,'SaudiArabia':2,'USA':3,'Egypt':4,'Lybia':5,'lebanon':6,'Morocco':7,'Jordan':8,'Palestine':
9,'Syria':10,'Tunis':11,'KW':12,'Iraq':13,'venzuela':14}
PlaceofBirth_map =
{'Iran':1,'SaudiArabia':2,'USA':3,'Egypt':4,'Lybia':5,'lebanon':6,'Morocco':7,'Jordan':8,'Palestine':
9,'Syria':10,'Tunis':11,'KuwaIT':12,'Iraq':13,'venzuela':14}
StageID_map = {'HighSchool':1,'MiddleSchool':2,'lowerlevel':3}
GradeID_map = {'G-02':2,'G-04':4,'G-05':5,'G-06':6,'G-07':7,'G-08':8,'G-09':9,'G-10':10,'G-
11':11,'G-12':12}
SectionID_map = {'A':1,'B':2,'C':3}
Topic_map =
{'Arabic':1,'Biology':2,'Chemistry':3,'English':4,'French':5,'Geology':6,'History':7,'IT':8,'Math':9,'
Quran':10,'Science':11,'Spanish':12}
Semester_map = {'F':1,'S':2}
Relation_map = {'Mum':1,'Father':2}
ParentAnsweringSurvey_map = {'Yes':1,'No':0}
ParentschoolSatisfaction_map = {'Bad':0,'Good':1}
StudentAbsenceDays_map = {'Under-7':0,'Above-7':1}
$Class_map = {'H':3,'M':2,'L':1}$

Figure 33 : Label Encoding Code

	gend er		Plac eofB irth	Stag eID	Grad eID	Secti onID	Topi c	Sem ester	Rela tion	raise dhan ds	VisI Ted Res				Pare ntsc hool		Clas s
0	1	12	12	3	4	1	8	1	2	15	16	2	20	1	1	0	2
1	1	12	12	3	4	1	8	1	2	20	20	3	25	1	1	0	2
2	1	12	12	3	4	1	8	1	2	10	7	0	30	0	0	1	1
3	1	12	12	3	4	1	8	1	2	30	25	5	35	0	0	1	1
4	1	12	12	3	4	1	8	1	2	40	50	12	50	0	0	1	2

Figure 34 : Label Encoder: Categorical to Numeric Converted Values

Various proposed Classification Algorithms [13] used in this paper are :

- 1) Logistic Regression
- 2) Random Forest
- 3) K Nearest Neighbors Algorithm

XG Boost Support Vector Machine

Decision Tree



# **IV. EXPERIMENTAL RESULTS**

The transformed data set is partitioned into training data set and the test data set where the training data is 70% of the whole data set and the remaining unused 30% is used as Test data set. The random state is set as 0. The parameters applied for various algorithms are depicted in **Table 18**. The experimented results before feature engineering is depicted in

\_ \_ \_

Table 19. Sample code for Logistic Regression and its classification Report has been shown in Table 20 & Figure 35.

Table 18 : Parameters For Model Fitting							
Model Type	Parameters for Fitting the Model						
Logistic Regression	solver='lbfgs',multi_class='auto', max_iter=2000						
Random Forest	RandomForestClassifier(n_jobs=-1, random_state=123, criterion='gini',						
Kandom Forest	max_depth=3,)						
KNN	KNeighborsClassifier(n_neighbors=7						
SVM	svm.SVC(kernel='rbf',gamma='auto') # Linear Kernel						
XGBOOST	xgb.XGBClassifier(max_depth=10, learning_rate=0.1, n_estimators=100,						
7080031	seed=10)						
DECISION TREE – Gini	DecisionTreeClassifier(criterion = "gini", random_state = 100,						
DECISION TREE – OIII	max_depth=7, min_samples_leaf=5)						
DECISION TREE - Entropy	DecisionTreeClassifier(criterion = "entropy", random_state = 100,						
	max_depth=7, min_samples_leaf=5)						

Table 19 : Experimented Results - Before Feature Engineering

Model Type	Training Score	Testing Score
Logistic Regression	79.16	75.0
Random Forest	82.44	75.69
KNN	75.0	61.1
SVM	99.70	50.0
XGBOOST	100.0	74.30
DECISION TREE – Gini	86.90	70.83
DECISION TREE - Entropy	85.11	67.36

Table 20 : Training & Testing Code - Logistic Regression Algorithm

Training Score Code	Testing Score Code
from sklearn.linear_model import LogisticRegression	from sklearn.metrics import accuracy_score
Logit_Model=LogisticRegression(solver='lbfgs',	from sklearn.metrics import classification_report
multi_class='auto', max_iter=2000)	prediction=Logit_Model.predict(X_test)
Logit_Model.fit(X_train,Y_train)	<pre>score = accuracy_score(Y_test,prediction)</pre>
Logit_Model.score(X_train,Y_train)	report=classification_report(Y_test,prediction)

	precision	recall	f1-score	support
2 5 10	0.85 0.76 0.64	1.00 0.69 0.64	0.92 0.72 0.64	23 45 28
accuracy macro avg weighted avg	0.75 0.75	0.78 0.75	0.75 0.76 0.75	96 96 96

Figure 35 : Logistic Regression - Classification Report



- A. Feature Importance
- 1) Random Forest Feature Importance [14]: Random forests are among the most popular machine learning methods thanks to their relatively good accuracy, robustness and ease of use. They also provide two straightforward methods for feature selection: mean decrease impurity and mean decrease accuracy.
- 2) Experimented Results after Feature Engineering: The Feature Engineering process applied data set is divided into training data set and the test data set where the training data is 70% of the whole data set and the remaining unused 30% is used as Test data set. The random state is set as 50 here, whereas in the previous phase it was set as 0.

Model Type	Training	Testing	Remarks
51	Score	Score	
Logistic Regression	87.20	86.81	Good
Random Forest	94.05	90.97	Fair
KNN	81.54	82.63	Good
SVM	97.91	83.33	Needs more Testing Effort
XGBOOST	97.02	90.27	Needs more Testing Effort
DECISION TREE – Gini	81.25	76.38	Needs more Testing Effort
DECISION TREE - Entropy	80.65	81.25	Good

#### Table 21 : Experimented Results - After Feature Engineering

# V. CONCLUSION

The Machine learning methodology is rapidly increasing and the impact of the machine able to predict the result of a system by itself and also it is able to train a data over a period of time and also test the trained model with a different set of data to prove that the model is working efficiently and effectively. In this research study it has been apparently proved that Logistic Regression has got a training score of 87.20 and a testing score of 86.81 has proved that the model is working effectively without any bias or variance concept. KNN and Decision Tree Entropy also works good and other implemented algorithms in this research study needs some more feature engineering concepts and data analysis in a stronger term. The model deployment has been done for all algorithms and the sample input has been given for evaluation, which classified perfectly in all algorithms.

#### VI.FUTURE SCOPE

The present study predicting the Academic performance of students with respect various features have considerably proved positive results. This research work increases the performance prediction process of student in an effective way. When considering the future this work can be further extended by using other feature(s) as Target Variable.

- A. Other Features such as Financial Impacting feature, Physical Health Impacting feature and practicing food habits feature can also be included in the upcoming research study.
- B. As the above factors also can create an impact on the academic performance of the student directly or indirectly.
- C. Since the present study focused on predicting the academic performance [5] of the student other factors included can also be experimented to predict the performance of the student not only in academic point of view but also in a behavior perspective.

#### REFERENCES

- [1] Smola, Alex, and S.V.N. Vishwanathan. Introduction to Machine Learning. Cambridge University Press, 2008. N.p., 2008. Web.
- [2] Amjad Abu Saa. (2016) "Educational Data Mining & Students' Performance Prediction" International Journal of Advanced Computer Science and Applications, Vol. 7, No. 5, 2016.
- [3] Ahmed Mueen, Bassam Zafar and Umar Manzoor. (2016) "Modeling and Predicting Students' Academic Performance Using Data Mining Techniques" I.J. Modern Education and Computer Science, 2016, 11, 36-42.
- [4] Bhrigu Kapur, Nakin Ahluwalia and Sathyaraj R, "Comparative Study on Marks Prediction using Data Mining and Classification Algorithms", International Journal of Advanced Research in Computer Science, 8 (3), March-April 2017,632-636
- [5] Prasada Rao, K., M. V.P. Chandra Sekhara, and B. Ramesh. "Predicting Learning Behavior of Students using Classification Techniques." International Journal of Computer Applications (0975 – 8887) Volume 139 – No.7, April 2016.



- [6] Amrich, E. A., Hamtini, T. & Aljarah, I. (2016). Mining educational data to predict Student's academic performance using ensemble methods. International Journal of Database Theory and Application, 9(8), pp. 119–136. doi: 2016.9.8.13.
- [7] Sundar PVP. A Comparative Study For Predicting Students Academic Performance using Bayesian Network Classifiers. IOSR Journal of Engineering. 2013 Feb; 3(2):37–42.
- [8] S. T. Hijazi, and R. S. M. M. Naqvi, "Factors affecting student's performance: A Case of Private Colleges", Bangladesh e-Journal of Sociology, Vol. 3, No. 1, 2006
- [9] C. Romero, "Educational Data Mining: A Review of the State of the Art", IEEE Transactions on Systems, Man, and Cybernetics-Part C: Applications and Reviews, Vol. 40, 2010.
- $[10] \quad https://www.statisticssolutions.com/correlation-pearson-kendall-spearman/$
- $[11] \quad https://www.kdnuggets.com/2018/12/feature-engineering-explained.html$
- [12] https://towardsdatascience.com/encoding-categorical-features-21a2651a065c
- [13] https://www.cs.princeton.edu/~schapire/talks/picasso-minicourse.pdf
- [14] https://blog.datadive.net/selecting-good-features-part-iii-random-forests/











45.98



IMPACT FACTOR: 7.129







# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 🕓 (24\*7 Support on Whatsapp)